```sql
insert into customers(
    customer_id,
    first_name,
    last_name,
    address,
    city,
    state,
    zip_code,
    phone_number,
    email_address
)VALUES(
    1,
    'Charles',
    'Woodson',
    '123 Stadium Street',
    'Ann Arbor',
    'Michigan',
    '98765',
    '123-456-7890',
    'cwoodson@hof.com'
);

insert into customers(
    customer_id,
    first_name,
    last_name,
    address,
    city,
    state,
    zip_code,
    phone_number,
    email_address
)VALUES(
    2,
    'Tom',
    'Brady',
    '456 Stadium Street',
    'Ann Arbor',
    'Michigan',
    '98765',
    '098-765-4321',
    'tbrady@hof.com'
);

insert into customers(
    customer_id,
    first_name,
    last_name,
    address,
    city,
    state,
    zip_code,
    phone_number,
    email_address
)VALUES(
    3,
    'Desmond',
```

```sql
    'Howard',
    '789 Stadium Street',
    'Ann Arbor',
    'Michigan',
    '98765',
    '111-222-3333',
    'desmondh@hof.com'
);

insert into customers(
    customer_id,
    first_name,
    last_name,
    address,
    city,
    state,
    zip_code,
    phone_number,
    email_address
)VALUES(
    4,
    'Blake',
    'Corum',
    '375 Rams Ave',
    'Los Angeles',
    'CA',
    '56235',
    '234-685-9548',
    'blakecorum@um.edu'
);

insert into concessions(
    concession_id,
    concession_item_name,
    concession_item_cost,
    concession_payment_method,
    concession_payment_credit_card_type,
    concession_payment_credit_card_number,
    concession_payment_credit_card_expiration,
    concession_payment_credit_card_security_code,
    customer_id
)VALUES(
    100,
    'popcorn',
    8.00,
    'credit card',
    'visa',
    '1111222233334444',
    '10/2025',
    '248',
    2
);

insert into concessions(
    concession_id,
    concession_item_name,
    concession_item_cost,
```

```sql
        concession_payment_method,
        concession_payment_credit_card_type,
        concession_payment_credit_card_number,
        concession_payment_credit_card_expiration,
        concession_payment_credit_card_security_code,
        customer_id
)VALUES(
        101,
        'hotdog',
        9.50,
        'credit card',
        'mastercard',
        '9999999999999999',
        '03/2027',
        '222',
        4
);

insert into concessions(
        concession_id,
        concession_item_name,
        concession_item_cost,
        concession_payment_method,
        concession_payment_credit_card_type,
        concession_payment_credit_card_number,
        concession_payment_credit_card_expiration,
        concession_payment_credit_card_security_code,
        customer_id
)VALUES(
        105,
        'pizza',
        9.99,
        'credit card',
        'visa',
        '1111222233334444',
        '10/2025',
        '248',
        2
);

insert into concessions(
        concession_id,
        concession_item_name,
        concession_item_cost,
        concession_payment_method,
        concession_payment_credit_card_type,
        concession_payment_credit_card_number,
        concession_payment_credit_card_expiration,
        concession_payment_credit_card_security_code,
        customer_id
)VALUES(
        110,
        'nachos',
        9.25,
        'credit card',
        'discover',
        '4564856458535488',
```

```sql
    '8/2028',
    '333',
    1
);

insert into concessions(
    concession_id,
    concession_item_name,
    concession_item_cost,
    concession_payment_method,
    customer_id
)VALUES(
    109,
    'pretzal',
    6.75,
    'cash',
    3
);

insert into concessions(
    concession_id,
    concession_item_name,
    concession_item_cost,
    concession_payment_method,
    customer_id
)VALUES(
    108,
    'milk duds',
    5.00,
    'cash',
    2
);

insert into concessions(
    concession_id,
    concession_item_name,
    concession_item_cost,
    concession_payment_method,
    concession_payment_credit_card_type,
    concession_payment_credit_card_number,
    concession_payment_credit_card_expiration,
    concession_payment_credit_card_security_code,
    customer_id
)VALUES(
    104,
    'pop',
    6.75,
    'credit card',
    'visa',
    '5656265388884749',
    '11/2024',
    '424',
    4
);

insert into movies(
    movie_id,
```

```sql
    movie_name,
    movie_release_date,
    movie_rating,
    movie_genre,
    movie_runtime
)VALUES(
    1000,
    'SQL For Dummies',
    '2024-05-01',
    'PG-13',
    'Comedy',
    '1hr 30min'
);

insert into movies(
    movie_id,
    movie_name,
    movie_release_date,
    movie_rating,
    movie_genre,
    movie_runtime
)VALUES(
    1001,
    'SQL Adventures',
    '2024-06-01',
    'R',
    'Horror',
    '1hr 20min'
);

insert into movies(
    movie_id,
    movie_name,
    movie_release_date,
    movie_rating,
    movie_genre,
    movie_runtime
)VALUES(
    1002,
    'Conquering SQL',
    '2024-12-15',
    'G',
    'Educational',
    '3hr'
);

insert into movies(
    movie_id,
    movie_name,
    movie_release_date,
    movie_rating,
    movie_genre,
    movie_runtime
)VALUES(
    1003,
    'The History of SQL',
    '2025-07-15',
```

```sql
    'G',
    'Historical',
    '2hr 40min'
);

insert into tickets(
    ticket_purchase_id,
    ticket_purchase_date,
    ticket_cost_subtotal,
    ticket_cost_total,
    ticket_movie_date,
    ticket_payment_method,
    ticket_payment_credit_card_type,
    ticket_payment_credit_card_number,
    ticket_payment_credit_card_expiration,
    ticket_payment_credit_card_security_code,
    customer_id,
    movie_id
)VALUES(
    1,
    '2024-05-25',
    25.00,
    26.75,
    '2024-05-25',
    'credit card',
    'visa',
    '5656265388884749',
    '11/2024',
    '424',
    4,
    1000
);

insert into tickets(
    ticket_purchase_id,
    ticket_purchase_date,
    ticket_cost_subtotal,
    ticket_cost_total,
    ticket_movie_date,
    ticket_payment_method,
    ticket_payment_credit_card_type,
    ticket_payment_credit_card_number,
    ticket_payment_credit_card_expiration,
    ticket_payment_credit_card_security_code,
    customer_id,
    movie_id
)VALUES(
    2,
    '2024-05-25',
    25.00,
    26.75,
    '2025-07-15',
    'credit card',
    'visa',
    '5656265388884749',
    '11/2024',
    '424',
```

```sql
        4,
        1003
);

insert into tickets(
        ticket_purchase_id,
        ticket_purchase_date,
        ticket_cost_subtotal,
        ticket_cost_total,
        ticket_movie_date,
        ticket_payment_method,
        ticket_payment_credit_card_type,
        ticket_payment_credit_card_number,
        ticket_payment_credit_card_expiration,
        ticket_payment_credit_card_security_code,
        customer_id,
        movie_id
)VALUES(
        3,
        '2024-05-28',
        15.00,
        16.05,
        '2024-05-28',
        'credit card',
        'discover',
        '4564856458535488',
        '8/2028',
        '333',
        1,
        1000
);

insert into tickets(
        ticket_purchase_id,
        ticket_purchase_date,
        ticket_cost_subtotal,
        ticket_cost_total,
        ticket_movie_date,
        ticket_payment_method,
        customer_id,
        movie_id
)VALUES(
        4,
        '2024-06-04',
        15.00,
        16.05,
        '2024-06-04',
        'cash',
        2,
        1001
);

insert into tickets(
        ticket_purchase_id,
        ticket_purchase_date,
        ticket_cost_subtotal,
        ticket_cost_total,
```

```sql
    ticket_movie_date,
    ticket_payment_method,
    ticket_payment_credit_card_type,
    ticket_payment_credit_card_number,
    ticket_payment_credit_card_expiration,
    ticket_payment_credit_card_security_code,
    customer_id,
    movie_id
)VALUES(
    5,
    '2024-06-04',
    30.00,
    32.10,
    '2024-12-15',
    'credit card',
    'american express',
    '1234432112344321',
    '3/2026',
    '738',
    3,
    1002
);
```