







### couriersettings

id: int8 courier: bytea enddate: timestamp isdefault: bool startdate: timestamp \_stg\_key: varchar(255) \_stg\_value: varchar(255)

## restaurantsettings

id: int8 enddate: timestamp isdefault: bool restaurant: bytea startdate: timestamp \_stg\_key: varchar(255) \_stg\_value: varchar(255)

### usersettings

id: int8 enddate: timestamp isdefault: bool startdate: timestamp \_stg\_key: varchar(255) \_stg\_value: varchar(255) owner: bytea

#### courierlogs

id: int8 actiontype: varchar(255) courier: bytea date: timestamp info: varchar(255) level: varchar(255)

### devicelogs

id: int8 actiontype: varchar(255) date: timestamp device: bytea info: varchar(255) level: varchar(255)

genericdevice

device\_type: varchar(31)

id: int8
deleted: bool
deviceactivateddate: timestamp
deviceversion: varchar(255)
status: varchar(255)
encriptionkey: varchar(255)
lastping: timestamp

## restaurantlogs

id: int8 actiontype: varchar(255) date: timestamp info: varchar(255) level: varchar(255) restaurant: bytea

## systemsettings

id: int8 enddate: timestamp isdefaultsetting: bool startdate: timestamp \_stg\_key: varchar(255) \_stg\_value: varchar(255)

# userlogs

id: int8 actiontype: varchar(255) date: timestamp info: varchar(255) level: varchar(255) loggedby: bytea

### systemlogs

id: int8 actiontype: varchar(255) date: timestamp info: varchar(255) level: varchar(255)

### courier

id: int8 device: bytea