
JOINING DATA IN SQL



Maham Faisal Khan
Senior Content Developer, DataCamp





INNER JOIN looks for records in both tables which match on a given field

Diagram for an INNER JOIN on the id field




Diagram for an INNER JOIN ON the id field






Diagram for an INNER JOIN ON the id field










The leadership database schema

World leaders up to 2024:



At the presidents table

```
SELECT *
FROM presidents;
```

```
country | continent | president
        | Africa | Abdel Fattah el-Sisi
Egypt
Portugal | Europe | Marcelo Rebelo de Sousa |
USA
   | North America | Joe Biden
Uruguay | South America | Luis Lacalle Pou
Pakistan | Asia | Asif Ali Zardari
Chile | South America | Gabriel Boric
        Asia
India
                      | Droupadi Murmu
```

Meet the prime ministers

The prime_ministers table

country	continent	prime_minister
Egypt	Africa	Mostafa Madbouly
Portugal	Europe	Luís Montenegro
Pakistan	Asia	Shehbaz Sharif
United Kingdom	Europe	Keir Starmer
India	Asia	Narendra Modi
Australia	Oceania	Anthony Albanese
Norway	Europe	Jonas Gahr Støre
Brunei	Asia	Hassanal Bolkiah
Oman	Asia	Haitham bin Tarik
New Zealand	Oceania	Christopher Luxon

Prime ministers, meet the presidents

The presidents table

country	continent	president
Egypt	Africa	Abdel Fattah el-Sisi
Portugal	Europe	Marcelo Rebelo de Sousa
USA	North America	Joe Biden
Uruguay	South America	Luis Lacalle Pou
Pakistan	Asia	Asif Ali Zardari
Chile	South America	Gabriel Boric
India	Asia	Droupadi Murmu

The prime_ministers table

country	continent	prime_minister
Egypt	Africa	Mostafa Madbouly
Portugal	Europe	Luís Montenegro
Pakistan	Asia	Shehbaz Sharif
United Kingdom	Europe	Keir Starmer
India	Asia	Narendra Modi
Australia	Oceania	Anthony Albanese
Norway	Europe	Jonas Gahr Støre
Brunei	Asia	Hassanal Bolkiah
Oman	Asia	Haitham bin Tarik
New Zealand	Oceania	Christopher Luxon

Our first INNER JOIN

```
--Inner join of presidents and prime_ministers, joining on country
SELECT prime_ministers.country, prime_ministers.continent, prime_minister, president
FROM presidents
INNER JOIN prime_ministers
ON presidents.country = prime_ministers.country;
```

Note. The table.column_name format must be used when selecting columns that exist in both tables to avoid a SQL error.

```
country
               | continent | prime_minister
                                             | president
                           | Mostafa Madbouly | Abdel Fattah el-Sisi
               | Africa
Egypt
Portugal
               | Europe
                           | Luís Montenegro | Marcelo Rebelo de Sousa |
Pakistan
               l Asia
                           | Shehbaz Sharif | Asif Ali Zardari
               Asia
                            Narendra Modi
                                             Ram Nath Kovind
India
```

Aliasing tables

```
--Inner join of presidents and prime_ministers, joining on country
SELECT p2.country, p2.continent, prime_minister, president
FROM presidents AS p1
INNER JOIN prime_ministers AS p2
ON p1.country = p2.country;
```

Aliases can be used in the table.column_name syntax in SELECT and ON clauses.

Using USING

```
--Inner join of presidents and prime_ministers, joining on country
SELECT p2.country, p2.continent, prime_minister, president
FROM presidents AS p1
INNER JOIN prime_ministers AS p2
USING(country);
```

Let's practice!

JOINING DATA IN SQL



Defining relationships


JOINING DATA IN SQL



Maham Faisal Khan
Senior Content Developer, DataCamp



One-to-many relationships



One-to-many relationships

		boo	ks
auth	ors	book_id	INT
author_id	INT	author_id	INT
first_name	VARCHAR	title	VARCHAR
last_name VARCHAR		genre	VARCHAR
		rating	FLOAT
		year_published	YEAR

One-to-one relationships


Finger Fingerprint

One-to-one relationships

individuals		
passport_no	VARCHAR	
nationality	VARCHAR	
date_of_birth	DATE	
first_name	VARCHAR	
last_name	VARCHAR	

fingerprints		
passport_no	VARCHAR	
left_index	BINARY	
left_thumb	BINARY	
right_index	BINARY	
right_thumb	BINARY	

Many-to-many relationships



Let's practice!

JOINING DATA IN SQL



Multiple joins

JOINING DATA IN SQL



Maham Faisal Khan
Senior Content Developer, DataCamp



Joins on joins

```
SELECT *
FROM left_table
INNER JOIN right_table
ON left_table.id = right_table.id
INNER JOIN another_table
ON left_table.id = another_table.id;
```

Note. Depending on the use case, left_table or right_table can be used in the ON clause.

Joins on joins


The prime_minister_terms table from our database of world leaders

prime_minister	pm_start
Mostafa Madbouly	2018
Luís Montenegro	2024
Shehbaz Sharif	2024
Kier Starmer	2024
Narendra Modi	2014
Anthony Albanese	2022
Jonas Gahr Støre	2021
Hassanal Bolkiah	1984
Haitham bin Tarik	2020
Christopher Luxon	2023

What to join first?

```
country
         continent
                          president
                                                    prime_minister
Egypt
         | Africa
                         | Abdel Fattah el-Sisi
                                                  Mostafa Madbouly
Portugal |
          Europe
                         | Marcelo Rebelo de Sousa | Luís Montenegro
Pakistan | Asia
                                                  | Shehbaz Sharif
                         Asif Ali Zardari
India
         l Asia
                          Droupadi Murmu
                                                    Narendra Modi
```

Chaining joins



result of INNER JOIN on president and prime_minister on country

country	continent	president	prime_minister
Egypt	Africa	Abdel Fattah el-Sisi	Mostafa Madbouly
Portugal	Europe	Marcelo Rebelo de Sousa	Luis Montenegro
Pakistan	Asia	Asif Ali Zardari	Shehbaz Sharif
India	Asia	Droupadi Murmu	Narendra Modi

prime_minister terms

prime_minister	pm_start
Mostafa Madbouly	2018
Luís Montenegro	2024
Shehbaz Sharif	2024
Kier Starmer	2024
Narendra Modi	2014
Anthony Albanese	2022
Jonas Gahr Støre	2021
Hassanal Bolkiah	1984
Haitham bin Tarik	2020
Christopher Luxon	2023



country	continent	president	prime_minister	pm_start
Egypt	Africa	Abdel Fattah el-Sisi	Mostafa Madbouly	2018
Portugal	Europe	Marcelo Rebelo de Sousa	Luís Montenegro	2024
Pakistan	Asia	Asif Ali Zardari	Shehbaz Sharif	2024
India	Asia	Droupadi Murmu	Narendra Modi	2014




Chaining joins

```
-- SQL query for chaining inner joins
SELECT
    p1.country,
    p1.continent,
    president,
    prime_minister,
    pm_start
FROM prime_ministers as p1
INNER JOIN presidents as p2
USING(country)
INNER JOIN prime_minister_terms as p3
USING(prime_minister);
```

What are we joining ON?

```
SELECT *
FROM left_table
INNER JOIN right_table
ON left_table.id = right_table.id;
```

Diagram for an INNER JOIN ON the id field






id	date	left_value	right_value
1	09/03/19	L1	R1
1	12/12/20	L1	R1.1
4	06/12/22	L4	R2
4	11/08/19	L4	R2.1



Joining on multiple keys

```
SELECT *
FROM left_table
INNER JOIN right_table
ON left_table.id = right_table.id
AND left_table.date = right_table.date;
```

Diagram for an INNER JOIN ON the id AND date field





id	date	left_value	right_value
1	09/03/19	LI	R1
4	06/12/22	L4	R2



Let's practice!

JOINING DATA IN SQL

