

JR BING'S

OPEN SOURCE TOOLS JAMBOREE

- About me
 - Worked with PeopleSoft for 15 years, PeopleSoft Administrator for 8
- ISC
 - 13 tracks across United States
 - Headquarters in Daytona Beach
 - PeopleSoft FN & HR
 - Images courtesy of gettyimages.com



Agenda

- Discuss open source tooling you might find useful
- ...

<https://github.com/jrbing/open-source-tools-jamboree>



ELASTICSEARCH





overview

nodes

rest

more ▾

⌚ 15sec ▾

HRDEV [green]



PSESCLUSTER

3 nodes

2 indices

20 shards

17,880 docs

538.31MB

filter indices by name or ↴

 closed
(0) .special
(0)

filter nodes by name

1-2 of 2



	orcl_es_acl shards: 5 * 2 docs: 15 size: 54.24KB	orcl_es_defaultindex_hrdev hc_hrs_applicant_hrdev_orcl_es_alias (+14) shards: 5 * 2 docs: 17,865 size: 269.10MB		
☆ hrdeves-pselasticsearch-0 10.138.32.147 heap disk cpu load	[0] [1] [2]	[0] [1] [2]		
★ hrdeves-pselasticsearch-1 10.138.107.52 heap disk cpu load	[1] [3] [4]	[1] [2] [3] [4]		
☆ hrdeves-pselasticsearch-2 10.138.86.203 heap disk cpu load	[0] [2] [3] [4]	[0] [3] [4]		



Cerebro v0.8.1

Known clusters

ES

FNDEV

FNPROD

FNSTAGE

FNTEST

HRDEV

HRDMO

HRPROD

HRSTAGE

HRTEST

Node address

e.g.: <http://localhost:9200>

Connect

Open Source Identity and Access Management

For Modern Applications and Services

[Learn Keycloak Basics](#)

Add authentication to applications and secure services with minimum fuss. No need to deal with storing users or authenticating users. It's all available out of the box.

You'll even get advanced features such as User Federation, Identity Brokering and Social Login.

For more details go to [about](#) and [documentation](#), and don't forget to try Keycloak. It's easy by design!

NEWS

24 Apr

[Keycloak 6.0.1 released](#)

17 Apr

[Keycloak 6.0.0 released](#)

06 Mar

[Keycloak 5.0.0 released](#)

KIBANA

Log In

Username

Password

Log In

[Logstash Reference \[7.0\]](#) » [Input plugins](#) » Jdbc input plugin

« Irc input plugin

[Jms input plugin](#) »

Jdbc input plugin

- Plugin version: v4.3.13
- Released on: 2018-09-04
- [Changelog](#)

For other versions, see the [Versioned plugin docs](#).

Getting Help

For questions about the plugin, open a topic in the [Discuss](#) forums. For bugs or feature requests, open an issue in [Github](#). For the list of Elastic supported plugins, please consult the [Elastic Support Matrix](#).

Description

This plugin was created as a way to ingest data in any database with a JDBC interface into Logstash. You can periodically schedule ingestion using a cron syntax (see `schedule` setting) or run the query one time to load data into Logstash. Each row in the resultset becomes a single event. Columns in



Getting Started Videos



[Starting Elasticsearch](#) ↗



[Introduction to Kibana](#) ↗



[Logstash Starter Guide](#) ↗

On this page

[Getting Help](#)

[Description](#)

[Drivers](#)

[Scheduling](#)

[State](#)

[Dealing With Large Result-sets](#)



```
1 input {
2   jdbc {
3     id => "psprcsstat"
4     jdbc_validate_connection => true
5     jdbc_connection_string => "jdbc:oracle:thin:@${JDBC_HOST}:${JDBC_PORT}/${JDBC_SERVICE}"
6     jdbc_default_timezone => "America/New_York"
7     jdbc_user => "${JDBC_USER}"
8     jdbc_password => "${JDBC_PASS}"
9     jdbc_driver_library => "/usr/share/logstash/vendor/jars/ojdbc8.jar"
10    jdbc_driver_class => "Java::oracle.jdbc.driver.OracleDriver"
11    last_run_metadata_path => "/usr/share/logstash/metadata/psprcsstat.lastrun"
12    statement_filepath => "/usr/share/logstash/sql/psprcsstat.sql"
13    record_last_run => true
14    schedule => "*/2 * * * *"
15    sql_log_level => "info"
16    add_field => {
17      "[ps]" => {}
18      "[ps][prcs]" => {}
19      "[ps][component]" => "process_scheduler"
20      "[ps][tier]" => "prcs"
21      "[ps][log_type]" => "psprcsstat"
22      "[ps][environment]" => "fnmdo"
23      "[ps][region]" => "development"
24    }
25    tags => ["psprcsstat"]
26  }
27 }
```



```
1 select a.servername as "ps.prcs.psprcsstat.server"
2     , a.srvrhostname as "ps.prcs.psprcsstat.hostname"
3     , a.serverstatusdescr as "ps.prcs.psprcsstat.status"
4     , a.descr2 as "ps.prcs.psprcsstat.os"
5     , a.distnodename as "ps.prcs.psprcsstat.distnode"
6     , a.heartbeat as "ps.prcs.psprcsstat.heartbeat"
7     , a.begindttm as "ps.prcs.psprcsstat.laststarted"
8     , a.lastupddttm as "ps.prcs.psprcsstat.lastupdated"
9     , coalesce(( select sum(itemcount) from ps_pmn_prcsactv_vw b where a.servername =
b.servername), 0) as "ps.prcs.psprcsstat.running"
10    from ps_pmn_srvrlist a
11    where a.lastupddttm > :sql_last_value
12    and a.lastupddttm > sysdate - interval '1' day
```



Products Cloud Services Customers [Learn](#)

[downloads](#)

[contact](#)



EN

Blog

News

Engineering

User Stories

Releases

Culture

Archive



09 MARCH 2016

[USER STORIES](#)

Visualising Oracle Performance Data with the Elastic Stack

By Robin Moffatt

Introduction

One of the great things about the Oracle database is the level of diagnostics and performance data that is available from it. Used in conjunction with good instrumentation from the applications generating the workload on the database, it's a brilliant way – arguably, the only way – to accurately and efficiently get to the bottom of any performance problems that arise. By analysing what the database is doing at a point in time we can understand more about the load that it is under, and by looking at how a given session executes we can identify optimisation opportunities for it.

Sign up for product updates!

Email Address

By submitting you (1) agree to [Elastic's Terms of Service](#) and [Privacy Statement](#) and (2) agree to receive occasional emails.

ElastAlert - Easy & Flexible Alerting With Elasticsearch

Running ElastAlert for the First Time

Rule Types and Configuration Options

ElastAlert Metadata Index

Adding a New Rule Type

Adding a New Alerter

Writing Filters For Rules

Enhancements

Sending requests to Amazon Elasticsearch service

ElastAlert - Easy & Flexible Alerting With Elasticsearch

Contents:

- [ElastAlert - Easy & Flexible Alerting With Elasticsearch](#)
 - [Overview](#)
 - [Reliability](#)
 - [Modularity](#)
 - [Configuration](#)
 - [Running ElastAlert](#)
- [Running ElastAlert for the First Time](#)
 - [Requirements](#)
 - [Downloading and Configuring](#)
 - [Setting Up Elasticsearch](#)
 - [Creating a Rule](#)
 - [Testing Your Rule](#)
 - [Running ElastAlert](#)
- [Rule Types and Configuration Options](#)
 - [Rule Configuration Cheat Sheet](#)
 - [Common Configuration Options](#)
 - [Testing Your Rule](#)
 - [Rule Types](#)



- ▼ Rules
 - newrule
- ▼ Templates
 - any
 - average**
 - blacklist
 - change
 - flatline
 - frequency
 - max
 - min
 - spike
 - sum
 - whitelist
- Errors
- Alerts
- Queries
- Silences

Edit template “average”

Name

average

The name of the rule, must be unique.

*** Index**

devtest


*** Time type**

Unix timestamp (milliseconds)

*** Time field**

last_updated

e.g. logstash-* or logstash-%Y.%m.%d [?]

WHEN average **OF** age **OVER** all documents **UNFILTERED** **IS ABOVE** 30000 **FOR THE LAST** 15 minutes*** Destination**

Slack



Email



HTTP

Re-alert

-

5



+



Minutes



You will receive, at most, one alert every 5 minute(s), even if a rule triggers multiple times within that timeframe

Settings**Slack***** Subject**

average

Insert fields by typing '%' followed by the field name

Subject preview

average

Body text

average

Insert fields by typing '%' followed by the field name

Body preview

average

*** Include**

Body text only

Test ▾**Save**

[Features ▾](#)[News](#)[Community](#)[Contribute](#)[Docs](#)[GitHub](#)[Download](#)

Open Distro for Elasticsearch

An Apache 2.0-licensed distribution of Elasticsearch enhanced with enterprise security, alerting, SQL, and more

[Download](#)[Contribute](#)

100% open source

Providing the freedoms that make open source great: view, use, change, and distribute code, as you wish



Enterprise-grade

Delivering security and advanced capabilities such as alerting, SQL, and cluster diagnostics



Community-driven

Providing individuals and organizations the freedom to easily contribute changes to the distribution

BITWARDEN





Log in or create a new account to access
your secure vault.

Email Address

jbing@iscmotorsports.com

Master Password

|



[Get master password hint](#)

Remember email

Log In

Create Account

© 2019, 8bit Solutions LLC

Version 2.10.0

Bitwarden

All Items

Favorites

TYPES

Login

Card

Identity

Secure Note

FOLDERS



Email

Social

Work

No Folder

COLLECTIONS

Android

Azure

Client Credentials

Devs

Search Vault

hello@bitwarden.com

 Facebook
hello@bitwarden.com Fidelity
john.smith fidelity.co.uk
testuser fidelity.com
john.smith

Git SSH Key

 GitHub
john@company.com github.com
jsmith Gmail
hello@bitwarden.com Google Dev Account
demodev

Great American Cookie ...



ITEM INFORMATION

Name

Gmail

Website

accounts.google.com



Username

hello@bitwarden.com



Password



Verification Code (TOTP)

465 739



NOTES

This is a note about my gmail account.





Search or jump to...



Pull requests Issues Marketplace Explore



dani-garcia / bitwarden_rs

Watch ▾

47

Unstar

977

Fork

85

Code

Issues 15

Pull requests 1

Wiki

Insights

Unofficial Bitwarden compatible server written in Rust

rust

bitwarden

rocket

docker

778 commits

3 branches

16 releases

34 contributors

GPL-3.0

Branch: master ▾

New pull request

Create new file

Upload files

Find File

Clone or download ▾

 dani-garcia	Merge pull request #473 from Starbix/patch-1	...	Latest commit 4545f27 5 days ago
 migrations	Fix attachments during key rotation, add individual attachment key		5 months ago
 src	Change path for served images to avoid collision with vault images		7 days ago
 .dockerignore	Include git repo in build so we get version		3 months ago
 .env.template	Updated .env template		10 days ago
 .gitignore	Rename included .env file to .env.template and ignored .env		4 months ago
 .travis.yml	Remove verbose, otherwise the logs get filled with useless info		2 months ago
 Cargo.lock	Updated dependencies		11 days ago
 Cargo.toml	Updated dependencies		11 days ago

MONITORING





085b88873965 ▾

Alarms 1

Settings

Update




Help

Sign In

System Overview

Overview of the key system metrics.




cpu

Total CPU utilization (all cores). 100% here means there is no CPU idle time at all. You can get per core usage at the [CPUs](#) section and per application usage at the [Applications Monitoring](#) section.

Keep an eye on [iowait](#) (4.0%). If it is constantly high, your disks are a bottleneck and they slow your system down.

An important metric worth monitoring, is [softirq](#) (2.84%). A constantly high percentage of softirq may indicate network driver issues.



System Overview

cpu
load
disk
ram
swap
network
processes
idlejitter
interrupts
softirqs
softnet
entropy
uptime
ipc semaphores
ipc shared memory

CPUs

Memory

Disks

ZFS filesystem

Networking Stack

IPv4 Networking

IPv6 Networking

Network Interfaces

Firewall (netfilter)

systemd Services

Applications

Terminal

PID	USER	PRI	NI	VIRT	RES	SHR	S	CPU%	MEM%	TIME+	Command
17391	joe	20	0	1435M	285M	55844	S	142.	3.8	55:25.38	simplescreenrecor
18081	joe	20	0	1435M	285M	55844	S	42.6	3.8	1:09.10	simplescreenrecor
18052	joe	20	0	2719M	100M	65044	S	41.9	1.3	0:52.05	geary
16157	root	20	0	310M	82448	45728	R	29.7	1.1	13:31.52	/usr/bin/X :0 -au
18065	joe	20	0	2719M	100M	65044	R	24.3	1.3	0:30.85	geary
18073	joe	30	10	1435M	285M	55844	S	24.3	3.8	0:31.82	simplescreenrecor
18074	joe	30	10	1435M	285M	55844	R	20.3	3.8	0:31.62	simplescreenrecor
18075	joe	30	10	1435M	285M	55844	S	20.3	3.8	0:31.44	simplescreenrecor
18077	joe	20	0	1435M	285M	55844	S	14.9	3.8	0:25.62	simplescreenrecor
18076	joe	20	0	1435M	285M	55844	S	8.8	3.8	0:14.99	simplescreenrecor
18082	joe	20	0	1435M	285M	55844	S	5.4	3.8	0:09.63	simplescreenrecor
16443	joe	9	-11	505M	10480	7448	S	4.7	0.1	3:19.81	/usr/bin/pulseaud
18078	joe	20	0	1435M	285M	55844	S	3.4	3.8	0:07.69	simplescreenrecor
17369	joe	20	0	581M	27724	21680	S	2.0	0.4	0:10.64	gnome-terminal

ARIAC2

8

Bud



aria2

The next generation download utility.

[Top](#) | [Documentation](#) | [Документация](#) | [Documentação](#) | [Bugs](#) | [Source](#)

Search



aria2 is a **lightweight** multi-protocol & multi-source command-line **download utility**. It supports **HTTP/HTTPS**, **FTP**, **SFTP**, **BitTorrent** and **Metalink**. aria2 can be manipulated via built-in **JSON-RPC** and **XML-RPC** interfaces.

Download

Download [version 1.34.0](#). There you can download source distribution and binaries for OS X, Windows and Android.

The legacy releases earlier than 1.19.1 are available [here](#).

Stats

[Open Hub](#)

129K Lines

[Open Hub](#)

133
USERS

I USE IT

Translation

Localize aria2 at [launchpad.net](#).



Search or jump to...

Pull requests Issues Marketplace Explore



jrbing / dotfiles

Unwatch 1

Unstar 3

Fork 0

Code

Pull requests 0

Actions

Projects 0

Insights

Settings

Branch: master ▾

dotfiles / bin / getmospatch

Find file Copy path



jrbing Show help if no patch ID is specified

8a48366 on Jun 6, 2017

1 contributor

Executable File | 181 lines (152 sloc) | 4.8 KB

Raw Blame History



```
1 #!/usr/bin/env bash
2 =====
3 # vim: softtabstop=2 shiftwidth=2 expandtab fenc=utf-8 spelllang=en ft=sh
4 =====
5 #
6 # FILE: getmospatch
7 #
8 # DESCRIPTION: Download the specified MOS patch to the current directory
9 #
10 =====
11
12 set -e          # Exit immediately on error
13 set -u          # Treat unset variables as an error
14 set -o pipefail # Prevent errors in a pipeline from being masked
15 IFS=$'\n\t'      # Set the internal field separator to a tab and newline
16
17 # Source bash functions
18 # shellcheck disable=1090
19 source "$DOTFILES/share/lib/bash-functions.sh"
20
21 # Check for required programs
22 req_progs=(curl aria2c)
23 bincheck "${req_progs[*]}"
```

VS CODE



Version 1.33 is now available! Read about the new features and fixes from March.

Code editing. Redefined.


Free. Built on open source. Runs everywhere.

Download for Mac

Stable Build

Other platforms and Insiders Edition

By using VS Code, you agree to its
license and privacy statement.



The screenshot shows the Visual Studio Code interface. On the left, there's a sidebar with icons for file operations like Open, Save, Find, Replace, and Copy/Paste. The main area is a code editor with tabs for 'app.ts', 'www.ts', 'package.json', and 'README.md'. The 'www.ts' tab is active, displaying TypeScript code for a Node.js application. The status bar at the bottom shows 'master' branch, 11131 commits, 0 issues, 0 warnings, and 0 errors. It also indicates the current position is 'Ln 9, Col 21' with 'Spaces: 2', 'UTF-8', 'LF', 'TypeScript', and a settings icon.

```
import app from './app';
import debugModule = require('debug');
import http = require('http');

const debug = debugModule('node-express-typescript:server');

// Get port from environment and store in Express.
const port = normalizePort(process.env.PORT || '3000');

app.set('port', port);

// create server
const server = http.createServer();
server.on('error', onError);
server.on('listening', onListening);

/** * Normal port */
function normalizePort(val: any): number|string|boolean {
  let port = parseInt(val, 10);

  if (isNaN(port)) {
    // named pipe
    return val;
  }

  return port;
}

const exports = {
  normalizePort,
};

export default exports;
```



IntelliSense



Debugging



Built-in Git



Extensions



PeopleSoft Tools

Jay Mathew | 1,120 installs | ⚡ 3,744 downloads | ★★★★★ (2) | Free

An unofficial PeopleSoft plugin for various PeopleSoft related tasks

[Install](#)[Trouble Installing?](#)

[Overview](#) [Q & A](#) [Rating & Review](#)

PeopleSoft Tools - VSCode Plugin

This repository contains the following:

- Syntax Highlighter for PeopleCode and PeopleSoft Trace files
- Extract Call Stack tool
- Tidy PeopleCode Trace tool
- PeopleCode Snippets

Syntax Highlighter for PeopleCode and PeopleSoft Trace files

The syntax highlighter applies to files with the following extensions:

- ppl (PeopleCode)
- pcode (PeopleCode)

Categories

[Programming Languages](#) [Snippets](#) [Other](#)

Tags

[peoplecode](#) [PeopleCode Call Stack](#) [PeopleCode Trace](#)
[peoplecode_callstack](#) [peoplecode_trace](#)
[PeopleSoft COBOL Trace](#) [peoplesoft_callstack](#)
[peoplesoft_cobol_trace](#) [snippet](#) [trace_cobol](#)
[tracesql](#)

Resources

SQR

City of Escondido | 2,173 installs | 3,460 downloads | ★★★★☆ (3) | Free

SQR Language Support (Oracle, PeopleSoft Enterprise)

[Install](#)[Trouble Installing?](#)

[Overview](#) [Q & A](#) [Rating & Review](#)

SQR Language Support for Visual Studio Code

This extension provides syntax highlighting and code snippets for the [SQR Programming language](#).

Special thanks to Gary Pullis for creating the [Sublime Text definition files](#) upon which this extension was originally based.

Current Features

Syntax highlighting and code snippets. Please visit the [Snippets Wiki Page](#) for documentation of the SQR snippet shortcuts you can take advantage of through IntelliSense in VSC.

```
1 #define ARRSIZE          25
2
3 create-array name=MyArray size={ARRSIZE}
4     field=Name:char
5     field=Pos:number
6
```

Categories

[Programming Languages](#) [Snippets](#)

Tags

[snippet](#) [sqr](#)

Resources

[Issues](#) [Repository](#) [Homepage](#) [Changelog](#) [Download Extension](#)

Project Details

[CityOfEscondido/Visual-Studio-Code-SQR](#) [No Open Issues](#)



Remote Development

[Preview](#)

Microsoft | 9,303 installs | 9,609 downloads | ★★★★★ (11) | [Preview](#)

An extension pack that lets you open any folder in a container, on a remote machine, or in WSL and take advantage of VS Code's full feature set.

[Install](#)[Trouble Installing?](#)[Overview](#)[Q & A](#)[Rating & Review](#)

Visual Studio Code Remote Development Extension Pack

Note: You need [Visual Studio Code Insiders](#) to use this extension pack!

The **Remote Development** extension pack allows you to open any folder in a container, on a remote machine, or in the [Windows Subsystem for Linux \(WSL\)](#) and take advantage of VS Code's full feature set. Since this lets you set up a full-time development environment anywhere, you can:

- Develop on the same operating system you deploy to or use larger, faster, or more specialized hardware than your local machine.
- Quickly swap between different, isolated development environments and safely make updates without worrying about impacting your local machine.
- Help new team members / contributors get productive quickly with easily spun up, consistent development containers.

Categories

[Other](#)[Extension Packs](#)

Tags

[containers](#)[dev container](#)[development container](#)[docker](#)[remote](#)[remote development](#)[ssh](#)[wsl](#)

Resources

[Repository](#)[License](#)[Download Extension](#)

TMUX



PSADMIN -- PeopleTools Release: 8.57.05
Copyright (c) 1996, 2018, Oracle and/or its affiliates. All rights reserved.

PeopleSoft Server Administration

PS_CFG_HOME /u01/app/psoft/pt857cfg
PS_HOME /u01/app/psoft/pt857
PS_APP_HOME /u01/app/psoft/hcm92
PS_CUST_HOME /u01/app/psoft/hcm92isc

1) Application Server
2) Process Scheduler
3) Web (PIA) Server
4) Switch Config Home
5) Replicate Config Home
6) Refresh Config Home
q) Quit

Command to execute (1-6, q):

1 [|||] 4.7%] Tasks: 133, 621 thr; 1 running
2 [|||||||] 12.7%] Load average: 0.12 0.40 0.61
Mem[|||||||||||||||||] 5.19G/7.60G] Uptime: 21 days, 08:19:43
Swp[||] 197M/7.20G]

PID	USER	PRI	NI	VIRT	RES	SHR	S	CPU%	MEM%	TIME+	Command
7099	root	20	0	469M	1720	1132	S	8.0	0.0	39h20:31	/usr/local/nutanix/ngt/python27/python -E /usr/local/nutanix/ngt/ssr/ssr_
7122	root	20	0	469M	1720	1132	S	7.3	0.0	39h20:31	/usr/local/nutanix/ngt/python27/python -E /usr/local/nutanix/ngt/ssr/ssr_
7093	root	20	0	253M	1548	944	S	6.7	0.0	36h14:22	/usr/local/nutanix/ngt/python27/python -E /usr/local/nutanix/ngt/ssr/ssr_
178308	psoft	20	0	3160M	665M	41856	S	6.7	8.5	1:06.38	java -server -Xms512m -Xmx512m -Dtoplink.xml.platform=oracle.toplink.plat

F1Help F2Setup F3Search F4Filter F5Tree F6SortBy F7Nice -F8Nice +F9Kill F10Quit

□ HRDEV 1 ★ appservers 2 database ⌘: dablnxdhr05

[Code](#)[Issues 78](#)[Pull requests 6](#)[Projects 0](#)[Insights](#)

Manage complex tmux sessions easily

[798 commits](#)[7 branches](#)[42 releases](#)[109 contributors](#)[MIT](#)

Branch: master ▾

[New pull request](#)[Create new file](#)[Upload files](#)[Find File](#)[Clone or download ▾](#)

 ethagnawl	bump version to 1.1.0 and update CHANGELOG (#699)	Latest commit 9281b21 4 days ago
.github/ISSUE_TEMPLATE	Introduce issue templates (#655)	6 months ago
bin	changes bootstrap to accept array of args (vs varargs)	11 months ago
completion	Fix/improve zsh completion	11 months ago
lib	bump version to 1.1.0 and update CHANGELOG (#699)	4 days ago
spec	Fix error when using wemux instead of tmux (#590)	21 days ago
.codeclimate.yml	disabling bundler audit, since this project does not check in Gemfile...	2 years ago
.gitignore	moves executable bootstrap logic to Tmuxinator::Cli.bootstrap	11 months ago
.rspec	Update to RSpec 3.0.	5 years ago
.rubocop.yml	Quiet RuboCop Warnings (#622)	a year ago
.travis.yml	tmux-2.9a - add support for tmux 2.9a (#698)	4 days ago
CHANGELOG.md	bump version to 1.1.0 and update CHANGELOG (#699)	4 days ago
CONTRIBUTING.md	Suggest contributors use 'rake test'	3 years ago
Gemfile	Update TravisCI matrix and Gem deps	2 years ago

RUNDECK



 PROJECTS DASHBOARD JOBS NODES COMMANDS ACTIVITY PROJECT SETTINGS Community News jalapeño popper pink plane 2019-04-

24

EADA 3.0.21-20190424

Jobs (90)

 Filter  Expand All Collapse All Modified Job Actions  admin bounce-environment

Workflow to restart web, app, and process scheduler for selected environment

 change-peoplesoft-user-password

Modify password for PeopleSoft User

 create_restore_point

Create database restore points

 drop_all_restore_points

Drop all database restore points

 drop_restore_point

Drop database restore point

 list_restore_points

List database restore points



Search or jump to...

Pull requests Issues Marketplace Explore



rundeck-plugins / java-keytool-steps

Watch ▾ 3

Unstar 3

Fork 1

Code

Issues 0

Pull requests 0

Projects 0

Wiki

Insights

Java Keytool CLI Wrapper

26 commits

1 branch

0 releases

3 contributors

Branch: master ▾

New pull request

Create new file

Upload files

Find File

Clone or download ▾



ahonor Merge pull request #5 from sinksc/master ...

Latest commit 19cf4f2 on Sep 10, 2018

contents

cleans script up after running through shellcheck

8 months ago

README.md

Fixes a few more missing carriage returns in README

8 months ago

plugin.yaml

Formats README/adds examples, updates plugin auth/date

8 months ago

README.md

Job Step plugin to wrap common Java keytool commands (Linux/Unix)

Usage

Pre-Requisites

Remote node setup

The remote node's SSH server must be configured to accept RD_* environment variables. This can be read about [here](#).

DOCKER



portainer.io

Containers

Container list

Containers

Start Stop Kill Restart Pause Resume Remove Add container

Search...

Name	State	Quick actions	Stack	Image	Created	IP Address	Published Ports	Ownership
wordpress_db.1.3tqnqzs52gtgka...	running		wordpress	mysql:5.7	2019-05-06 15:25:15	10.0.1.9	-	administrators

Items per page 10

portainer.io 1.20.2

Portainer support admin
[my account](#) [log out](#)

Home

LOCAL

Dashboard

App Templates

Stacks

Services

Containers

Images

Networks

Volumes

Configs

Secrets

Swarm

SETTINGS

Extensions

Users

Endpoints

Registries

Settings

Search or jump to... / Pull requests Issues Marketplace Explore

pyouroboros / ouroboros Watch 16 Unstar 646 Fork 36

Code Issues 6 Pull requests 0 Projects 0 Wiki Insights

Automatically update running docker containers with newest available image

docker docker-container updater update-checker container-management containers python3 python-3

392 commits 2 branches 30 releases 9 contributors MIT

Branch: master New pull request Create new file Upload files Find File Clone or download

File / Commit	Description	Date
DirtyCajunRice v1.4.0 Merge	...	Latest commit c8c8777 12 days ago
pyouroboros	master + changelog + readme	12 days ago
.gitignore	Refactor (#79)	4 months ago
CHANGELOG.md	master + changelog + readme	12 days ago
Dockerfile	Version 1.3.0 bump + changelog + maintainer update + cleanup	2 months ago
Dockerfile.arm	Version 1.3.0 bump + changelog + maintainer update + cleanup	2 months ago
Dockerfile.arm64	Version 1.3.0 bump + changelog + maintainer update + cleanup	2 months ago
Jenkinsfile	remove git in pypi + branch develop + version bump + maintainer_email	3 months ago
LICENSE	Initial commit	8 months ago

ORGANIZR



☰ Navigation

 Rundeck

 Cerebro

 Artifactory

 Portainer

 Minio

 Netdata

 Gitlab

 AWX

 Bitwarden



jbing ▾



Username

Password

Log In

QUESTIONS?



<https://github.com/jrbing/open-source-tools-jamboree>







