Long-Term Care Insurance



Underwriting Guide

S-9000-UG 00

Premium Rate Classes

State Life Long Term Care Insurance offers three premium rate classes that you may quote: Preferred, Select and Standard. We may counteroffer at a Substandard rate in certain instances in lieu of a decline. Since your client will be disappointed with a premium that is higher than you originally quoted, it is critical that you quote the appropriate rate class. In the event your client qualifies for a better rate than quoted, we will contact you to determine whether to issue with a lower rate or increased benefits. In some cases, we may find it necessary to delete the Home and Community Based Care portion and approve a Facility Care only policy.

Preferred (All of the following must apply)

For very healthy non-smoking applicants

- Non-smoker for the last 12 months (other tobacco use acceptable)
- Weight is within 50% of average weight on Height/Weight Chart
- Consultation with a physician in the last 12 months
- No history of treatment for a serious health condition (such as heart or circulatory disorder, diabetes, rheumatoid arthritis, or cancer)
- Applicant may be receiving regular treatment of a preventative nature only, for example:
 - ♦ Medications such as thyroid replacement, hormonal supplements, digestive aids, mild sedatives, or analgesics and anti-inflammatory medications are acceptable.
 - ◆ High blood pressure that is kept in the normal range (140/90) with medication is acceptable, but cannot be in combination with other heart disorders.

Select (One or more of the following apply)

For healthy smokers, or non-smokers with weight problems or significant, stable health history under good control

- Smoker otherwise in good health
- Weight is more than 50% above average weight but less than the maximum weight on Height/Weight Chart
- Medical history of cardiac or circulatory disorder, depression, arthritis, or cancer with excellent prognosis
- Under regular treatment with prescription medications listed in the Prescription Drug Guide for Conditions Not Eligible for Preferred Rates.
- No medical consultation within the last 12 months

Standard

For applicants with very significant health problems due to health history, weight problems, smoking status or some combination of these factors but whose medical problems are well controlled and whose overall health status is stable.

- Under treatment for a serious health condition which requires close medical supervision (such as rheumatoid arthritis, ulcerative colitis, or emphysema)
- History of a combination of serious conditions (such as heart and lung disease, or rheumatoid arthritis with coronary artery disease)
- Morbid Obesity

Substandard (Counteroffer rate only)

For applicants with very significant health problems due to health history, weight problems, smoking status or some combination of these factors whose conditions are not optimally controlled. These applicants' health status is less stable than those who qualify for the standard rate, and this rate is offered as an alternative to a decline.

Underwriting Procedures

You should expect the underwriting process to take, on average, 30 days. We obtain medical records in every case. Telephone interviews are performed to clarify the applicant's medical history and to ascertain the applicant's ability to live and function independently. Functional assessments or paramedical exams are used to further test or confirm an applicant's health or ability to live and function independently. For applicants age 70 and over, an assessment/exam is automatically required. Lab tests for urine and blood are ordered only if we must establish the applicant's current condition when we are aware of significant past medical history. All functional assessments, exams, and lab tests are ordered only by Underwriting.

Previously Declined Cases

We do not consider applicants who have been previously declined by another insurer, so these cases should not be submitted.

Trial Applications/CODs

We do not accept trial applications or COD business. To process the application, we must have at least one month's premium. California (for applicants of all ages) does not allow more than one month's premium to be submitted.

Applications with a billing mode of list bill that are submitted under pre-approved groups should be submitted COD. This applies only to list bill applications.

Policy Dating

Once we have concluded that your client qualifies for coverage, the policy is issued with an effective date that can range from 60 days prior to the application date (backdating to save age) to 30 days after the underwriting approval date (dating to match the renewal date of a policy being replaced). We only backdate and post-date if specifically requested to do so on the application and if we have no reservations regarding the applicant's health status. Otherwise, the policy effective date will be the date of underwriting approval.

List bill cases will receive a first of the month effective date following approval in underwriting.

Field Selection

- Eligible issue ages 40-84, based on age nearest birthday. We consider applicants age nearest 85, but only prior to their 85th birthday.
- Use the Height/Weight Chart to help determine the proper rating class based on weight.
- Review the Prescription Drug Guide. Certain medications indicate that your client has an uninsurable condition. Other medications disqualify your client from Preferred rate consideration. In any case, this guide will assist you in determining your client's impairments.
- Review the Impairment Guide to determine your client's insurability and appropriate rate class.
- Does your client function independently? Can your client perform, without assistance, the activities of daily living (ADLs) bathing, continence, eating, dressing, toileting and transferring? Does your client have any difficulty with the instrumental activities of daily living (IADLs) housekeeping, laundry, shopping, ability to use the telephone, responsibility for taking medication, cooking and meal preparation, and the ability to handle personal finances? Any inability to perform ADLs or IADLs may indicate a functional or cognitive limitation, which is not an acceptable risk.

Height/Weight Chart

Male							
	ight In	Minimum Weight	Average Weight	Preferred 50% Above Av. Weight	Select Ratable Range	Standard Ratable Range	D
5	0	92	131	197	198-214	215-235	E
5	1	94	134	201	202-217	218-239	C
5	2	96	137	206	207-222	223-244	\mathbf{L}
5	3	99	141	212	213-227	228-250	I
5	4	102	145	218	219-232	233-255	N
5	5	104	147	221	222-238	239-262	\mathbf{E}
5	6	107	153	230	231-244	245-268	
5	7	110	157	236	237-250	251-275	O
5	8	113	161	242	243-257	258-283	\mathbf{V}
5	9	116	165	248	249-264	265-290	\mathbf{E}
5	10	119	170	255	256-271	272-298	R
5	11	122	174	261	262-278	279-306	
6	0	125	179	269	270-288	289-317	\mathbf{M}
6	1	128	183	275	276-292	293-321	A
6	2	132	188	282	283-299	300-329	X
6	3	135	193	290	291-307	308-338	I
6	4	139	199	299	300-315	316-347	\mathbf{M}
6	5	143	204	306	307-323	324-355	U
6	6	147	210	315	316-331	332-364	\mathbf{M}
6	7	151	216	324	325-339	340-373	
6	8	155	221	332	333-347	348-382	

Female							
	ight In	Minimum Weight	Average Weight	Preferred 50% Above Av. Weight	Select Ratable Range	Standard Ratable Range	D
4	8	78	111	167	168-191	192-210	E
4	9	79	113	170	171-195	196-215	C
4	10	80	115	173	174-199	200-219	L
4	11	82	117	176	177-203	204-223	I
5	0	84	120	180	181-208	209-229	N
5	1	86	123	185	186-213	214-234	E
5	2	88	126	189	190-218	219-240	
5	3	90	129	194	195-223	224-245	0
5	4	92	132	198	199-229	230-252	\mathbf{V}
5	5	94	135	203	204-234	235-257	\mathbf{E}
5	6	97	139	209	210-239	240-263	R
5	7	99	142	213	214-245	246-270	
5	8	102	146	219	220-251	252-276	M
5	9	105	150	225	226-257	258-283	A
5	10	108	154	231	232-264	265-290	X
5	11	111	159	239	240-272	273-299	I
6	0	115	164	246	247-282	283-310	M
6	1	118	169	254	255-292	293-321	\mathbf{U}
6	2	121	174	261	262-300	301-330	M
6	3	124	179	269	270-309	310-340	
6	4	127	184	276	277-318	319-350	

In order to avoid devoting time and effort to cases which are not likely to be issued, we suggest that you familiarize yourself with the following prescription drugs. These drugs are used to treat conditions which are either uninsurable or ineligible for the Preferred Rate class.

Medication Condition	Action
Acamrosate	ECLINE
Acarbose DIABETES	RATING
Actonel OSTEOPOROSIS	RATING
Adalat ANGINA	RATING
Adderall ATTENTION DEFICIT DISORDER	RATING
AdriamycinD	ECLINE
Advair RESPIRATORY	RATING
Aerobid RESPIRATORY	RATING
AgrylinDI	ECLINE
Akineton	ECLINE
Albuterol	RATING
AlcarDEMENTIA	ECLINE
Aldazine	ECLINE
AlkeranD	ECLINE
Alprazolam	RATING
Alupent RESPIRATORY	RATING
Amantadine	ECLINE
Amaryl DIABETES	RATING
AmicasBLOOD DISEASE	RATING
Aminophyline RESPIRATORY	RATING
AnexsiaDI	ECLINE
Antabuse	ECLINE
Antivert DIZZINESS	RATING
Arava ARTHRITIS	RATING
AriceptDEMENTIAD	ECLINE
ArimidexD	ECLINE
ArlidinDI	ECLINE
Artane	ECLINE
AsparaginaseD	ECLINE
Atamet	ECLINE
Atarax ANXIETY	RATING
AteprylDEMENTIA, PARKINSON'S	ECLINE
Ativan ANXIETY	RATING
Ativan	

Medication	Condition	Action
Avonex	MULTIPLE SCLEROSIS	DECLINE
Azathioprine	MULTIPLE SCLEROSIS	DECLINE
Azmacort	RESPIRATORY	RATING
AZT	HIV	DECLINE
Baclofen	MULTIPLE SCLEROSIS	DECLINE
Beclovent	RESPIRATORY	RATING
Bendopa	PARKINSON'S DISEASE	DECLINE
Benztropine Mesylate	PARKINSON'S DISEASE	DECLINE
Betaseron	MULTIPLE SCLEROSIS	DECLINE
Bethanechol	CONTINENCE	RATING
Blenoxane	CANCER	DECLINE
Brethine	RESPIRATORY	RATING
Bricanyl	RESPIRATORY	RATING
Bromocriptine	PARKINSON'S DISEASE	DECLINE
Bulsufan	CANCER	DECLINE
Buspar	ANXIETY	RATING
Calan	ANGINA	RATING
Carbidopa	PARKINSON'S DISEASE	DECLINE
Cardene	ANGINA	RATING
Cardilate	CARDIAC	RATING
Cardioquin	CARDIAC	RATING
Cardizem	ANGINA	RATING
Casodex	CANCER	DECLINE
Cee Nu	CANCER	DECLINE
Celebrex	ARTHRITIS	RATING
Celestol	RESPIRATORY	RATING
Celexa	DEPRESSION	RATING
Celontin	ANTICONVULSANT	RATING
Cerespan	CEREBRAL ARTERY DISEASE	DECLINE
Cerubidine	CANCER	DECLINE
Chlorambucil	CANCER	DECLINE
Chlorpromazine	ANTIPSYCHOTIC	DECLINE
Chlorpropamide	DIABETES	RATING
Choledyl	RESPIRATORY	RATING
Cisplatin	CANCER	DECLINE
Cladribine	LEUKEMIA, MS	DECLINE
Clonazepam	ANXIETY	RATING
Clopidogrel	BLOOD THINNER	RATING

Medication	Condition	Action
Clorazil	. ANTIPSYCHOTIC	DECLINE
Clozapine	. ANTIPSYCHOTIC	DECLINE
Cogentin	PARKINSON'S DISEASE	DECLINE
Cognex	.DEMENTIA	DECLINE
Combivir	.HIV	DECLINE
Concerta	. ATTENTION DEFICIT DISORDER	RATING
Copaxone	.MULTIPLE SCLEROSIS	DECLINE
Cordarone	.CARDIAC	RATING
Cortisone	.RESPIRATORY	RATING
Coumadin	.BLOOD THINNER	RATING
Cupramine	.ARTHRITIS	RATING
Cyclophosphamide	.CANCER	DECLINE
Cycloserine	.ALZHEIMER'S	DECLINE
Cyclospasmol	. CEREBRAL ARTERY DISEASE	DECLINE
Cytoxin	. CANCER	DECLINE
Dantrium	.MULTIPLE SCLEROSIS	DECLINE
Dantrolene	. CEREBRAL PALSY, MS	DECLINE
Daypro	. ARTHRITIS	RATING
Decadron	.RESPIRATORY	RATING
Depakene	.ANTICONVULSANT	RATING
Depakote	.ANTICONVULSANT	RATING
Depo-Provera	. CANCER	DECLINE
Deprynel	DEMENTIA, PARKINSON'S	DECLINE
DES		
Desyrel		
Diabeta	.DIABETES	RATING
Diabinese	.DIABETES	RATING
Diazepam	. ANXIETY	RATING
Didronel	.BONE DEGENERATION	RATING
Diethylstilbestrol		
Digoxin	.CARDIAC	RATING
Dilantin	. ANTICONVULSANT	RATING
Dilatrate		
Dipyridamole		
Disopyramide	.CARDIAC	RATING
Ditropan		
Docetaxel	.CANCER	DECLINE
Donepezil	. DEMENTIA	DECLINE

Medication	Condition	Action
Dopar	PARKINSON'S DISEASE	DECLINE
Doxorubiein	CANCER	DECLINE
Duvoid	CONTINENCE	RATING
Dymelor	DIABETES	RATING
DynaCirc	ANGINA	RATING
Edophonium Chloride	MYASTHENIA GRAVIS	DECLINE
Effexor	DEPRESSION	RATING
Elavil	DEPRESSION	RATING
Eldepryl	PARKINSON'S DISEASE	DECLINE
Emcyt	CANCER	DECLINE
Enbrel	RHEUMATOID ARTHRITIS	RATING
Enkaid	CARDIAC	RATING
Ergamisol	CANCER	DECLINE
Ergoloid	. DEMENTIA	DECLINE
Eskalith	ANTIPSYCHOTIC	DECLINE
Estramustine		
Ethatab		
Ethmozine		
Ethopropazine		
Eulexin		
Evista		
Exelon		
Felbatol		
Fluphenazine		
Flurouracil		
Flutamide		
Forteo		
Fosamax		
FUDR		
Glatiramir Acetate		
Glimepiride	. DIABETES	RATING
Glipizide		
Glucophage		
Glucotrol		
Glyburide		
Glynase		
Gold Compound		
Goserelin Acetate		
		20211

GuanidineMYASTHENIA GRAVISDECLIHaldolANTIPSYCHOTICDECLIHaloperidolANTIPSYCHOTICDECLIHeparinBLOOD THINNERRATTIHexalenCANCERDECLIHumalogDIABETESDECLIHumiraRHEUMATOID ARTHRITISRATTIHumulinDIABETESDECLIHydergineDEMENTIADECLIHydreaCANCERDECLIHydrocodoneNARCOTICDECLIHydrocortisoneRESPIRATORYRATTI
HaloperidolANTIPSYCHOTICDECLIHeparinBLOOD THINNERRATIHexalenCANCERDECLIHumalogDIABETESDECLIHumiraRHEUMATOID ARTHRITISRATIHumulinDIABETESDECLIHydergineDEMENTIADECLIHydreaCANCERDECLIHydrocodoneNARCOTICDECLI
HeparinBLOOD THINNERRATIONHexalenCANCERDECLIHumalogDIABETESDECLIHumiraRHEUMATOID ARTHRITISRATIONHumulinDIABETESDECLIHydergineDEMENTIADECLIHydreaCANCERDECLIHydrocodoneNARCOTICDECLI
HexalenCANCERDECLIHumalogDIABETESDECLIHumiraRHEUMATOID ARTHRITISRATIHumulinDIABETESDECLIHydergineDEMENTIADECLIHydreaCANCERDECLIHydrocodoneNARCOTICDECLI
Humalog DIABETES DECLI Humira RHEUMATOID ARTHRITIS RATI Humulin DIABETES DECLI Hydergine DEMENTIA DECLI Hydrea CANCER DECLI Hydrocodone NARCOTIC DECLI
Humira RHEUMATOID ARTHRITIS RATION PRODUCTION PRODUCTIO
Humulin DIABETES DECLI Hydergine DEMENTIA DECLI Hydrea CANCER DECLI Hydrocodone NARCOTIC DECLI
Hydergine
Hydrea
HydrocodoneDECLI
Hydrocortisone
HydroxyureaDECLI
Imdur
ImuranDECLI
Inderal
InsulinDIABETESDECLI
Intal
InterferonDECLI
Intron-ADECLI
Invirase
Ismo
Isoptin
Isordil
Isosorbide
KemadrinDECLI
Klonopin
Lamictal
Lanoxicap
Lanoxin
LantusDIABETESDECLI
LanzacDECLI
LaradopaDECLI
L-DopaDECLI
Lente
LeukeranDECLI
LeuprolideDECLI
Leustatin Solution

Medication	Condition	Action
Levadopa	PARKINSON'S DISEASE	DECLINE
Lexapro	DEPRESSION	RATING
Librium	ANXIETY	RATING
Lioresal	MULTIPLE SCLEROSIS	DECLINE
Lispro	DIABETES	DECLINE
Lithium	ANTIPSYCHOTIC	DECLINE
Lithobid	ANTIPSYCHOTIC	DECLINE
Lomustine	CANCER	DECLINE
Lorazepam	ANXIETY	RATING
Lorcet	NARCOTIC	DECLINE
Lortab	NARCOTIC	DECLINE
Loxapine	ANTIPSYCHOTIC	DECLINE
Loxitane	ANTIPSYCHOTIC	DECLINE
Lupron	CANCER	DECLINE
Lysodren	CANCER	DECLINE
Matulane	CANCER	DECLINE
Maxair	RESPIRATORY	RATING
Meclizine	DIZZINESS	RATING
Medrol	. RESPIRATORY	RATING
Megace	CANCER	DECLINE
Megestrol	CANCER	DECLINE
Mellaril	ANTIPSYCHOTIC	DECLINE
Mentane	DEMENTIA	DECLINE
Mephyton	BLOOD DISEASE	RATING
Mesantoin	ANTICONVULSANT	RATING
Mestinon	MYASTHENIA GRAVIS	DECLINE
Metaproterenol	RESPIRATORY	RATING
Metformin	DIABETES	RATING
Methadone	NARCOTIC	DECLINE
Methotrexate	ARTHRITIS	RATING
Metrofonate	DEMENTIA	DECLINE
Mexitril	CARDIAC	RATING
Micronase	DIABETES	RATING
Milontin	ANTICONVULSANT	RATING
Mirapex	PARKINSON'S DISEASE	DECLINE
Moban	ANTIPSYCHOTIC	DECLINE
Mobic	ARTHRITIS	RATING
Molindone		

Medication	Condition	Action
Monoket	CARDIAC	RATING
Myleran	CANCER	DECLINE
Myochrysine	GOLD THERAPY	DECLINE
Mysoline	ANTICONVULSANT	RATING
Mytelase	MYASTHENIA GRAVIS	DECLINE
Namenda	ALZHEIMER'S	DECLINE
Naproxen	ARTHRITIS	RATING
Navane	ANTIPSYCHOTIC	DECLINE
Navelbine	CANCER	DECLINE
Neostigmine	MYASTHENIA GRAVIS	DECLINE
Neurontin	ANTICONVULSANT	RATING
Niloric	DEMENTIA	DECLINE
Nipent		
Nitrobid	CARDIAC	RATING
Nitrogard	CARDIAC	RATING
Nitroglycerin	CARDIAC	RATING
Nitrolingual		
Nitrong		
Nitrostat	CARDIAC	RATING
Norpace		
Norvasc		
Novolin		
Novolog		
NovoRapid		
Olanzapine		
Orap	ANTIPSYCHOTIC	DECLINE
Orinase	DIABETES	RATING
Oxybutynin	CONTINENCE	RATING
Oxycodone		
Pamelor	DEPRESSION	RATING
Papaverine	CEREBRAL ARTERY DISEASE	DECLINE
Paradione	ANTICONVULSANT	RATING
Parlodel	PARKINSON'S DISEASE	DECLINE
Parsidol	PARKINSON'S DISEASE	DECLINE
Pavabid	CEREBRAL ARTERY DISEASE	DECLINE
Paxil	DEPRESSION	RATING
Peganone	ANTICONVULSANT	RATING
Penicillamine		

Medication	Condition	Action
Percodan	NARCOTIC	DECLINE
Pergolide	PARKINSON'S DISEASE	DECLINE
Peritrate	CARDIAC	RATING
Permax	PARKINSON'S DISEASE	DECLINE
Permitil	ANTIPSYCHOTIC	DECLINE
Perphenazine	ANTIPSYCHOTIC	DECLINE
Persantine	BLOOD THINNER	RATING
Phenobarbitol	ANTICONVULSANT	RATING
Pimozide	ANTIPSYCHOTIC	DECLINE
Plaquenil	ARTHRITIS	RATING
Platinol	CANCER	DECLINE
Plavix	BLOOD THINNER	RATING
Plendil	ANGINA	RATING
Pletal	CLAUDICATION	DECLINE
Prandin	. DIABETES	RATING
Prednisone	RESPIRATORY	RATING
Procan	CARDIAC	RATING
Procarbazine	CANCER	DECLINE
Procardia	ANGINA	RATING
Prolixin	ANTIPSYCHOTIC	DECLINE
ProMem	ALZHEIMER'S	DECLINE
Pronestyl	CARDIAC	RATING
Prostigmin		
Proventil	RESPIRATORY	RATING
Prozac	DEPRESSION	RATING
Purinethol	CANCER	DECLINE
Pyridostigmine	MYASTHENIA GRAVIS	DECLINE
Quinidine	CARDIAC	RATING
Rebetron		
Regonal	MYASTHENIA GRAVIS	DECLINE
Relafen	ARTHRITIS	RATING
Remeron	DEPRESSION	RATING
Remicade	CROHN'S DISEASE,	RATING
Remicade	SEVERE ARTHRITIS	RATING
Reminyl	DEMENTIA	DECLINE
Repaglinide	DIABETES	RATING
Retrovir	HIV	DECLINE
Rezulin	DIABETES	RATING

Medication	Condition	Action
Ridura	.GOLD THERAPY	DECLINE
Rilutek	. ALS	DECLINE
Riluzole	ALS	DECLINE
Risperdal	.ANTIPSYCHOTIC	DECLINE
Risperidone	.ANTIPSYCHOTIC	DECLINE
Ritalin	ATTENTION DEFICIT DISORDER	RATING
Rituxin	.CANCER	DECLINE
Roferon-A	.CANCER	DECLINE
Rythmol	.CARDIAC	RATING
Sandimmune	ORGAN TRANSPLANT	DECLINE
Saquinavir	.HIV	DECLINE
Selegiline	DEMENTIA, PARKINSON'S	DECLINE
Serentil	.ANTIPSYCHOTIC	DECLINE
Serevent	.RESPIRATORY	RATING
Serlect	.ANTIPSYCHOTIC	DECLINE
Seroquel	.ANTIPSYCHOTIC	DECLINE
Sertindole	.ANTIPSYCHOTIC	DECLINE
Serzone	.DEPRESSION	RATING
Sinemet	PARKINSON'S DISEASE	DECLINE
Sinequan	.DEPRESSION	RATING
Singulair	.RESPIRATORY	RATING
Slo-bid	.RESPIRATORY	RATING
Slo-phyllin	RESPIRATORY	RATING
Solganol	.GOLD THERAPY	DECLINE
Sorbitrate	.CARDIAC	RATING
Sparine	.ANTIPSYCHOTIC	DECLINE
Stelazine	.ANTIPSYCHOTIC	DECLINE
Stilphostrol	.CANCER	DECLINE
Strattera	ATTENTION DEFICIT DISORDER	RATING
Symmetrel	PARKINSON'S DISEASE	DECLINE
Synapton	.DEMENTIA	DECLINE
Tacrine	.DEMENTIA	DECLINE
Tambocor	.CARDIAC	RATING
Taractan	.ANTIPSYCHOTIC	DECLINE
Tasmar	PARKINSON'S DISEASE	DECLINE
Taxol	.CANCER	DECLINE
Taxotere	.CANCER	DECLINE
Tegretol	. ANTICONVULSANT	RATING

Medication	Condition	Action
Tensilon	MYASTHENIA GRAVIS	DECLINE
Teslac	CANCER	DECLINE
Testolactone	CANCER	DECLINE
THA/Tacrine	ALZHEIMER'S	DECLINE
Theo-dur	RESPIRATORY	RATING
Theophylline	RESPIRATORY	RATING
Thioguanine	CANCER	DECLINE
Thiordiazine	ANTIPSYCHOTIC	DECLINE
Thiothixene	ANTIPSYCHOTIC	DECLINE
Thorazine	ANTIPSYCHOTIC	DECLINE
Ticlid	BLOOD THINNER	RATING
Ticlopidine	BLOOD THINNER	RATING
Tilade	RESPIRATORY	RATING
Tindal	ANTIPSYCHOTIC	DECLINE
Tofranil	DEPRESSION	RATING
Tolbutamide	DIABETES	RATING
Tolcapone	PARKINSON'S DISEASE	DECLINE
Tonocard	CARDIAC	RATING
Topamax	ANTICONVULSANT	RATING
Tornolate	RESPIRATORY	RATING
Trazodone	DEPRESSION	RATING
Trental	CIRCULATORY	RATING
Trichlorfon	DEMENTIA	DECLINE
Tridione	ANTICONVULSANT	RATING
Trifluoperazine	ANTIPSYCHOTIC	DECLINE
Trilafon	ANTIPSYCHOTIC	DECLINE
Ultram	NARCOTIC	DECLINE
Urecholine	CONTINENCE	RATING
Valcrine Meletate	ALZHEIMER'S	DECLINE
Valium	ANXIETY	RATING
Valproic Acid	ANTICONVULSANT	RATING
Vanceril	RESPIRATORY	RATING
Vasocor	ANGINA	RATING
Vasodilan	CEREBRAL ARTERY DISEASE	DECLINE
Velban	CANCER	DECLINE
Ventolin	RESPIRATORY	RATING
VePesid	CANCER	DECLINE
Verapamil	ANGINA	RATING

Medication	Condition	Action
Vercyte	CANCER	DECLINE
Verelan	ANGINA	RATING
Vicodin	NARCOTIC	DECLINE
Vinblastine	CANCER	DECLINE
Vincristine	CANCER	DECLINE
Voltaren	ARTHRITIS	RATING
Wellbutrin	DEPRESSION	RATING
Xanax	ANXIETY	RATING
Zarontin	ANTICONVULSANT	RATING
Zeldox		
Zidovudine	HIV	DECLINE
Ziprasidone	ANTIPSYCHOTIC	DECLINE
Zoladex Implant	CANCER	DECLINE
Zoloft	DEPRESSION	RATING
Zyprexa	ANTIPSYCHOTIC	DECLINE

Impairment Guide

The following list of medical conditions is intended to give you a general idea of whether your client is insurable, and if so, whether they qualify as a preferred, select or standard risk.

PREF — Preferred SELECT — Select STD — Standard DEC — Decline

A - B	Amnesia (Transient Global Amnesia) — Temporary sudden
Abscess — A localized collection of pus in any part of the	loss of long-term memory.
body.	one episode, after 5 years with a complete neurological work-up that is within normal limits STD
resolved or 6 months after surgery PREF	
brain or abdominal present or	Amputation — To cut off or remove usually through
surgery within 6 months DEC	surgery a projecting body part.
Acoustic Neuroma — A benign tumor of the auditory	due to trauma in the past SELECT
cranial nerve.	due to disease DEC
post surgery PREF	Amyotrophic Lateral Sclerosis (Lou Gehrig's Disease) –
present	The degeneration of muscular activity within the brain
	and the spinal cord. DEC
Addison's Disease – A severe hormonal deficiency of the	Anemia — A deficiency of red blood cells in the blood.
adrenal gland. DEC	mildPREF
Adhesions — A band of scar tissue that binds two parts of	moderate SELECT
bodily tissue together.	severe or with complications or
post surgery	defined as Aplastic DEC
ADL Deficits — Individuals who are unable to meet their	Aneurysm — Abnormal expansion of a blood vessel.
everyday basic needs.	abdominal, 1 year after surgery with
any mental or physical limitation in performing	good recovery SELECT
the activities of daily living DEC	cerebral, with or without surgery DEC
Adult Day Care DEC	present
AIDS (Acquired immunodeficiency syndrome) DEC	
Alcoholism — A disease marked by excessive consumption	Angina Pectoris — Severe pain and constriction in region of
of and dependence on alcoholic drinks.	the heart. controlled on medications
recovered more than 5 years, in good health SELECT	
recovered more than 3 years, in good health STD	occasional episodes, or with history of myocardial infarction SELECT/STD
within 3 years or with relapses DEC	not well controlled DEC
Allergies and Hay Fever	cigarette smoker DEC
Alzheimer's Disease – The deterioration of intellectual	Angioplasty — Repair of a blood vessel with a balloon or
functions. DEC	through a surgical procedure.
Amaurosis Fugax – A temporary, partial, or complete loss	after 6 months, with good results SELECT
of vision. DEC	with stent, after 6 months, with good results SELECT
Amnesia (except Transient Global Amnesia) –	with history of myocardial infarction SELECT/STD
Memory loss, sometimes including the memory of personal	with poor exercise tolerance or cigarette smoker DEC
identity DEC	Ankylosing Spondylitis — Chronic inflammation of the
	spine and sacroiliac joints.
	mild
	with physical limitations
	•

Anticardiolipin Antibody Syndrome (Lupus Anticoagulant) – An antibody response against phospholipid (a major component of the cell wall) leading	Arthritis (Rheumatoid) — A chronic systemic disease marked by inflammatory changes in the joints. mild, controlled with
to blood clots, stroke, heart attack and vague neurological symptoms	non-steroidal medications SELECT moderate to severe, requiring multiple medications DEC with physical limitations or surgery anticipated DEC
moderate (regular or multiple medications) SELECT severe and/or with functional impairment DEC	Arthroscopy – Examination of or joint surgery using an arthroscope. PREF
Aplastic Anemia – A failure of the bone marrow to properly form blood cells	Asbestosis – A respiratory disease caused by inhaling asbestos fibers that can lead to breathing problems and heart failure DEC
arachnoid membrane of the brain.	Assisted Living DEC
after 5 years following removal, benign, no residuals STD	Asthma — A disease of the respiratory system characterized by difficulty of breathing.
all others DEC	mild, infrequent attacks PREF
Arnold-Chiari Malformation – A condition in which the cerebellum portion of the brain protrudes into the spinal canal DEC Arrhythmias (other than Atrial Fibrillation) – Irregular heartbeat	moderate, controlled with medications (no steroids)
Arteriosclerosis — A narrowing and hardening of the	cigarette smoker DEC
arteries.	Ataxia – Defective muscular coordination DEC
mild	Atrial Fibrillation — Severe, chaotic irregular heartbeat, which could lead to heart failure or strokes.
severe	history of, not on medication SELECT
Arteriovenous Malformations – An abnormal collection of	currently on medication STD/DEC
blood vessels DEC	described as chronic DEC
Arteritis — Inflammation of an artery. 1 year after recovery	Atrophy (Brain) – Deterioration or decrease in size of brain cells and tissues
present	Attention Deficit Disorder (ADD) / Attention Deficit Hyperactivity Disorder (ADHD) – A persistent pattern of inattention and hyperactivity-impulsivity that occurs more frequently or severely than is typical. stable, well controlled on medication
	to attack it's own body, creating antibodies against it's own tissue

Avascular Necrosis – A disease resulting from loss of blood supply to the bones causing death of bone tissue and bone collapse. mild to moderate	Bone Marrow Transplant – Treatment used to improve the chances of curing diseases such as leukemia, lymphoma, and immune deficiency diseases DEC Braces — To support a part of the body in a certain
severe, with complications, or requiring surgery DEC	position.
Back Disorder not disabling	without ADL limitation
caused by recurrent reflux of gastric juices.	all others DEC
biopsy done within the last 2 years with favorable results	Breast Disorders – Any type of lump, swelling, cyst or mass that can be felt in the breast tissue. fibrocystic disease
sun exposure PREF	breast cancer present
Bell's Palsy — Temporary paralysis of the facial muscles. history of, complete recovery PREF	Bronchiectasis — Chronic expansion and destruction of the bronchi of the lungs, with secondary infection.
with residual facial paralysis	asymptomatic, non-cigarette smoker, minimum 3 years since diagnosis with no periods of disability STD all others DEC
Biliary Cirrhosis – A liver disease that slowly destroys the bile ducts in the liver	Bronchitis — Acute or chronic inflammation of the bronchial tube. acute attack
surgically repaired PREF	with poor exercise tolerance post surgery DEC
Blood Pressure, Elevated (check list for cardiac medications)	cigarette smoker DEC
mild and no other cardiac condition PREF	
in combination with other cardiac condition SELECT	
not controlled DEC	

C – D	Cerebral Vascular Accident (CVA) – The blood supply to a
Cancer — Unrestrained cell growth that can grow in any part of the body.	part of the brain is interrupted by an ischemic stroke or by a hemorrhagic stroke DEC
early or moderate stage, 5 years since last treatment	Charcot-Marie-Tooth Disease – A hereditary progressive neuromuscular disorder that primarily effects the feet, leg, and hands
Cancer (Lymphoma or Lung) after 10 years since recovery with no recurrences STD less than 10 years since recovery DEC Cane Use DEC	Surgery anticipated
Cardiac Arrest – The sudden cessation of functional circulation.	severe, with functional limitations; use of steroids or narcotics
fully recovered, no residuals	Chronic Obstructive Pulmonary Disease (COPD) — A severe disease of the lungs that obstructs the airways. mild
Cardiomyopathy – A disease that damages the heart muscle so that it loses its ability to pump blood and can cause irregular heartbeats DEC	moderate STD severe. DEC
Carotid Artery Disease — Constriction or narrowing of the arteries that supply the blood flow to the neck and brain. mild, asymptomatic or corrected by endarterectomy, no history of TIA or stroke SELECT moderate, asymptomatic, with other heart or circulatory disorder STD/DEC severe; symptomatic or cigarette smoker DEC Carpal Tunnel Syndrome — Enlarged tendons or ligaments in the wrist, caused by pressure on the median nerve. no resulting disability PREF Cataracts — A clouding of the lens or the eye, which obstructs the passage of light. recovered after surgery PREF present but not requiring surgery PREF	with cigarette smoking within the last year DEC Cirrhosis, Liver – The gradual loss of liver function due to cell damage and internal scarring DEC Claudication – A temporary inadequate supply of oxygen to the muscles of the leg causing pain and limping DEC Cognitive Impairment – The inability to mentally function normally, reduction in memory, thinking, and learning DEC Colitis, Spastic – Inflammation of the large intestine PREF Colitis, Ulcerative — Chronic inflammation and ulceration of the lining of the colon and rectum. mild
surgery scheduled or anticipated DEC Catheter (current use; indwelling) – A tubular medical device for insertion into canals, vessels, or passageways to permit injection or withdrawal of fluids DEC	Severe
Cerebral Palsy – A disorder of movement and gait caused by brain damage. DEC	soreness, and pain in the joints

Colostomy — An opening of a portion of the colon through	Degenerative Joint Disease – Degeneration of the joint
the abdominal wall.	surface resulting from wear and tear over the years.
2 years after surgery, no complications STD	mild
with complications DEC	moderate SELECT
Confusion - Disturbance of consciousness and inability to	severe but without physical limitations STD
distinguish, choose, or act decisively DEC	with physical limitations or surgery anticipated DEC
Congestive Heart Failure (CHF) —The heart's inability to	Dementia — A cognitive deficit including memory
maintain sufficient cardiac output to meet the body's needs.	impairment.
controlled with medications for 1 year STD	all forms DEC
presentDEC	Demyelinating Disease - Causing or characterized by the
Connective Tissue Disease (see Collagen Disease) DEC	loss or destruction of myelin (the sheath around nerve
Coronary Artery Disease — A condition that reduces	fibers), such as multiple sclerosis DEC
the blood flow through the coronary arteries to the heart	Depression — A mental disorder marked by sadness,
muscle.	inactivity, difficulty with thinking and concentration,
mildSELECT	feelings of helplessness and worthlessness.
moderate, or with history of	mild (occasional medication) SELECT
myocardial infarction SELECT/STD	moderate (regular medication;
severe, or with poor exercise tolerance DEC	multiple medications) SELECT
cigarette smoker DEC	severeDEC
Crest Syndrome (See Scleroderma) DEC	with memory complaint DEC
Creutzfeldt-Jakob Syndrome – A very rare degenerative	Dermatomyositis – An autoimmune disorder in which the
condition of the brain, causing progressive dementia,	muscles and skin become inflamed, causing weakness of the
blindness, and leading to death DEC	muscles and a skin rash. DEC
Crohn's Disease — Inflammation and ulceration of the	Diabetes Mellitus, Insulin Dependent – A chronic disease
small intestine.	of carbohydrate metabolism in which the body makes little
mild SELECT	or no insulin, requiring daily injections of insulin to sustain
moderate STD	life DEC
	Diabetes Mellitus, Non-Insulin Dependent (diet or oral
severeDEC	medications) — A chronic disease of carbohydrate
Cushing's Syndrome (due to Pituitary, Adrenal or Ectopic	metabolism, marked by high blood sugar and sugar in
Tumors) — A hormonal disorder resulting from the	urine, resulting from inadequate production or use of
overproduction of corticosteroid by the adrenal gland.	insulin.
corrected by surgery, no complications or	good control SELECT
secondary disorders such as high blood pressure,	fair control, overweight, or ex-cigarette smoker STD
osteoporosis or diabetes STD	poor control or with other serious health conditions, diabetic
presentDEC	complications or cigarette smoker DEC
Cystic Fibrosis – An inherited disease characterized by	Dialysis – A procedure to remove the waste products from
chronic lung infections and an inability to absorb fats or	the blood and excess fluid from the body as a treatment for
other nutrients from foods DEC	kidney failure DEC
Cystitis – Inflammation of the urinary bladder PREF	Disabled - Collecting Disability Benefits DEC
Defibrillator Implanted – An electric device that applies	
shocks to the heart to convert the heart back into a normal	
rhythm. DEC	

Discoid Lupus — A chronic skin condition characterized by inflammation and scarring type skin lesions which occur on the face, ears, scalp, and on other body areas. definite diagnosis, limited to skin with no other symptoms of Lupus SELECT Diverticulitis, Diverticulosis — Diverticulitis is inflammation and perforation of a diverticulum (an abnormal pouch or sac of the intestine), Diverticulosis is a condition where small sacs of the inner lining of the intestine are present. mild, well controlled by diet or medication	Epilepsy (Seizures) — Transient neurological abnormalities caused by abnormal electric activity in the brain. good control on medication
Down's Syndrome – A congenital condition characterized	esophageal veins resulting from portal hypertension caused by advanced liver disease DEC
by moderate to severe mental retardation. DEC Drug Dependency or Abuse after 5 years, in good health SELECT after 3 years, in good health STD within 3 years or with relapses DEC Duodenal Ulcer — A peptic ulcer situated in the small	Esophagitis – Inflammation of the esophagus. mild, well controlled by diet or medication PREF frequent flare-ups and/or bleeding SELECT Falls multiple within last 12 months DEC due to dizziness, gait disturbance or TIA DEC
intestines. history of, occasional medication	Fatty Liver – Fat in the liver cells. Some causes are obesity, high triglycerides and alcohol use. stable SELECT with complications STD/DEC related to alcohol DEC
Emphysema (no oxygen use) — A form of chronic obstructive pulmonary disease in which the tiny air sacs in the lungs are damaged by inflammation. mild	Fibrocystic Breast Disease – A benign breast lump characterized by cysts and thickening of the milk glands. PREF Fibromyalgia — A chronic disorder of the muscles and related soft tissue including ligaments and tendons, characterized by muscle pain, fatigue, and sleep disturbances. mild, not affecting functional ability SELECT moderate STD/DEC severe, with functional limitations; use of steroids or narcotics DEC Fuch's Corneal Dystrophy - A gradual deterioration of one layer or another of the cornea, which causes clouding and blurred vision. DEC
cardiac condition	
Endocarditis — Inflammation of the inner lining of the heart. fully recovered, 1 episode, no residuals; rate will depend on severity of related heart disorder	

Callbladder (Chalcovetitic Chalcithiasis) Inflammation	II V
Gallbladder (Cholecystitis, Cholelithiasis) — Inflammation of the gallbladder and the formation of gallstones.	H-K
post surgery PREF	Handicapped Parking Tag DEC
Gastric Bypass Surgery – Surgery to promote weight loss by reducing the size of the stomach and/or interrupting the digestive process. after 3 months, build within	Hashimoto's Thyroiditis — An inflammation of the thyroid gland, which frequently results in hypothyroidism (low thyroid). controlled by thyroid replacement therapy PREF
height/weight chart guidelines SELECT/STD	Headaches – Diffuse pain in different portions of the head,
Gastroesophageal Reflux Disease (GERD) – Regurgitation of gastric juices into the lower esophagus. mild, well controlled by diet or medication	not confined to any nerve distribution area. occasional medication
Gout – Recurrent inflammation of the peripheral joints,	functional, no medication required PREF causing physical limitations DEC
which may become chronic and cause joint deformity. mild, without physical limitations PREF moderate to severe SELECT	Heart Valve Replacement — A surgery used to repair or replace diseased heart valves.
Graves' Disease – An autoimmune disease that causes over	good recovery 1-year post surgery SELECT
activity of the thyroid gland. controlled by medication	with other cardiac disorder
Guillian-Barre Syndrome — A disorder in which the body's	Hemochromatosis/Hemosiderosis – A disorder that causes
immune system attacks the peripheral nerves, which are outside the brain and spinal cord. under 65 years old, 2 years past full recovery	the body to absorb excess iron, which accumulates in the liver, pancreas, heart, and in other organs DEC
with no residuals	Hemophilia – An inherited disorder in which a person's blood lacks a certain protein important in forming blood clots, leading to excessive bleeding DEC Hemorrhoids PREF

Hepatitis (A, B & C) — An inflammation of the liver caused by viruses, bacteria, parasites, and toxic reactions to drugs, alcohol, and chemicals. hepatitis A, 6 months after full recovery PREF hepatitis B, 1 year after full recovery, normal liver enzymes SELECT hepatitis C, any history DEC active, any type DEC described as chronic active or due to alcohol DEC	Hyperparathyroidism — The over activity of the parathyroid glands that leads to an abnormally elevated level of calcium in the blood. surgically corrected
Herniated Disc — A rupture of an intervertebral disc of the spine with a protrusion of the disc's core into the spinal canal. post surgery with good recovery PREF present, no surgery planned SELECT surgery scheduled or needed DEC	Hypertension — Abnormally high arterial blood pressure. controlled with medication
Hiatal Hernia – A portion of the stomach protrudes upward into the chest through an opening in the diaphragm. mild, well controlled by diet or medication PREF frequent flare-ups and/or bleeding SELECT Hip Replacement	not adequately controlled DEC Hypothyroidism – The under activity of the thyroid gland which results in the under production of thyroid hormone PREF Hysterectomy — Surgical removal of the uterus.
one or both hips, after 6 months, fully ambulatory, mild or no arthritis in other joints	nonmalignant
HIV+ (Human Immunodeficiency Virus) DEC Hodgkin's Lymphoma — A malignant growth of cells in the lymph system. after 10 years since recovery with no recurrence STD less than 10 years since full recovery DEC Home Care Service	Incontinence – The inability of the body to control the evacuative functions. DEC Inner Ear Disorder mild (occasional medication) PREF/SELECT moderate (regular medication) SELECT severe. STD/DEC
within the last year	Intestinal Obstruction — A partial or complete blockage of the bowel that results in the failure of the intestinal contents to pass through. surgically corrected, no malignancy
Hypercholesterolemia (High cholesterol) PREF Hyperglycemia – An excessive amount of sugar in the blood	Irritable Bowel Syndrome – A form of colitis, which is characterized by constipation and diarrhea. mild

ITP (Idiopathic Thrombocytopenic Purpura) – A bleeding disorder that is caused by too few platelets in the blood	Left bundle branch block (LBBB) – A defect in the hearts electrical conduction system. stable and no diagnosis of serious heart disease
treated and recovered PREF chronic STD/DEC	Lou Gehrig's Disease (see Amyotrophic Lateral Sclerosis) DEC
Kidney Stones (Nephrolithiasis) — Small granular mass present in the kidney. no current problem	Lung Cancer (see Cancer) after 10 years since recovery with no recurrences STD less than 10 years since full recovery or a current cigarette smoker DEC
Kidney Transplant — A surgical procedure to implant a healthy kidney into a patient with kidney failure. 5 years after transplant, family donor, no episodes of rejection, no complications	Lupus (Discoid) — A chronic skin condition characterized by inflammation and scarring type skin lesions which occur on the face, ears, scalp, and on other body areas. definite diagnosis, limited to skin with no other symptoms of Lupus
Knee Replacement — A surgery to replace painful damage or diseased knee joint with and artificial joint. one or both knees, after 3 months, fully ambulatory, mild or no arthritis in other joints SELECT recovered after 3 months, with severe arthritis in other joints but without physical limitations STD surgery scheduled or needed or physical limitations DEC	Lupus Erythematosus (SLE) – An autoimmune disease affecting many systems in the body including heart, lungs, and kidneys DEC Lyme's Disease — A bacterium that is transmitted by a tick and characterized by skin changes, flu like symptoms and joint inflammation. Stage 1, early, localized infection, 3 months after full recovery PREF
L-N Labyrinthitis — An inflammation of the fluid filled chambers in the inner ear that sense balance, resulting in	(Stage 2 and 3) 3 months after full recovery, rate for residual symptoms
mild (occasional medication)	Lymphoma — A form of cancer a malignant tumor of the lymphoid tissue. after 10 years since full recovery with no recurrences

Major Depression – A mental disorder marked by severe and long lasting feelings of sadness or related symptoms that impair a person's functioning DEC Manic Depression (see Bi-Polar Disorder) DEC	Monoclonal Gammopathy – A disorder of the blood in which most of the protein produced is from one antibody instead of from many. DEC MRI/CT of head with atrophy DEC
Marfan's Syndrome – An inheritable disorder of connective tissue that affects the skeletal system, cardiovascular system, eyes, and skin. DEC	Multiple Myeloma – A malignant condition characterized by an uncontrolled reproduction and dysfunction of plasma cells in the bone marrow DEC
Medicaid Recipient – Disabled DEC Melanoma — A malignant skin tumor containing dark pigment.	Multiple Sclerosis – A progressive disease of the central nervous system in which the protective covering of nerve fibers in the brain or spinal cord is destroyed DEC
early stage or moderate stage after 5 years	Muscular Dystrophy – A slow, progressive disease characterized by degeneration of muscle fibers DEC Myasthenia Gravis – An autoimmune disorder in which the muscles become weak and tire easily DEC Myasthenia Syndrome (see Lambert-Eaton Syndrome) DEC
information or recall information stored in the brain. DEC Meniere's Disease — An inner ear disorder, usually	Myocardial Infarction (After 6 months) — Another term for heart attack, an injury to the heart muscle due to a loss of blood supply.
accompanied by varying degrees of hearing loss, ringing in the ears, and dizziness. occasional medication	stable and fully functional
Migraine Headaches — A severe, sometimes incapacitating headache, which can be accompanied by visual changes or stomach disturbances. uncomplicated, controlled with occasional medication	Narcolepsy — A rare syndrome of recurrent attacks of sleep, sudden loss of muscle tone and sleep paralysis. well-controlled
valve in the heart is deformed, causing a degree of leakage and is characterized by a heart murmur and sometimes chest pain. asymptomatic, no other cardiac condition PREF symptomatic, or with other cardiac condition SELECT	no current problem

Neurogenic Bladder – A urinary problem in which there is abnormal emptying of the bladder with subsequent retention or incontinence of Urine DEC Neuropathy – An abnormal and degenerative state of the nervous system or nerves DEC	Paget's Disease — A disruption of normal bone formation causing the affected bones to weaken, thicken, and become deformed. pelvis only, not crippling
Nursing Home Confinement within the last year	Pancreatitis — An inflammation of the pancreas. single episode, complete recovery after 1 year
O – P	related to alcohol DEC
Obsessive compulsive disorder (OCD) – A disorder characterized by repetitive thoughts and behaviors. stable, well controlled on medication	Paralysis – A complete or partial loss of controlled movement caused by an inability to contract one or more muscles DEC Parkinson's Disease – A chronic progressive nervous
Organ Transplant (Kidney) —The replacement of a diseased organ with a healthy one.	disease marked by tremor, muscular weakness, rigidity and peculiar gait DEC
5 years after transplant, family donor, no episodes of rejection, no complications STD all others DEC	Pericarditis — A disorder caused by inflammation of the pericardium, which is the sac like covering of the heart. acute, full recovery, no other cardiac or related health condition
Organ Transplant (except Kidney) DEC Organic Brain Syndrome – A disturbance of mental functioning due to a physical cause as opposed to a psychological cause DEC	Peripheral Neuropathy – A disease or degenerative state of the peripheral nerves marked by muscle weakness, atrophy, pain and numbness DEC
Osteomyelitis — An acute or chronic bone infection caused by bacteria. single bone and single attack, recovered after 6 months	Peripheral Vascular Disease – A disease of the blood vessels characterized by narrowing and hardening of the arteries that supply the legs and feet, causing a decrease in blood flow that can injure nerves and other tissues DEC Phlebitis — Painful inflammation of a vein.
Osteoporosis — A reduction of bone mass, causing bones to become brittle, fragile, and susceptible to fractures. mild, on medication, T-score –2.5 or greater SELECT with fractures or spinal problems DEC	single attack, fully recovered PREF edema but fully ambulatory SELECT requiring aid to ambulate DEC within the last 6 months DEC
Oxygen Use DEC	Physical Therapy within the last 6 months DEC
Pacemaker — An electrical device that can control the beating of the heart by a series of rhythmic electrical discharges. normal cardiac output, no other heart disorder	Pick's Disease – A rare degenerative brain illness that causes dementia and is marked by progressive impairment of intellect and judgment. DEC Pituitary Tumor, benign (see Brain tumor) — A tumor that is located in the pituitary gland of the brain. present, stable on medication after 1 year SELECT surgically removed, no residuals after 1 year DEC all others DEC

Polio — A virus which invades the central nervous system marked by tremor, muscle pain, muscle weakness, stiffness, serious breathing problems, or death. history of, with full function	Psychosis – A severe mental disorder in which the individual loses contact with reality
Polycythemia – A blood disease with abnormal increase in red and white blood cells and platelets DEC Polymyalgia Rheumatica — An inflammatory syndrome, which is marked by pain and stiffness in the muscles of the hips, thighs, shoulders and neck. controlled with medications SELECT/STD not well controlled or with functional limitations DEC	R - Z Raynaud's Disease/Phenomenon - A condition, in which the blood vessels constrict and the blood supply to the fingers, toes, and occasionally the ears and nose are reduced. mild, non-progressive
Polyps — A tumor, which is commonly found in vascular organs such as the nose, uterus, colon, and rectum. surgically removed, benign	nervous system. current
Prostate Disorders prostatitis or benign prostate surgery	Renal Insufficiency (not chronic) — Insufficient excretion of wastes by the kidneys. after 1 year, stable
PSA (Elevated) (Prostatic Specific Antigen) – An enzyme that is produced by the prostate gland that can be measured in the blood. if proven benign by biopsy/ultrasound PREF/SELECT if 8 or above and not proven benign DEC Psoriatic Arthritis – Pain and swelling of joints with patches of scaly skin related to psoriasis. mild to moderate SELECT severe STD/DEC	Restless Leg Syndrome — A neurological disorder characterized by unpleasant sensations in the legs and an uncontrollable desire to move them. controlled on one medication

Retinitis Pigmentosa – A condition characterized by a degeneration of the rods and cones of the retina of the eye, which leads to blindness DEC	Shy-Drager Syndrome – A degenerative disease characterized by progressive damage to the autonomic nervous system, muscle tremor, rigidity, and slow movement DEC
Retinopathy (Diabetic) – A disease of the retina due to	
diabetes that can cause decreased vision and	Sickle Cell Anemia – A hereditary disorder in which the
blindness. DEC	red blood cells contain an abnormal hemoglobin (protein carried by red cells), which results in blood cells shaped like
Rheumatoid Arthritis (see Arthritis) – A chronic systemic	sickles DEC
disease marked by inflammatory changes in the joints.	
mild, controlled with non-steroidal drugs SELECT	Sick Sinus Syndrome (SSS) — Disorder of the sinus node of
moderate to severe, requiring multiple	the heart, which regulates the heartbeat.
medications	pacemaker and normal cardiac output, no other heart disorder
with functional limitations DEC	without a pacemaker but
Sarcoidosis — A chronic multi-system disease of unknown	normal cardiac output
cause characterized by inflammatory cells, called	with cardiac disorder or
granulomas that can produce many different symptoms.	reduced cardiac output DEC
no progression for at least 1 year, mild symptoms no treatment, non-cigarette smoker SELECT	Sjogren's Syndrome — A chronic disease in which white
affecting eyes or other organs, moderate symptoms	blood cells attack the moisture producing glands, but it is
that require treatment	a systemic disease, affecting many organs and may cause
progressive or cigarette smoker DEC	fatigue.
Schizophrenia – A mental disorder that makes it difficult to	mild, no limitations
tell the difference between real and imagined experiences, to	with disability or physical limitations DEC
think logically, or to behave appropriately in social	Skin Cancer (not Melanoma) - Cancer that may arise on
situations. DEC	the surface of the body and form a small ulcer or pimple.
Scleroderma (Crest Syndrome) – An autoimmune disorder	external, basal or squamous cell cancer PREF
of the connective tissue, which is characterized by formation	Sleep Apnea — A breathing disorder characterized by brief
of scar tissue in the skin and organs of the body DEC	interruptions of breathing during sleep.
Scoliosis – A crookedness or lateral curvature of the spine.	mild or currently using CPAP SELECT
mild PREF/SELECT	with cardiac disorder and/or overweight STD
severe but without physical limitations SELECT/STD	not well-controlled DEC
with physical limitations DEC	Smoking Cigarettes
Seizure Disorder (see Epilepsy)	without medical problems SELECT
2 years after last seizure, good control	with chronic upper respiratory infections STD
on medication	with diabetes, heart or lung disease DEC
seizure within 2 years STD/DEC	
seizure within last year, poor control or	Social Security Disability Recipient – Disabled DEC
cause unknown DEC	Spinal Stenosis — A narrowing of the space in the spinal
Self-Reported Memory Concerns	canal through which nerves run.
	mild, non-progressive SELECT
current or within 5 years DEC	all others
Shunts (Brain, Heart or Kidney) – A normal or abnormal	Splenectomy — Surgical removal of the spleen due to
passage by which bodily fluid is diverted from one channel,	trauma or disease.
circulatory path, or part to another DEC	fully recovered SELECT
	with chronic infections DEC
1	

Stent (cardiac) —A short or narrow metal plastic tube that is inserted into an artery or bile duct to keep a previously	TIA (Transient Ischemic Attack) – A brief interruption of the blood supply to a part of the brain DEC
blocked passageway open. after 6 months, with good results SELECT	Transverse Myelitis – A rare neurological disorder characterized by inflammation of the spinal cord DEC
Stroke – A loss of brain functions caused by a loss of blood circulation to areas of the brain. DEC Subarachnoid Hemorrhage – A disorder in which blood from a ruptured blood vessel spreads over the surface of the brain. DEC Subclavian Steal Syndrome – A condition characterized by recurrent attacks of blurred or double vision, dizziness and loss of coordination caused by reduced blood flow to the base of the brain. DEC Subdural Hematoma – A collection of blood between the surface of the brain and its outer covering. within 2 years DEC after 2 years, no residuals STD after 5 years, no residuals SELECT	Tremors — Involuntary movements in the muscles of the hands, arms, and head but can affect the legs. classified as benign or familial on medication. SELECT classified as Parkinsonism. DEC Ulcers (Duodenal or Peptic) — An erosion of the inner lining of the stomach usually caused by gastric acid and pepsin. history of, occasional medication. PREF chronic, frequent flare-ups and/or bleeding. SELECT surgery scheduled. DEC Varicose Veins — Enlarged, twisted, painful superficial veins resulting from poorly functioning valves. uncomplicated, without medication. PREF medication required or with skin ulcers. SELECT
Suicide Attempt — The unsuccessful act of ending one's own life. all	with ambulatory restrictions or other complications DEC Vertebral Basilar Insufficiency – A condition in which blood flow to the vertebral arteries is restricted or insufficient DEC
Surgery Anticipated	Vertigo — A type of dizziness that is characterized by the sensation of spinning. controlled with medication
Syncope — A temporary loss of consciousness such as fainting or passing out. cause unknown	sensation of spinning. controlled with medication
Syncope — A temporary loss of consciousness such as fainting or passing out. cause unknown DEC Temporal Arteritis – A chronic inflammation of large arteries, typically of the temporal artery, an artery on the	sensation of spinning. controlled with medication. SELECT not controlled DEC Von Willebrand's Disease – An inherited disorder of the blood, which leads to abnormal bleeding. DEC Waldenstrom's Disease - Excessive production of red blood cells, white blood cells, and platelets in the bone marrow. DEC Walker Use. DEC Wheelchair Use DEC
Syncope — A temporary loss of consciousness such as fainting or passing out. cause unknown	sensation of spinning. controlled with medication
Syncope — A temporary loss of consciousness such as fainting or passing out. cause unknown	sensation of spinning. controlled with medication
Syncope — A temporary loss of consciousness such as fainting or passing out. cause unknown	sensation of spinning. controlled with medication

