```html
<table>
<FORM   name="authForm" ACTION="/cleartrust/ct_logon.asp" METHOD=POST
ACCEPT-CHARSET="UTF-8">
     <INPUT TYPE="hidden" NAME="auth_mode" VALUE="BASIC">
     <INPUT TYPE="hidden" NAME="orig_url" VALUE="">
     <INPUT TYPE="hidden" NAME="override_uri_retention" VALUE="false">
<script language="javascript">
     function pipePassLink(redirectTarget)
     {
               // Path for the self-service link the user clicked.
               document.authForm.targetURL.value = 'http://pipepass.ipipeline.com/' + redirectTarget;

               // Fully Qualified Domain Name.
               document.authForm.fqdn.value = 'pipepasstoigo.ipipeline.com';

               // Form action, which is the path to the self-service entry page for PipePass.
               document.authForm.action = 'https://pipepass.ipipeline.com/RSAPipePass.aspx';

               // Finally... submit the page.
               document.authForm.submit();
     }
     </script>


               <img src="new-button-600x150-final.JPG" width="600" height="100" border="0"
usemap="#Map"></td>
          </tr>
          <input type="hidden" name="targetURL" ID="targetURL" value="">
     <input type="hidden" name="fqdn" ID="fqdn" value="">
     <input type="hidden" name="rsatargeturl" ID="rsatargeturl"
value="https://pipepasstoigo.ipipeline.com/default.aspx?gaid=1360">
     <input type="hidden" name="rsauser" ID="rsauser" value="">
       </form>
          </table>


<map name="Map">
  <area shape="rect" coords="43,65,194,89" href="javascript:pipePassLink('NewAccount.aspx');">
  <area shape="rect" coords="500,20,574,44" href="http://www.ipipeline.com/iGo/demo.php"
target="_blank">
  <area shape="rect" coords="500,57,575,82"
href="https://pipepasstoigo.ipipeline.com/default.aspx?gaid=1360" target="_blank">
</map>
```