Prodigy Anesthesia Quick Review

Anatomy of the Head and Neck

What are the four muscles of mastication?	Temporalis, lateral pterygoid, medial pterygoid, and masseter. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve originates from a foramen between the styloid process and the mastoid process?	The facial nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle helps you elevate one side of your upper lip?	Levator labii superioris alaeque nasi *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve is responsible for muscle movement of the mouth?	Facial *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the origin and insertion for the lateral pterygoid muscle?	It originates off of the pterygoid process of the sphenoid bone and inserts in two places: the neck of the mandible and into a disk in the TMJ between the temporal bone and the condylar process. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the function of the medial pterygoid and masseter muscles?	Close the jaw *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle is visible from a lateral view of the head through the mandibular notch?	The lateral pterygoid muscle *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the origin and insertion points of the medial pterygoid muscle?	Originates from the pterygoid process of the sphenoid and inserts on the medial angle of the mandible. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What two bones form the boundaries for the middle cranial fossa?	Lesser wing of sphenoid anteriorly and the petrous ridge of the temporal bone posteriorly *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve innervates the muscles around the eyes?	Temporal branches of the facial nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

Two superficial muscles of the face cross the zygomatic bone, what are they?	Zygomaticus minor (superior) and zygomaticus major (inferior) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Left and right deviation of the jaw during chewing is performed by what muscle?	Lateral pterygoid *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the only function of the cervical branches of the facial nerve?	Innervation of the platysma *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What are the three salivary glands?	Parotid, submandibular, and sublingual *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structure passes through the cribriform plates of the ethmoid?	20-22 pairs of olfactory nerves *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What innervates the lower mandible?	Mental nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle does the parotid duct pierce to enter the oral cavity?	The buccinator *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structure does the facial nerve pierce as it emerges in front of the ear?	The parotid gland *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the main function of the motor component of the trigeminal nerve?	Mastication *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The superior and middle nasal concha are a part of what bone?	Ethmoid *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What air sinus would have to be penetrated to perform surgery on the pituitary gland?	The sphenoid sinus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the torus tubaris and where is it located?	It is a bulge in the mucosa of the posterior nasopharynx made by the eustachian tube as it passes through the mucosal tissue. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What lymphoid structure is located just posterior to the middle nasal concha and inferior to the sphenoid sinus?	The pharyngeal tonsil *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the other name for longus cervicis?	Longus colli *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the term applied to an enlargement of the pharyngeal tonsil?	Adenoids *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where is the ethmoidal bulla located?	Underneath the middle nasal concha superior to the semilunar hiatus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where is the semilunar hiatus?	It is the deep fissure located beneath the middle nasal concha. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle is chiefly responsible for frowning?	Depressor anguli oris *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Into what structure does the sphenoidal sinus drain?	Into the sphenoethmoidal sinus which is located between the sphenoid and ethmoid sinuses above the superior nasal meatus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle is responsible for wrinkling the forehead horizontally?	Frontalis *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What structure has an opening in the superior nasal meatus?	The posterior ethmoid sinus drains into the superior nasal meatus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the only structure that drains in the inferior nasal meatus?	The nasolacrimal duct. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Which muscle is responsible for wrinkling the forehead vertically?	Corrugator supercilii *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What pathology is responsible for the ability of a trumpeter to blow up the fascia over their jowls?	They have an incompetent parotid duct valve. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle runs from the inner canthus of the eye down to the orbicularis oris?	The levator labii superioris alaeque nasi *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the large, fan-shaped muscle situated above the eyelids?	Frontalis *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle is chiefly responsible for smiling?	Zygomaticus major *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The foramen ovale and foramen spinosum are located in what bone?	The sphenoid *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What two bones comprise the hard palate?	The maxilla comprises the anterior 5/6 of it and the posterior 1/6 is the palatine bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the name for the dural layer that separates the left and right lobes of the brain?	falx cerebri *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

The hypoglossal canal is located in what bone?	Occipital *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The mental and auriculotemporal nerves are terminal branches of what?	V3 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What are the four principal branches of the facial nerve that innervate the superficial face?	Buccal, temporal, zygomatic, and cervical. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The infraorbital nerve is a terminal branch of what?	V2 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
A patient who has numbness to the upper lip and nose probably has damage to which nerve?	V2, the maxillary branch of the trigeminal nerve. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve originates out of the stylomastoid foramen?	The facial nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle does the parotid duct cross before piercing the buccinator muscle?	masseter *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
A patient who has numbness to the lower jaw and the area anterior to the ear probably has damage to what nerve?	V3, the mandibular branch of the trigeminal nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structures are found in the diploic space?	Numerous venous vessels that connect the scap venous system to the venous system of the skull *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The supraorbital nerve is a terminal branch of what?	V1 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What is the principal difference between the dura mater in the skull and the dura in the spine?	The dura mater in the skull is not one sheet of material, it duplicates itself many times to form venous sinuses. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
From what vessel does the meningeal artery originate?	It is a branch of the maxillary artery which is a branch of the external carotid. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the horizontal partition that the falx cerebri attaches to posteriorly?	The tentorium cerebelli *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structures are located between the dura mater and the inner table of the calvaria?	The meningeal vessels that supply the meninges and the inner side of the skull. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
A pterional fracture could result in what type of injury?	An epidural bleed/hematoma. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
In what fossa of the cranium does the meningeal artery arise?	The middle cranial fossa. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
In what space is cerebrospinal fluid located?	In the subarachnoid space *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the function of the arachnoid granulations?	They take CSF from the subarachnoid space and put it back into the venous sinuses. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What are the two layers of the calvaria, and what is the name of the spongy bone in between them?	The diploic space is the spongy bone that is between the inner and outer table of the calvaria. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Two branches of an artery provide the majority of the arterial supply to the face. What is this artery and its two branches?	The facial and superficial temporal branches of the external carotid. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What is the function of the prevertebral muscles?	They help hold the cervical spine together. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The carotid canal lies just medial to what structure of the temporal bone?	The styloid process *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The sella turcica is a part of which bone?	Sphenoid *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What foraminal structure lies immediately posterior to the foramen spinosum?	The carotid canal *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
You would find the petrous ridge on what bone?	Temporal bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The carotid canal is located in what bone?	Temporal *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What foramen is just posterolateral to the foramen rotundum?	Foramen ovale *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
V1 is also known as what branch of what nerve?	Opthalmic branch of the trigeminal nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What foraminal structure is found between the beginning of the lesser wing of sphenoid and the anterior part of the greater wing of sphenoid?	The superior orbital fissure *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The lambdoid suture separates what bones?	It separates the parietal bones from the occipital bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The carotid canal is located just posterior to what foramen?	The foramen lacerum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

The internal auditory meatus is a part of what bone?	It is located on the medial surface of the petrous ridge of the temporal bone. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What fontanel fuses last in an infant?	The anterior fontanel *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What type of joint is a cranial suture?	Fibrotic *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Pain in the gums and jaw on chewing in an elderly person is probably due to irritation to what nerve and why?	The mental nerve becomes irritated easily because as you age the alveolar processes wear away and offer less protection to the mental nerve. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What vein drains blood away from the face and what vascular structure does it empty into?	The facial vein empties into the external jugular primarily, but it can also empty into the internal jugular is some patients. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
V3 is also known as what branch of what nerve?	The mandibular branch of the trigeminal nerve. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
V2 is also known as what branch of what nerve?	The maxillary branch of the trigeminal nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the round foramen that is just posterior to the superior orbital fissure?	Foramen rotundum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where is the optic foramen situated in the orbit?	Medial and superior to the superior orbital fissure *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The superior and middle turbinates are part of which bone?	The ethmoid *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What is the name of the suture that connects the coronal suture with the parietal bone? Why is it important?

The pterion, it overlies the middle meningeal artery.

Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.

What structures of the mandible and maxilla house the teeth?

Alveolar processes

Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.

The frontal, parietal, and temporal bones all connect with which portion of the sphenoid bone?

The greater wing of sphenoid.

Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.

What bones comprise the pterygoform aperture?

The two nasal bones and the maxilla

Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.

What three bones comprise the external ridge of the orbit?

Frontal bone, maxilla, and zygomatic bone.

Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.

The styloid process is an extension of which bone of the head?

Temporal

Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.

What two bones comprise the temporomandibular joint?

Temporal bone and the condylar process of the mandible

Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.

What suture is the articulation between the zygomatic and frontal bones?

The frontozygomatic suture

Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.

What nerves are branches of V3?

Mental and auriculotemporal nerves

Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.

The second cranial nerve (optic) passes through the orbit to the eye by way of what structure?

The optic foramen

Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What bone forms the optic foramen and the two fissures of the orbit?	Sphenoid *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What bone forms the lateral boundary of the inner orbit?	The zygomatic bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
With the exception of the second cranial nerve, all of the structures of the eye pass through the orbit by way of what structure?	The superior orbital fissure *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structure is just lateral to the mental protuberance?	mental foramen *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What bone forms the superior boundary of the inner orbit?	The frontal bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What bone forms the medial boundary of the inner orbit?	The orbital plate of the ethmoid. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What are the two anterior, or prevertebral muscles?	The longus capitis and the longus cervicis *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
A CT scan shows that a patient has suffered trauma that has disrupted the middle meningeal artery. If direct trauma to the skull was the cause, which bones could be fractured?	Temporal, frontal, parietal, and sphenoid (greater wing) all converge at the pterion, the likely site of fracture. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What passes through the foramen ovale?	Mandibular nerve (V3) and the accessory meningeal artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What bone forms the back boundary of the anterior cranial fossa?	Lesser wing of sphenoid *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What bone is the primary constituent of the anterior cranial fossa?	Frontal bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What passes through the foramen rotundum?	Maxillary nerve (V2) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the small keel that protrudes upward from the cribriform plates?	The crista galli *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structures pass through the superior orbital fissure?	Oculomotor nerve (III), trochlear nerve (IV), trigeminal nerve (V1), and abducens nerve (V) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What two structures pass through the optic canal?	Optic nerve (II) and the opthalmic artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What passes through the hypoglossal canal?	hypoglossal nerve (XII) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Three foramen lie in a vertical plane on the frontal bone, maxilla, and mandible. What are they and branches of what nerve passes through them?	Branches of the trigeminal nerve pass through the supraorbital, infraorbital, and mental foramen. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What passes through the foramen spinosum?	Middle meningeal branch of the maxillary artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The inferior turbinate is a part of which bone?	It is a separate bone by itself *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What innervates the forehead?	The supraorbital nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What innervates the nose and cheekbone?	Infraorbital nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What passes through the carotid canal?	Internal carotid artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What does V3 innervate?	V3 (mandibular) provides sensory and motor innervation to the mylohyoid and the anterior digastric muscles *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the highest point that the trigeminal nerve innervates?	The vertex, or top of the head via the supraorbital nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What branches of the trigeminal nerve are sensory only?	V1 (opthalmic) and V2 (maxillary) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve runs in front of the ear beside the superficial temporal artery?	Auriculotemporal nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The ramus of the mandible splits the mandible into what two structures?	The coronoid process (anterior) and the neck and condylar process of the mandible (posterior). *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What passes through the jugular foramen?	Internal jugular vein, glossopharyngeal nerve (IX), vagus nerve (X), and accessory nerve (XI) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What ligament connects the epiglottis to the base of the tongue?	Glossoepiglottic fold *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What bone forms the inferior boundary of the inner orbit?	The maxilla *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve provides motor innervation to the cricothyroid muscle? What nerve provides motor innervation to the rest of the muscles in the larynx?	The external branch of the superior laryngeal nerve provides motor innervation to the cricothyroid muscle. The recurrent laryngeal nerve provides motor innervation to the rest of the laryngeal muscles. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

Where does the lateral cricoarytenoideus attach and what does it do?	It attaches laterally from the cricoid to the arytenoids (obviously) and it adducts the vocal cords. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve travels in a groove between the esophagus and trachea and provides motor and sensory innervation to the larynx below the vocal cords?	Recurrent laryngeal nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structure does the internal branch of the superior laryngeal nerve pierce?	Thyrohyoid membrane *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What are the two branches of the superior laryngeal nerve and what do they do?	External branch: innervates the cricothyroid muscle. Internal branch: sensory to the inside of the larynx above the vocal cords (no motor innervation) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What two nerves provide sensory innervation to the larynx?	Above the vocal cords: internal branch of the superior laryngeal nerve. Below the cords: recurrent laryngeal nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What cranial nerve supplies both sensation and motor innervation to the larynx?	Vagus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Which is more lateral, the arytenoid-corniculate tubercle or the cuneiform tubercle?	The cuneiform tubercle is more lateral (and more superior) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the laryngeal muscle that attaches from the thyroid and runs toward the cricoid muscle and what does it do?	Thyroarytenoideus, which adducts the vocal cords *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the name of the area between the vestibular fold (false cords) and the true vocal cords?	The ventricle *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What are the three nerves of the pharyngeal plexus and where can they be found?	Branches of cranial nerve 9, branches of cranial nerve 10, and branches of the sympathetic trunk can be found running over the back of the pharynx. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the function of the ventricular saccule in the larynx?	It produces lubrication for the vocal cords. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is another name for the false vocal cord?	Vestibular fold *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
How are the prevertebral muscles positioned in relation to the scalenes?	They are more medial than the scalenes. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where are the ethmoid sinuses located?	On either side of the cribiform plate. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
How can you differentiate the longus capitus from the longus cervicis?	The longus capitis is more superior and attaches to the skull whereas the longus cervicis attaches on the cervical vertebra. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structures drain into the confluence of sinuses and where is it located?	The superior, inferior, and straight sinuses drain into the confluence of sinuses which is located just internal to the inion in the back of the head. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Which is more superior, the true vocal cord or the vestibular fold?	the vestibular fold is more superior *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where is the vocal process located and what attaches to it?	It is the protuberance on the anterior portion of the arytenoids upon which the vocal ligament attaches and reaches horizontally to the posterior part of the thyroid cartilage. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What bone is wedged in between the maxillary bone anteriorly and the pterygoid process posteriorly?	A part of the palatine bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What two bones lie directly inferior to the inferior turbinates?	The palatine process of the maxilla and the horizontal plate of the palatine bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The pterygoid process is an extension of what bone?	The sphenoid *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The external auditory meatus is located on which bone?	The temporal bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The superior turbinate is directly inferior and slightly lateral to what structure in the cranium?	The cribriform plate of the ethmoid *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The sagittal suture separates what two bones?	The parietal bones *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What bone lies directly posterior to the palatine process of the maxilla?	The palatine bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle of the larynx allows you to change the pitch of your voice?	The cricothyroid muscle *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The foramen magnum is located in what bone?	Occipital *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the largest air sinus and where is it located?	Maxillary sinus, which is located just behind the infraorbital foramen *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is another name for the quadrangular membrane?	Aryepiglottic fold *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What is the membrane that wraps around the top of the epiglottis?	The quadrangular membrane *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where do most of the muscles of the larynx attach?	To the muscular process on the posterior border of the arytenoid cartilage. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
In the quadrangular membrane you can see the tubercles formed by the corniculate and cuneiform cartilages. Which one is most superior?	The cuneiform is superior to the corniculate. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
At what vertebral level is the epiglottis?	C3, it protrudes up just above the thyroid cartilage. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where in the larynx can you find elastic cartilage and what significance does this have?	Epiglottis, cuneiform, corniculate, and the upper 1/2 of the arytenoids. Elastic cartilage can ossify with age, which causes the voice change seen in the elderly. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where is the posterior cricoarytenoideus muscle and why is it so significant?	It arises off the back of the cricoid and runs to the muscular process of the arytenoids. It is the only muscle that can abduct the vocal cords and allow you to breathe. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What two muscles wrap around the arytenoids and help adduct or close them?	The transverse and oblique arytenoideus muscles *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The calvaria is comprised of what bones?	Frontal, parietal, and occipital bones *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Of the three pharyngeal constrictors, which is the largest?	The inferior pharyngeal constrictor *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What do the infrahyoid muscles do?	They pull the hyoid inferiorly, pull the larynx downward and change the voice *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

At what vertebral level is the thyroid cartilage positioned?	C4-C5 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What direction does the superior oblique enable you to look?	Down and laterally. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve branches does the superior laryngeal nerve divide into?	The internal and external branches of the superior laryngeal nerve. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Following extubation, a patient complains that their voice is monotone. What nerve may have been damaged during intubation?	The external branch of the superior laryngeal nerve (it supplies the cricothyroid muscle which tenses the vocal fold and gives tone to your voice) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What does the external branch of the superior laryngeal nerve supply?	It provides motor innervation to the cricothyroid muscle which tenses the vocal fold and gives tone to your voice. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Pain from a sore throat is mediated by what nerve?	9th cranial nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What does the internal branch of the superior laryngeal nerve supply?	It provides sensation to the inside of the larynx and the mucosa inside the larynx above the vocal cords. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
At what vertebral level is the cricoid cartilage?	C6 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What vertebral level is the hyoid bone placed?	C3 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What are the three circular muscles in the pharynx that help with peristalsis?	The superior, middle, and inferior constrictors *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

Where is the superior constrictor in relation to the hyoid bone and where does it insert?	It is above the hyoid bone and it fuses with the buccinator. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What do the suprahyoid muscles do?	they pull the hyoid superiorly which raises the larynx and changes the voice *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the only indication for removal of the sublingual tonsil?	Cancer *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where is the jugulodigastric lymph node?	It is wedged between the posterior belly of the digastric and the internal juglar. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What are some pathologies that might result in swelling in the jugulodigastric lymph node?	Infection or tumor of the throat, face, or parotid gland. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What connects the cricoid to the thyroid cartilage?	cricothyroid membrane *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the composition of the eustachian tube?	The lateral part in the middle ear is bone, the rest is cartilage. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the second largest tonsil?	The palatine tonsil *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What branches does the basilar split into, where does this occur, and what region of the brain do these branches supply?	It splits into the left and right posterior cerebellar arteries at the superior end of the pons (at the base of the circle of willis). The posterior cerebellar arteries supply the occipital lobe. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
For a scalp infection to invade the dural sinuses, what bony structure must it traverse?	The diploic space in the calvaria. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

Where does the basilar artery lie?	Midline along the inferior surface of the pons. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle helps close the eustachian tube?	Salpingopharyngeus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
If the basilar artery supplies 1/3 of the blood supply to the brain, where does the rest come from?	The left and right internal carotid arteries *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Approximately what percentage of people do not have an intact circle of Willis?	20% *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Before travelling to the occipital lobe, the posterior cerebellar arteries give off branches. What are these branches and what is significant about them?	The posterior cerebral arteries give rise to the posterior communicating arteries which, by connecting to the internal carotid arteries become the first connection to the anterior cerrebral circulation. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What symptoms would you expect to see in a patient with an aneurysm of the posterior cerebellar artery and why? What mental deficit would you expect to see?	You would expect to see deficits involving the oculomotor (III) nerve because the posterior cerebellar artery passes around the third cranial nerve. You could possibly see deficits in interpretation of visual information because the PCA also supplies the occipital lobe. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where is the lacrimal gland located?	In the superior lateral part of the eye. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What are the two terminal branches that the internal carotid artery separates into?	The middle cerebral arteries which supply the majority of the brain and the anterior cerebral arteries. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What cartilages sit atop the paired arytenoid cartilages?	Corniculate *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What is the artery that connects the anterior cerebellar arteries to form the last bridge in the circle of Willis?	The anterior communicating artery. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What cartilaginous landmark helps you identify the inferior pharyngeal constrictor?	It is behind the thyroid and cricoid cartilages. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The anterior portion of the superior pharyngeal constrictor muscle blends with what other muscle?	The buccinator *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What two muscles help elevate the palate and what nerves innervate them?	Levator veli palatini which is innervated by the vagus nerve and the tensor veli palatini which is innervated by V3. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where does the nasolacrimal duct begin and end?	It begins at the medial corner of the eye and empties into the inferior nasal meatus beneath the inferior nasal concha. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
All of the eye muscles except what two are innervated by the oculomotor (III) nerve?	The lateral rectus is innervated by the abducens (VI) and the superior oblique is innervated by the trochlear (IV). *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
At what vertebral level is the cricoid cartilage positioned?	C6 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The middle pharyngeal constrictor is just above what bony landmark?	The hyoid bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

Starting with the basilar artery, name the arteries in the Circle of Willis moving from left to right.	The basilar artery splits into the left and right posterior cerebellar arteries. The left posterior cerebellar artery connects to the internal carotid artery at its intersection with the middle cerebral artery. This intersection connects by way of the left anterior cerebral artery to the anterior communicating artery which leads to the right anterior cerebral artery. The right anterior cerebral artery travels posteriorly to the junction of the middle cerebral artery and the ICA before connecting to the right posterior communicating artery. The posterior communicating artery connects back to the basilar artery via the right posterior cerebral artery. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle is responsible for retraction of the tongue?	Styloglossus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the function of the stylopharyngeus and where does it insert?	The stylopharyngeus arises off of the styloid process and inserts into the intersection of the superior and middle constrictor. It helps elevate the pharynx. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where would you find the opening to the parotid duct?	Adjacent to the second upper molar. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structure is located at the base of the lingual tonsil?	The epiglottis *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the lymphoid tissue at the base of the tongue called?	The lingual tonsil *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What cranial nerve innervates the muscles of the tongue?	Hypoglossal (XII) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle is responsible for depressing the tongue?	The hyoglossus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What nerve provides taste sensation on the epiglottis?	Vagus (X) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What salivary ducts open into the sublingual area?	Both the sublingual and submandibular share a duct on each side under the tongue. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle is responsible for protrusion of the tongue?	Genioglossus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the most commonly infected air sinus and why?	The maxillary, because it does not drain inferiorly. It has a perforation in the roof of the sinus and must fill up before drainage occurs. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What bone is located directly posterior to the soft palate?	The odontoid process *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Which is more superior, the pharyngeal, palatine, or lingual tonsil?	The pharyngeal is most superior, then the palatine, then the lingual. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
At what vertebral level is the thyroid cartilage?	C4 and C5 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the name for the cul-de-sac located laterally in the ventricle of the larynx?	The saccule *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What are the taste and sensory nerves for the anterior 2/3 of the tongue?	The facial nerve is responsible for taste and the V3 portion of the trigeminal is responsible for sensation. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What are the two folds between which the palatine tonsil is located and which is anterior?	The palatoglossus fold is anterior and the palatopharyngeus is posterior. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

All of the motor branches of the pharyngeal plexus originate from what nerve?	Vagus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
All of the sensory fibers of the pharyngeal plexus come from a single nerve with the exception of what motor fiber from the 9th nerve?	The 9th cranial nerve in the pharyngeal plexus is strictly sensory with the exception of a single motor fiber going to the stylopharyngeus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What provides sensory and taste sensation for the posterior 1/3 of the tongue?	The 9th cranial nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where does the anterior ethmoidal sinus drain?	Into the semilunar hiatus of the middle nasal meatus along with the frontal sinus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the membrane that connects the hyoid bone to the top part of the thyroid cartilage?	Thyrohyoid membrane *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Which is larger, the posterior or anterior portion of the cricoid cartilage?	The posterior *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What direction do the arytenoids turn to open and close the larynx?	The arytenoids turn laterally when the cords open and turn medially when the cords close. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
On what cartilage do the arytenoids sit?	The cricoid *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What cartilage does the epiglottis attach to?	The back of the thyroid cartilage *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where are the cuneiform cartilages?	They are suspended just lateral and superior to the corniculate cartilages. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What are the 9 cartilages of the larynx?	Thyroid, cricothyroid, epiglottis, 2 cuneiform, 2 arytenoid, and 2 corniculate. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Approximately what percent of the population would have a toothache associated with a maxillary sinus infection and why?	In about 20% of the population, the teeth protrude up into the maxillary sinus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where does the frontal sinus drain?	In the semilunar hiatus of the middle nasal meatus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle helps open the eustachian tube?	Tensor veli palatini *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structures can possibly drain into the semilunar hiatus?	The anterior ethmoidal sinus, the maxillary sinus, and the frontal sinus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where does the maxillary sinus drain?	Into the semilunar hiatus usually, but it may drain behind the ethmoidal bulla. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What are the two ganglia associated with the 7th cranial nerve?	The pterygopalatine and submandibular ganglia. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Between what two structures can you find the semilunar hiatus?	Between the uncinate inferiorly and the ethmoid bulla superiorly. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What two bones contribute to the bony structure of the nasal septum?	The perpendicular plate of the ethmoid and the vomer. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the purpose of the fibers from the pterygopalatine ganglia being located in the phrenic nucleus?	The sensory fibers in the nose can institute a forceful exhalation (sneeze). *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

A patient is having an ENT procedure performed to help his sinuses drain more efficiently and loses his vision in the left eye post-op. What sinus was being operated on and what happened?	The ethmoid sinus is adjacent to the optic nerve, which was damaged by the instrumentation of the sinus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Most of the nerves in the nasal cavity are branches of which nerve?	7th cranial nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where in the larynx is hyaline cartilage found?	Cricoid, thyroid, and the lower 1/2 of the arytenoids. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structure can be found approximately 1 cm anterior to the central sulcus and what does it do?	The precentral gyrus, which controls most of the motor activity on the contralateral side. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structures lie between the medulla and the brain?	the pons and midbrain *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
A penetrating injury to the forehead would likely interrupt what type of mental processes?	Cognition and emotion *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The occipital lobe sits atop what structure?	The tentorium cerebelli *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
A penetrating injury to the temporal area would likely interrupt what type of mental processes?	Memory and the understanding of sound *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What lobe of the brain occupies the middle cranial fossa?	Temporal lobe *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What type of deficit could you expect from someone with a penetrating injury to the occipital area?	Vision and interpretation of visual information *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What sulcus lies between the frontal and parietal lobes?	The fissure of rolando, also called the central sulcus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is an important test for nerve damage following a basilar skull fracture and why?	Determine whether someone can hear in the ear of the affected side because the internal auditory canal is the point of least resistance to fractures and the vestibulocochlear nerve could get damaged. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is unusual about the cavernous sinus?	Not only do the nerves to the orbit travel through it, but also it is the only venous sinus with an artery (internal carotid) passing through it. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the sensory nerve for the orbit?	V1 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Stimulation of the insular lobe would produce what types of sensations?	Nausea, and chest compression. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
A CT scan show damage to the area 1 cm inferior to the corpus collosum, what symptoms might you expect to see?	Severe short-term memory loss *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What lobe is visible underneath frontal and temporal lobes and what sulcus must be retracted to view it?	The insular lobe which is visible by retracting the sylvan, or lateral sulcus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
A CT scan shows damage just anterior to the central fissure, what symptoms might you expect the patient to exhibit?	Motor weakness in the opposite side *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where would you find the hypothalamus in relation to the thalamus?	Just anterior and inferior to it. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What is the name of the small arch located below the corpus collosum?	fornix *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
A CT scan shows that a patient has a tumor located about 1 cm posterior to the fissure of Rolando, what symptoms might you expect to see?	Loss of sensory processing to the contralateral side of the body. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The left and right vertebral arteries fuse to form what artery, and how much of the blood supply to the brain does it supply?	The basilar artery which supplies 1/3 of the blood to the brain *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
A penetrating injury to the parietal area of the head would likely interrupt what type of mental processes?	Reasoning and mathematics *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structure lies in the sella turcica?	the pituitary gland *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the shallow depression found on either side of the glossoepiglottic fold?	Vallecula *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What thin fibrous structure directly overlays the sulci and gyri of the brain?	Pia mater *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What sinus system extends laterally away from the confluence of sinuses?	Transverse sinuses *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What two bones form the jugular foramen?	The temporal bone (anterior) and the occipital bone (posterior) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What sinus does the sigmoid sinus originate from and what structure does it drain into?	It originates off of the transverse sinus and enters the jugular foramen. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

The opthalmic artery and the optic nerve travel through which foramen?	The optic foramen *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
In which cranial fossa is the internal auditory canal found?	Posterior fossa *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What three nerves pass through the jugular foramen?	Glossopharyngeal(IX), vagus (X), and spinal accessory (XI) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What does the tentorium cerebelli attach to in order to separate the anterior and middle cranial fossae from the posterior fossa?	It attaches to the petrous ridges of the temporal bone. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The area just below the fornix is called what?	Thalamus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The opthalmic artery is a branch of which artery?	Internal carotid artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What foramen does V2 traverse?	foramen rotundum just posterior to the superior orbital fissure *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What sinus runs in the junction of the falx cerebri and the tentorium cerebelli?	The straight sinus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
A blowout fracture of the inner orbit could damage which nerves travelling through the superior orbital fissure?	V1 of the trigeminal, Oculomotor nerve (III), trochlear nerve (IV), and abducens (VI). *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What foraminal structure does V3 traverse?	foramen ovale *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What structure does the middle meningeal artery traverse?	Foramen spinosum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What two nerves pass through the internal auditory canal?	Facial (VII) nerve and vestibulocochlear (VIII) nerves *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
To supply the orbit, V1 of the trigeminal nerve must pass through what foraminal structure?	The superior orbital fissure *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the name of the sigmoid sinus after it enters the jugular foramen?	Internal jugular vein *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The glossopharyngeal (IX) nerve has one motor branch, what muscle does it supply?	The stylopharyngeus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the purpose of the hypothalamus?	It produces hormones that control primitive drives like thirst and sex. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
A patient complaining of difficulty maintaining balance and altered hearing might have damage to what cranial nerve?	Vestibulocochlear (VIII) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What eye muscle does the abducens (VI) innervate?	Lateral rectus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What eye muscle does the trochlear (IV) nerve supply?	Superior oblique *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve supplies the lacrimal gland?	The facial, specifically the temporal branch of the facial nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What cranial nerve is responsible for supplying the carotid sinus?	Glossopharyngeal (IX) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the nerve pair that originates lateral from the midline in the middle of the pons?	Trigeminal nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
There are three pairs of nerves that originate immediately below the pons. From medial to lateral, what are they?	Abducens (VI), Facial (VII), and Vestibulocochlear nerve (VIII) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve is responsible for sensation in the back of the throat (such as a sore throat)?	Glossopharyngeal (IX) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Which eye muscles does the oculomotor nerve supply?	All of them but the lateral rectus and the superior oblique *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What three muscles does the hypoglossal (XII) innervate?	Genioglossus, hyoglossus, and styloglossus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve conveys sense of taste to the epiglottis?	Vagus (X) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What artery supplies the orbit and from what artery does it originate?	The opthalmic artery which is a branch off of the internal carotid. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What allows the superior oblique to move in the direction it does?	There is a trochlea which acts like a pulley to cause the eye to move in the opposite direction you would expect. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What eye muscle allows you to look upward and laterally?	The inferior oblique *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What is the actual organ of hearing in the ear?	Cochlea *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structure connects the nasopharynx to the middle ear?	The eustachian tube *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What muscle attaches to the eardrum, what nerve innervates it, and what is its purpose?	The tensor tympani inserts into the malleus and helps pull it away from the eardrum. If you hear an extremely loud sound, it pulls the malleus away to muffle the sound. It is innervated by V3. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve supplies the tensor tympani and the tensor veli?	Trigeminal *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the cause of hydrocephalus?	Obstruction of the cerebral aquaduct *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the principal function of the thalamus?	It acts as a relay, sorting information to the appropriate cortex. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
Where is the optic chiasm and what is it?	The optic chiasm is located in the pituitary gland. It is the point where the optic nerves criss-cross and exchange fibers. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the anatomic origin of the anterior and posterior pituitary gland?	The posterior originates from the thalamus and the anterior originates from the base of the tongue *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structure is located just behind the pons and midbrain?	The 4th ventricle *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structure connects the 3rd and 4th ventricles?	The cerebral aquaduct *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

What tissues produce CSF and where is the structure located?	The choroid plexus, which coats the floors of the ventricles produces CSF *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
By what structure do the left and right lateral ventricles of the brain drain into the third ventricle?	The foramen of Monroe *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structure of the brain is associated with visual reflexes?	Superior colliculus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the only cranial nerve to originate off of the posterior brainstem and between what two structures does it originate?	The trochlear nerve originates off of the posterior brainstem between the pons and the corpora quadragemini. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the anterior attachment of the falx cerebri?	the crista galli *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the pair of nerves that originates at the midline immediately above the pons?	Oculomotor nerve (III) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The corpora quadragemini is divided into two sections, what are they and what do they do?	They are divided into two superior colliculi which aid in vision and two inferior colliculi which aid in hearing *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
The trigeminal nerve originates from the lateral aspect of the pons as one small fiber and one large fiber. Which of these is sensory and which is motor?	The sensory fiber is the largest fiber of the trigeminal nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What structure lies between the thalamus and the corpora quadragemini and what does it do?	The pineal gland, which helps in sleep-wake cycles *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the pair of nerves that originates laterally immediately above the pons?	Trochlear nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Head and Neck

Three cranial nerves are involved in the movement of the eyes, what are they?	Oculomotor (III), Abducens (VI), and Trochlear (IV) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What is the partition that separates the left and right ventricles?	The septum pellucidum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What nerve originates from the anterior aspect of the medulla, just lateral to the midline?	Hypoglossal nerve (XII) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*
What are the four protuberances on the back of the brainstem called?	Corpora quadragemini *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 6-144.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.