Prodigy Anesthesia Quick Review

Anatomy Lists

What are the 4 muscles of mastication?	Medial pterygoid, lateral pterygoid, masseter, and temporalis *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the three layers of the calvaria?	Outer table, diploic space, and inner table *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What bones comprise the external orbit?	1. Maxillary 2. Zygomatic 3. Frontal *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What 7 bones comprise the inner orbit?	1. Frontal bone 2. Zygomatic 3. Maxillary 4. Lacrimal bone 5. Greater wing of sphenoid 6. Orbital plate of ethmoid 7. Palatine bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
Which foramen are located in the anterior cranial fossa?	Olfactory foramen only *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the 7 muscles of facial expression and what does each one do?	1. Orbicularis oris: closes mouth 2. Orbicularis oculi: Closes eyes 3. Frontalis: horizontally wrinkles forehead 4. Corrugator supercilii: vertically wrinkles forehead 5. Zygomaticus major: smiling muscle 6. Depressor anguli oris: frowning muscle 7. Levator labii superioris alaeque nasi: flares nose and raises lip *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What foramen are located in the posterior cranial fossa and what passes through each?	1. Internal auditory canal - CN7 and CN8 2. Jugular foramen - IJV, CN9, CN10, CN11 3. Hypoglossal canal - hypoglossal nerve 4. Foramen magnum - brainstem *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the three salivary glands in order from largest to smallest?	1. Parotid 2. Submandibular 3. Sublingual *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy Lists

What foramen, canals, fissures, etc. pass through the sphenoid bone and what structure passes through each?	1. Foramen ovale - V3 2. Foramen spinosum - middle meningeal artery 3. Foramen rotundum - V2 4. Optic canal - optic nerve and opthalmic artery 5. Superior orbital fissure - CN3, CN4, CN6, & V1 6. Inferior orbital fissure - nothing we need to know *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What foramen are located in the middle cranial fossa and what passes through each?	1. Optic foramen - optic nerve and opthalmic artery - 2. Foramen rotundum - V2 - 3. Foramen ovale - V3 - 4. Foramen spinosum - middle meningeal artery - 5. Foramen lacerum - (nothing) - 6. Carotid canal - interior carotid artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the 7 nerves of the lumbar plexus and what nerve trunks contribute fibers to them?	1. Subcostal: T12 2. Iliohypogastric: T12, L1 3. Ilioinguinal: L1 4. Genitofemoral: L2, L3 5. Lateral femoral cutaneous: L2, L3 6. Femoral: L2, L3, L4 7. Obturator: L2, L3, L4 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What foramen, canals, etc. pass through the temporal bone and what structure passes through each of these?	1. Carotid canal - internal carotid artery 2. Auditory meatus - facial nerve and vestibulocochlear nerve 3. 1/2 of the jugular foramen - internal jugular vein, CN9, CN10, CN11 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the 5 branches of the facial nerve from superior to inferior?	1. Temporal 2. Zygomatic 3. Buccal 4. Mandibular 5. Cervical *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What foramen pass through the occipital bone and what structures pass through them?	1. Foramen magnum - brainstem 2. Hypoglossal - hypoglossal nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the branches of V3 that innervate the skin of the face?	Mental nerve and auriculotemporal nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What three bones form the foramen lacerum?	Temporal, sphenoid, and occipital bones *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy Lists

What structures pass through the supraorbital, infraorbital, and mental foramen?	1. Supraorbital - Supraorbital nerve which is a branch of V1 (opthalmic branch of trigeminal) 2. Infraorbital - infraorbital nerve which is a branch of V2 (maxillary branch of trigeminal) 3. Mental - mental nerve which is a branch of V3 (mandibular branch of trigeminal) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the 6 structures innervated by V3?	1. Anterior belly of the digastric 2. Mylohyoid 3. Medial pterygoid 4. Lateral pterygoid 5. Masseter 6. Temporalis *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What two muscles arise off the pterygoid process and what does each do?	1. Medial pterygoid: helps close the jaw 2. Lateral pterygoid: protracts mandible and pulls the TM disc forward to prevent dislocation of the jaw. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What three veins contribute to the hepatic vein?	1. superior mesenteric vein 2. inferior mesenteric vein 3. Splenic vein *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the 3 structures of the midgut and what supplies blood to them?	The superior mesenteric artery supplies: 1. Jejunum 2. Ascending colon 3. Transverse colon *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the three muscles of the hamstrings?	1. Semimembranosus 2. Semitendinosus 3. Biceps femoris *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the three structures of the hindgut and what supplies blood to them?	The inferior mesenteric artery supplies the: 1. Descending colon 2. Sigmoid colon 3. Rectum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What two structures mark the boundaries of the middle cranial fossa?	1. Lesser wing of sphenoid 2. Petrous ridge of temporal bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the three structures of the foregut and what supplies blood to it?	The celiac trunk supplies: 1. Spleen 2. Liver 3. Part of stomach *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy Lists

What are the four structures in the femoral triangle from lateral to medial?	1. Femoral nerve 2. Femoral artery 3. Femoral vein 4. Lymphatics *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the four muscles that laterally rotate the thigh?	1. Superior gemellus 2. Obturator internus 3. Inferior gemellus 4. Quadratus femoris *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the 3 paired arteries of the abdomen?	1. Left and right renal arteries 2. Left and right gonadal arteries 3. Left and right common iliac arteries *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the three main branches of the celiac trunk?	1. Splenic artery 2. Left gastric artery 3. Common hepatic artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What 3 muscles are supplied by the superior gluteal nerve?	1. Gluteus medius 2. Gluteus minimus 3. Tensor fascia *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What two structures does the pancreas hook around?	1. superior mesenteric artery 2. superior mesenteric vein *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What two veins does the SMA pass between?	1. Splenic vein (above) 2. Renal vein (below) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
Name the 5 venous sinuses of the dura.	1. Superior sagittal sinus 2. Inferior sagittal sinus 3. Straight sinus 4. Transverse sinuses 5. Sigmoid sinuses *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the names of the 12 cranial nerves?	1. Olfactory 2. Optic 3. Oculomotor 4. Trochlear 5. Trigeminal 6. Abducens 7. Facial 8. Vestibulocochlear 9. Glossal 10. Vagus 11. Accessory nerve 12. Hypoglossal *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the three motor nerves of the orbit?	1. Oculomotor (CN3) 2. Trochlear (CN4) 3. Abducens (CN6) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy Lists

What three structures are in the hepatoduodenal ligament?	1. Common hepatic artery 2. Common bile duct 3. Hepatic portal vein *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What 5 muscles does the femoral nerve supply?	1. Sartorius 2. Rectus femoris 3. Vastus lateralis 4. Vastus intermedius 5. Vastus medialis *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What two concha are part of the ethmoid bone?	1. Superior nasal concha 2. Middle nasal concha *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*
What are the three layers of superficial abdominal muscle starting with the most superficial?	1. External oblique 2. Internal oblique 3. Transverse abdominus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.