Prodigy Anesthesia Quick Review

Anatomy of the Lower Limbs

At what location does the popliteal artery split into the anterior and posterior tibial arteries?	Just below the knee joint *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the inguinal ligament formed from and what does it connect?	It is a thickened aponeurosis of the oblique muscles of the abdomen that connects the anterior superior iliac spine and the pubic bone. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
From anterior to posterior, what are the three tendons of the pes anserine?	Sartorius, gracilis, and semitendinosus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
How can you differentiate between the anterior and posterior cruciate ligaments?	The anterior attaches to the front of the tibia. The posterior attachees to the back of the tibia. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What tendon attaches the quadriceps to the tibia and where on the tibia does it connect?	The quadriceps tendon (also called the ligamentum patella) attaches to the tibial tuberosity. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What muscle pierces the knee joint?	Popliteus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What three things would be likely to be damaged from a blow to the lateral knee?	Anterior cruciate, medial meniscus, and medial collateral ligament (tibial collateral ligament) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What are the shock absorbers for the knee?	the lateral and medial menisci *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

In addition to the cruciate ligaments, what are the ligaments that hold the knee together laterally and medially?	The lateral ligament is called the fibular collateral ligament, the medial ligament is called the tibial collateral ligament. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Where does the femoral artery end?	At the knee it becomes the popliteal artery. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What tendon inserts into the head of the fibula?	the tendon of the biceps femoris *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the name of the arterial segment between the aorta and the femoral artery and at what location does the name change?	The external iliac is a branch of the aorta in the pelvis that changes to the femoral artery after it crosses the inguinal ligament. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the function of the popliteus?	It breaks the knee out of extension *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What muscle is just medial to the patella?	Vastus medialis *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the muscle just deep to the gastrocnemius?	soleus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What nerve segments contribute to the lumbar plexus?	T12 to L4 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What innervates the soleus?	tibial nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

What are the borders of the popliteal fossa?	Semimembranosus and semimembranosus superior and medially, biceps femoris superior and laterally, and gastrocnemius inferiorly. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the origin and insertion of the medial and lateral gastrocnemius?	The medial gastrocnemius arises off the medial epicondyle of the femur, the lateral arises off the lateral epicondyle of the femur and they fuse to insert as the calcaneal (achilles) tendon. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the muscle that occasionally runs between the gastrocnemius and the soleus?	Plantaris *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What lies between the flexor hallucis longus and the flexor digitorum longus?	The tibial nerve and posterior tibial artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What are the three muscles located underneath the soleus?	The tibialis posterior, flexor digitorum longus, and flexor hallucis longus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the function of the soleus and the gastrocnemius?	Plantar flexion *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What three structures are located in the popliteal fossa?	Popliteal artery, popliteal vein and most posteriorly, the tibial nerve. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What does the lateral femoral cutaneous nerve innervate?	It supplies the skin of the lateral thigh. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

Where is the iliotibial tract located?	On the lateral thickened portion of the fascia latae *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What forms the bed of the femoral triangle?	The iliopsoas laterally and the pectineus medially *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What muscle crosses from the pelvis into the femur and covers the articulation of the femur and acetabulum?	Iliopsoas *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What are the two branches of the popliteal artery?	Anterior and posterior tibial arteries *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What are the medial and lateral branches of the sciatic nerve called?	Lateral: common peroneal, Medial: tibial *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the only muscle that inserts into the lesser trochanter?	Iliopsoas *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What two muscles fuse to form the iliopsoas?	Psoas major and iliacus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What are the three muscles referred to collectively as the hamstrings?	Biceps femoris, semimembranosus, and semitendinosus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
All of the thigh muscles that begin with the name 'Adductor' are innervated by what nerve?	the obturator nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

Into what tendon does the gluteus maximus insert?	It inserts into the tensor fascia latae to allow it to act some on the anterior thigh. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
How are the three adductor muscles of the thigh positioned relative to each other?	The adductor longus is the most superficial, just behind it is the adductor brevis, and the biggest and deepest of the three is the adductor magnus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the most lateral of the hamstring muscles?	the biceps femoris *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Into what bone does the biceps femoris insert?	The fibula *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
All of the hamstring muscles originate from what bone?	The ischium *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Into what bone do both the semitendinosus and semimembranosus insert?	Tibia *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
At what point do the common peroneal and tibial nerve separate from one another?	The popliteal region *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Name the hamstring muscles in order from most lateral to most medial.	Biceps femoris, semitendinosus, and semimembranosus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

What is the pes anserine and where is it found?	It is group of three tendons that have almost the same insertion site on the tibia just above and medial to the tibial tuberosity. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What nerve supplies the hamstring muscles and what larger nerve is it a branch of?	The tibial nerve which is a branch of the sciatic nerve. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What could be the cause for burning pain in the lateral thigh after strenuous activity or obesity?	Impingement of the lateral femoral cutaneous nerve under the inguinal ligament *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What muscle is directly inferior to the gluteus medius?	the piriformis *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the function of the hamstring muscles?	Flexion of the knee and extension of the thigh. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the vertically running muscle underneath the reflected gluteus maximus?	the gluteus medius *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What nerve innervates all of the gluteal muscles except for the gluteus maximus and what are those muscles?	The gluteus minimus, gluteus medius, and tensor fascia latae are all innervated by the superior gluteal nerve. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the innervation of the gluteus maximus?	The inferior gluteal nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the primary function of the gluteus maximus?	Extension of the thigh *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

What is the function of the piriformis?	external rotation of the thigh *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the function of the gluteus medius and gluteus minimus muscles?	Internal rotation of the thigh *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the first nerve to arise from the lumbar plexus that passes through the inguinal ligament?	Lateral femoral cutaneous *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Describe the course of the sciatic nerve as it travels to the gluteal region.	As it leaves the pelvis, it travels inferior to the piriformis and arises underneath it. Then travels posterior to the lateral rotator muscles of the thigh. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Where does the piriformis originate and insert?	It arises from inside the pelvis and inserts on the femur *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What two muscles insert into the fascia latae?	Gluteus maximus and the tensor fascia latae *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What gives the semitendinosus its name?	It has a long, cord-like tendon that attaches to the tibia. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What are the three dorsiflexors of the foot from medial to lateral?	Tibialis anterior, extensor hallucis longus, and extensor digitorum longus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the term for the fascia of the entire thigh?	Fascia lata *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

From what bone does the vastus medialis arise?	Femur *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Does the sciatic nerve travel posterior or anterior to the piriformis and the lateral rotator muscles of the thigh?	It travels anterior to the piriformis and posterior to the lateral rotator muscles. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What nerve innervates the tensor fascia latae?	The superior gluteal nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Name the lateral rotator muscles of the thigh.	Superior gemellus, obturator internus, inferior gemellus, and quadratus femoris. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the most powerful flexor of the thigh?	Iliopsoas *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What are the four muscles located inferior to the piriformis? Name them from superior to inferior.	Superior gemellus, obturator internus, inferior gemellus, and quadratus femoris. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What muscle has an insertion into the sacrotuberous ligament?	gluteus maximus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What are the two functions of the iliopsoas?	Flexion (most powerful flexor in the hip) and lateral rotation *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is known as the freshman's nerve and why?	the plantaris because it has such a long tendon and is easily identified *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

What do the peroneal muscles do?	they help evert the foot *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
How would you move your foot in order to dorsiflex and plantar flex it?	Dorsiflexion moves the toes toward you, plantar flexion moves the toes away from you. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the principal function of the medial thigh muscles?	Adduction *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What bone of the foot directly articulates with the tibia?	Talus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the origin, insertion, and innervation of the gracilis muscle?	Origin: pubic bone Insertion: medial tibia Innervation: obturator nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the largest bone of the foot?	Calcaneus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What does the deep peroneal nerve supply?	the skin between the first and second toes *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What two muscles are innervated by the superficial peroneal nerves?	the peroneus longus and brevis *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the bone directly in front of the talus?	Navicular *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

From where do the peroneus muscles arise?	From the fibula *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What nerve innervates the little intrinsic muscles of the foot?	tibial nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Where is the lateral femoral cutaneous nerve in relation to the anterior superior iliac spine?	It is below it *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Where is the dorsalis pedis artery in relation to the extensor hallucis longus?	It is lateral to it *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What does the obturator nerve supply?	The anterior medial nerves (adductor muscles) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
From medial to lateral, what are the tarsal bones that articulate with the metatarsals?	Medial, intermediate, and lateral cuneiform, and the cuboid bone most laterally *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What nerve runs beside the lesser saphenous vein?	The sural nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Where at the level of the ankle does the lesser saphenous vein arise?	Just behind the lateral malleolus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the strongest dorsiflexor of the foot?	Tibialis anterior *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

What is the primary function of the anterior thigh muscles?	Extension of the knee and flexion of the thigh *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What are the four structures found in the femoral triangle from lateral to medial?	Femoral nerve, femoral artery, femoral vein, and lymphatics. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the course of the great saphenous vein?	It begins on the dorsum of the foot, travels medially along the inside of the leg, and empties into the femoral vein. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What two nerves does the sciatic nerve branch into and where does this occur?	It splits into the medial tibial and common peroneal at the popliteal region. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What are the boundaries of the femoral triangle?	Inguinal ligament, sartorius, and the adductor longus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the first branch of the femoral artery to travel posteriorly into the leg and what two important arterial branches does it emit?	The profundi femoral artery travels deep and gives off the medial and lateral femoral circumflex arteries. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the course of the lesser saphenous vein?	It runs along the back of the leg and empties into the popliteal vein. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Of the tibia and fibula, which one is medial and which is lateral?	The tibia is medial and the fibula is lateral *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

What are the three bones that fuse to form the coxal bone?	Ilium, ischium, and pubic bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the fossa in the coxal bone that articulates with the femur?	Acetabulum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the ridge located on the posterior aspect of the femur?	linea aspera *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Of the tibia and fibula, which one bears the most weight?	The tibia actually bears all of the weight. The fibula can be harvested for bone tissue with no serious consequences. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Of the two trochanters of the femur, which is lateral superior and which is medial inferior?	The greater trochanter is lateral superior and the lesser trochanter is medial inferior. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
In general, what nerve innervates the muscles of the medial thigh?	Obturator *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the large sesamoid bone of the leg and what two advantages does it provide?	the patella helps increase the mechanical advantage of a point and it helps protect the bone. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What does the sural nerve supply?	the skin on the back of the calf and the lateral foot *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What nerve innervates the sartorius?	Femoral *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

Where does the sartorius originate and insert?	It originates on the ASIS (anterior superior iliac spine) and inserts on the medial tibia. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What nerve group (plexus) does the femoral nerve originate from?	The lumbar plexus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the long slender muscle that travels obliquely across the surface of the anterior thigh?	Sartorius *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Of the muscles of the thigh, which would be most likely to be harvested for use in plastic surgery?	Sartorius *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What are the four muscles of the quadriceps?	Rectus femoris, vastus lateralis, vastus medialis, and vastus intermedius. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What function does the sartorius perform?	Flexion and external rotation of the thigh and flexion of the knee *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
What is the origin, insertion, and function of the tensor fascia latae?	It originates on the ilium, inserts on the fibula, and abducts and flexes the thigh. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
In what tendon does the patella float?	The tendon of the rectus femoris *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Lower Limbs

All of the muscles of the quadriceps arise from the femur with one exception, what is it?	All of the quadriceps muscles arise from the femur except for the rectus femoris which arises from the AIIS (anterior inferior iliac spine) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
In general, the anterior thigh muscles are innervated by what nerve?	Femoral *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
In what tendon do all of the quadriceps muscles insert?	The tendon of the rectus femoris *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*
Of the tibia and fibula, which articulates with the femur?	The tibia, remember the fibula bears no weight. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 486-574.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.