Prodigy Anesthesia Quick Review

Anatomy of the Pelvis

How does the coccyx differ between males and females?	The coccyx angles more posteriorly in females. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What structure does the proximal urethra enter?	The prostate *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What structure lies immediately posterior to the symphysis pubis?	the bladder *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What two structures fuse to form the ejaculatory duct?	The seminal vesicle and the vas deferens *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
From what bone does the piriformis arise?	From the anterior sacrum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
Why is herniation of the pelvic structures common after childbirth?	Because the pelvic diaphragm has been stretched by the head of the fetus during childbirth *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What muscle connects the ischial spine to the coccyx, what is the name for its external surface and what is it's purpose?	The ischiococcygeus which is called the sacrospinous ligament on its external surface. In animals, it is responsible for wagging the tail. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What are two structural differences in the coxal bones between males and females?	the ischial spines do not point inward as much and the iliac fossa is deeper in females. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Pelvis

What two structures pass through the pelvic diaphragm of the male?	the urethra and the rectum. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What is the ligament that connects the sacrum to the ischial tuberosity?	Sacrotuberous ligament *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What are the five principal differences between male and female pelvises?	In males: 1. The pubic arch is less curved 2. the ischial spines point into the pelvic outlet 3. The coccyx protrudes more into the pelvic outlet 4. The sacrum is less concave anteriorly 5. The iliac fossas are less concave *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What are the three seminal producing structures?	Prostate gland, seminal vesicle, and Cowper's glands *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
Contraction of the pelvic diaphragm in the female will occlude what three structures?	The urethra, rectum, and vagina *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
How does the sacrum differ between males and females?	The sacrum is more concave anteriorly, making more space available in the pelvis. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What is the indention in which the iliacus muscle resides?	The iliac fossa *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
How do you use the pubic bones to determine whether the bones are from a male or female?	the angle of the pubic bones, known as the pubic arch is 90 degrees in males and greater than 90 degrees in females *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Pelvis

What three major structures are suspended by the pelvic diaphragm in the female?	Rectum, vagina, and urethra *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What is the thickened ligament that connects the ischial spine to the sacrum?	The sacrospinous ligament *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What muscle attaches to the sacrotuberous ligament?	Gluteus maximus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What two foramen does the sacrospinous ligament create?	The greater and lesser sciatic foramina *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What muscle covers the majority of the obturator foramen?	the obturator internus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What are the recesses around the cervix called?	Fornices *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What is the gland located lateral to the inferior region of the vaginal opening?	The Bartholin's gland *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
Between what two structures does the pudendal nerve travel?	Between the sacrospinous and sacrotuberous ligaments *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What nerve supplies the majority of the perineum and what nerve roots contribute to it?	the pudendal nerve which receives contributions from S2, S3, and S4 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Pelvis

What is the thin muscular layer that wraps the scrotum and what innervates it?	The genital branch of the genitofemoral nerve innervates the cremaster muscle. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
The pudendal nerve can be blocked with local anesthetic as it crosses what structure?	The sacrospinous ligament *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What muscle helps end urination?	Bulbospongiosus muscle *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
Where is the pampiniform plexus?	In the scrotum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What is the space between the labia minora called?	Vestibule *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What are the two ligaments that connect to the uterus?	The round and broad ligaments *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What are the four structures in the penis and where are they located?	1. Two corpora cavernosa (superior) 2. Corpora spongiosum (inferior) 3. Urethra (located within the corpora spongiosum) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What connects the two pubic bones?	The symphysis pubis *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What is the dilated region of the fallopian tube called?	The ampulla *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Pelvis

What is the function of the Cowper's glands and where are they located?	Cowper's glands, also called the bulbourethral glands produce 1/3 of the seminal fluid and are located inside the membranous section of the urethra. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What structures on the fallopian tubes help draw in an ovum?	Fembria *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What is the other name for the round ligament of the uterus?	Ligamentum teres uteri *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What is the most medial portion of the fallopian tube called?	The isthmus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What is the gland located in the wall of the labia minora?	Vestibular bulb which is analogous to the cavernous tissue in the penis. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What structure lies between the rectum and bladder in the female?	The cervix of the uterus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What are the three parts of the male urethra?	Prostatic urethra, membranous urethra and the penile urethra *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*
What is a landmark at which the pudendal nerve is a single trunk?	The pudendal nerve can be blocked as a single trunk at the level of the ischial spine. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Pelvis

After release from the ovary, what is the order of structures that the ovum will travel to get to the uterus?	Fembria, ampulla, isthmus, uterus.

Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 436-470.

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.