Prodigy Anesthesia Quick Review

Anatomy of the Trunk

Where is the celiac ganglion in relation to the xiphoid process?	About 4-6 cm below the xiphoid *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What three principal veins arise from the hepatic portal vein?	Splenic vein, inferior mesenteric vein, and superior mesenteric vein *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Do the hepatic portal vein, splenic vein, and superior mesenteric arteries and veins run behind or in front of the pancreas?	They run behind the pancreas *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Between what two horizontal running veins does the superior mesenteric vein lie?	the splenic vein above and the renal vein below *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What vessel does the splenic vein branch off of?	The hepatic portal vein *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What does the uncinate portion of the head of the pancreas wrap around?	The superior mesenteric artery and superior mesenteric vein *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the most common cause of death from a patient with alcoholic cirrhosis?	Bleeding from esophageal varices. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What venous system transports blood from the GI tract?	The hepatic portal system. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

Where are the three portocaval anastomoses located?	Esophagus, umbilicus, and rectum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Why is pancreatic cancer associated with ischemia of the bowel?	Because the uncinate portion of the head of the pancreas can become fibrotic and kink off the superior mesenteric vein and the superior mesenteric artery. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is usually the largest ganglia of the abdomen?	The celiac ganglion *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
The parasympathetic nerves of the abdomen are primarily branches of what nerve?	vagus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Where do the sympathetic branches for the abdomen originate?	From the thoracic splanchnic nerve of T5 to T12 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What organ would likely be lacerated by a fracture of the 11th or 12th ribs?	Kidneys *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Pain from most of the abdomen and pelvis travels via what nerve system?	superior hypogastric plexus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the most left lateral structure in the hepatoduodenal ligament?	The common hepatic artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

Which kidney is positioned more superiorly and why?	The left kidney is more superior because of the prominence of the liver on the left side. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Most of the sympathetic nerves of the abdomen have fibers that trail down to a structure in the pelvis. What is that structure and what are the nerves called when they reach that point?	The superior hypogastric plexus is the name of the postganglionic sympathetic nerves lying on top of the sacral promontory. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Which tend to be more anterior in the abdomen, veins or arteries?	Veins tend to be more anterior *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is a presacral neurectomy and what is it's purpose?	Severing of the superior hypogastric plexus as it travels across the sacral promontory to prevent pain from (often cancerous) structures in the pelvis. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Where is a kidney stone likely to get stuck causing ureteral obstruction?	At the point where the ureter crosses the external iliac artery. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What vessel does the ureter cross at the level of the pelvis?	The external iliac artery as it branches off of the common iliac *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Name three pelvic structures that would not be denervated by a presacral neurectomy.	Vagina, rectum, and prostate. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is a potentially life-threatening hazard of using wires to extract kidney stones that are obstructing the ureter?	Piercing the external iliac artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

What organ would likely be lacerated by a fracture of the 9th or 10th ribs?	Spleen *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
A mesentery is a specialization of what structure?	The parietal and visceral peritoneum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
At what ribs would you find the superior portion of the left and right kidneys?	Left - 11th rib, Right - 12th rib *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What forms the inguinal ligament?	The aponeurosis of the external oblique *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Where are the abdominal ganglia primarily located?	Around the unpaired arteries of the abdomen: celiac trunk, SMA, and IMA *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What artery forms an anastomosis between the subclavian and the external iliac arterial systems?	The inferior epigastric which branches from the external iliac artery and then anastomoses with the internal thoracic artery. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What muscles assist the diaphragm in regurgitation the stomach contents?	The external and internal obliques and the transversus abdominus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What does the diaphragm attach to in order to form the ceiling of the abdominal cavity?	The lumbar vertebrae, ribs, and sternum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What are the three layers of abdominal muscles from superficial to deep?	External obliques, internal obliques, and transversus abdominus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

What superficial abdominal muscle runs from lateral to medial?	External obliques *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What forms the bony posterior wall of the pelvis?	The sacrum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What muscle terminates medially across the abdomen in a broad aponeurosis?	External oblique *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
As the aponeurosis of the external oblique runs inferiorly to form the inguinal ligament, what two structures does it connect?	The anterior superior iliac spine and the pubic bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What connects the skin of the abdomen to the underlying muscle?	The superficial fascia. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What muscle lies underneath the aponeurosis of the external oblique and acts as an insertion point for it?	The rectus abdominus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Where wil you find the inferior epigastric artery?	Just below the rectus abdominus and transversus fascia *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What muscle is connected to the abdominal parietal peritoneum by a thin layer of fascia?	Transversus abdominus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

What is the (almost) unique characteristic of the rectus abdominus?	It is one of only two muscles in the body that segments itself. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What does the common hepatic artery arise from?	Celiac trunk *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the inferior epigastric artery a branch of?	The external iliac artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What two ducts normally fuse together before entering the duodenum?	the pancreatic duct and the common bile duct *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the difference between the abdominal musculature of man and that of animals?	To help prevent herniation of the abdominal contents, the external obliques, internal obliques, and transversus interdigitate and plicate around the rectus abdominus to strengthen it in the standing position. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What artery courses along the posterior surface of the rectus abdominus muscle?	the inferior epigastric artery. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What abnormality of the abdominal vasculature would you expect to result from coarctation of the aorta?	Dilation of the inferior epigastric arteries due to the anastomoses between the inguinal artery and the internal thoracic artery. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What structures form a supporting sheath around the rectus abdominus?	The external obliques, internal obliques, and transversus abdominus. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

What defines an indirect hernia and what is its most common presentation?	A hernia that goes lateral to the triangle formed by the inferior epigastric artery, inguinal canal, and rectus abdominus. It usually passes through the inguinal canal. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What defines a direct hernia?	A herniation through the triangle formed by the inferior epigastric artery, the lateral edge of the rectus abdominus, and the inguinal ligament. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
At what vertebral level can you expect the external iliac arteries to branch from the descending aorta?	L5 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What abnormality located near the umbilicus can be caused by liver disease?	Caput medusa which is engorgement of the superficial veins around the umbilicus due to blockage of the normal flow of blood through the liver. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What dermatome is at the level of the pubic bone?	T12 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What branches of the descending aorta pass underneath the inguinal ligament?	The external iliac arteries *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What dermatome is at the level of the umbilicus?	T10 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What dermatome level is even with the nipples?	T4 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

The medulla of the kidney can be compared to what type of neural structure?	It is actually comparable to a prevertebral ganglia because the presynaptic fibers synapse directly onto the adrenal medulla. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the origin and insertion of the rectus abdominus?	It originates on the ribs and costal cartilages and inserts on the pubic bone. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the ligament of Treitz?	It is a suspensory ligament that arises from the right cruris of the diaphragm and attaches to the insertion between the duodenum and the jejunum. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Fibers from what nerve roots contribute to the ilioinguinal nerve?	L1 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What does the iliohypogastric nerve supply and what nerve roots contribute to it?	It supplies the anterior abdominal wall muscles and along with the subcostal nerve supplies the skin above the pubic bone. It is comprised of T12 and L1 nerve roots. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What does the subcostal nerve innervate?	A small patch of skin above the pubic bone *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What does the ilioinguinal nerve supply?	The scrotum and labia majora *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
The cremaster reflex is a test for integrity of which vertebral level?	L1 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

What nerve roots comprise the obturator nerve and what does it innervate?	L2, L3, and L4 and it supplies the adductor muscles *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What nerve roots comprise the lateral femoral cutaneous nerve and what does it supply?	L2 and L3 and it supplies sensation to the lateral thigh. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is mesentery?	a duplicated portion of the peritoneum in the abdomen *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What does the genitofemoral nerve supply?	The skeletal muscle that clings to the spermatic cord (cremaster) and a little branch of skin on the thigh. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
To what two structures are the greater omentum attached?	The underside of the stomach and the transverse colon. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What nerve roots comprise the femoral nerve and what does it innervate?	L2, L3, & L4 and it supplies the anterior thigh muscles. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the mesentery that coats most of the anterior viscera?	The greater omentum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Does the aorta lie in front of or behind the peritoneum?	Behind *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What does the ligament of Treitz help separate?	The duodenum to the right and the jejunum to the left. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

Fibers from what nerve roots form the subcostal nerve?	T12 only *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Where does the pancreas empty digestive enzymes into?	The duodenum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Is the pancreas inside or behind the peritoneum?	It's retroperitoneal (behind) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Is the spleen inside of or behind the peritoneum?	It is peritoneal (inside the peritoneum) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What does the hepatoduodenal ligament separate?	It marks the transition between the stomach and the duodenum. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What organ is located immediately posterior to the stomach?	The pancreas *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What three important structures are contained within the hepatoduodenal ligament?	The common bile duct, hepatic portal vein, and the hepatic artery. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
The tail of the pancreas touches what structure?	The hilum of the spleen *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What structure can prevent or allow the passage of food from the stomach into the duodenum?	the pyloric sphincter *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

What artery supplies the ascending colon, cecum, ilium, and appendix?	the superior mesenteric artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Under what organ would you look to find the hepatoduodenal ligament?	The gallbladder *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the remnant of the umbilical vein?	the ligamentum teres hepatis which extends off of the falciform ligament *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What structure marks the termination of the small intestine?	The iliocecal junction *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
How does the greater omentum participate in the immune process?	It will migrate to areas of infection in the abdomen to try to wall off the infection *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What are the branches of the celiac trunk and what do they supply?	The splenic artery (spleen), left gastric artery (stomach), and common hepatic (liver). *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the dilation of the proximal ureter called?	The renal pelvis *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
Within what structure do the veins and arteries of the abdomen travel?	Through the two-layered mesentery. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
How are the organs in the abdomen suspended?	They are suspended to the back wall of the abdomen by the mesentery. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

What is the pair of arteries that arise off of the abdominal aorta after the celiac trunk?	The left and right renal arteries *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What nerve lies just underneath the anterior superior iliac spine and pierces the inguinal ligament?	Lateral femoral cutaneous *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What are the structures that form the legs attaching the diaphragm to the lumbar vertebrae?	The crus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the small muscle that may be seen running across the top of the psoas major?	Psoas minor *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What muscle connects the 12th rib to the iliac crest?	The quadratus lumborum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What structures are supplied by the internal iliacs?	Pelvis, urinary bladder and rectum *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What muscle fuses with the psoas major to attach to the lesser trochanter?	The iliacus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the first branch off of the abdominal aorta?	The celiac trunk *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the next unpaired artery to arise off of the abdominal aorta after the celiac trunk and what does it supply?	The superior mesenteric artery which supplies the midgut (jejunum, ascending colon, and transverse colon) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

What nerve roots contribute to the lumbar plexus?	T12 to L4 *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What about the course of the left renal vein can cause complications in people who are anorexic?	The left renal vein passes between the aorta and the superior mesenteric artery. If there is a loss of mesenteric supportive fat, then the weight of the intestines can pull on the left renal vein and kink it. This causes the left kidney to engorge with blood and suffer damage. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What nerve is located just below the ilioinguinal nerve?	The lateral femoral cutaneous *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is SMA syndrome?	Swelling of the left testicle (or ovary) and left kidney caused by obstruction of the left renal vein. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What vessel does the left gonadal vein drain into?	The left renal vein *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What artery pair lies between the renal arteries and the SMA?	The gonadal (ovarian and testicular) arteries. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What nerve travels just below the 12th rib?	The 12th segmental nerve is called the subcostal nerve. Because there is no rib below it, it is no longer called an intercostal nerve. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What does the inferior mesenteric artery supply?	The hindgut (descending colon, sigmoid colon, and rectum) *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

Where does the thoracic duct originate and what is the enlargement of the duct called at this location?	The cisterna chyli originates just below the diaphragm around L1. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What nerve is located immediately medial to the psoas major muscle?	The obturator nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What vessel does the right gonadal vein empty into?	the inferior vena cava *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What are the two nerves travelling just below the subcostal nerve from superiorly to inferiorly and what muscle do they cross?	The iliohypogastric and ilioinguinal nerves travel across the quadratus lumborum. *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What nerve is located just lateral to the psoas muscle?	The femoral nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What nerve is formed by the union of L4 and L5?	The lumbosacral plexus *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What nerve pierces the psoas major and runs anterior to it?	The genitofemoral nerve *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*
What is the thickened ligament located in the middle of the liver?	The falciform ligament *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.

Anatomy of the Trunk

What artery becomes the femoral artery after passing under the inguinal ligament?	The external iliac artery *Moses KP, Banks JC, Nava PB, Petersen D. Atlas of Clinical Gross Anatomy. Philadelphia, PA: Mosby-Elsevier; 2005: 292-422.*

Copyright 2015 Prodigy Anesthesia, Inc. Unlawful to duplicate, distribute, or sell this document.