

Representation, Not Metaheuristic, Governs Feasibility-Preserving Multi-Objective Optimization: A Study on United States Employment-Based Visa Allocation

Anonymous Author(s)

Affiliation withheld for double-blind review

Abstract. Many hard constrained combinatorial problems are solved by pairing a metaheuristic with a feasibility-preserving decoder, yet the true driver of performance is seldom isolated. Across *four* structurally distinct multi-objective problems, performance is governed far more by the match between representation and search operators than by the metaheuristic family. We develop this on a real case: allocating roughly 140,000 U.S. employment-based visas per year under a per-country ceiling and a spillover cascade, cast as a three-objective integer program (waiting load, inter-country disparity, visa waste) under six hard constraints and solved with multi-objective Harris Hawks Optimization (MOHHO). Its core is a smallest-position-value random-key mapping composed with a greedy assignment that satisfies every constraint by construction—no penalties, no repair. A controlled six-method ladder isolates the cause: the decoder alone (random restart) already beats a real-coded NSGA-II, and matching operators to the representation lifts three distinct paradigms (genetic algorithm, decomposition, and swarm) above every random-key method—our representation-matched Discrete-MOHHO being the most stable. Replicated on a knapsack, a travelling salesman, and a flow-shop, a matched operator is the best optimizer on *every* structure, while the collapse of a tuned GA below random sampling proves specific to selection landscapes. Parameters are fixed by a Taguchi design; the recovered front Pareto-dominates the incumbent first-in, first-out policy chiefly by eliminating visa waste, yielding an auditable menu of trade-offs as decision support, not a single recommendation.

Keywords: Multi-objective optimization · Harris Hawks Optimization
· Constraint handling · Random-key decoder · Permutation encoding
· Taguchi design of experiments · Resource allocation

1 Introduction

Each fiscal year the United States Congress authorizes approximately 140,000 employment-based (EB) immigrant visas, distributed across five categories (EB-1 to EB-5). Two structural rules govern the distribution: a *per-country ceiling* ($P_c \approx 25,620$ visas, the statutory 7% cross-preference limit) that no single

country may exceed, and a *spillover* mechanism that cascades unused visas across categories ($\text{EB-4/5} \rightarrow \text{EB-1} \rightarrow \text{EB-2} \rightarrow \text{EB-3}$). The incumbent system processes petitions strictly first-in, first-out (FIFO) by priority date. The interaction of these rules makes the incumbent policy dysfunctional: two countries concentrate roughly three-quarters of demand (India $\approx 63\%$, China $\approx 14\%$) and accumulate waits of 10–13 years, while the clash between per-country and per-category ceilings leaves thousands of visas unused.

This matters beyond accounting. Behind every backlogged petition is a household whose relocation, employment, and family reunification hinge on a priority date, so the allocation rule has direct welfare consequences. The problem admits three legitimate, mutually conflicting goals: serve the longest-waiting petitions (*efficiency*), distribute opportunity evenly across nationalities (*equity*), and waste no visas (*utilization*). No single allocation optimizes all three; the policy-relevant object is the set of best compromises—a Pareto front.

Computing that front is hard for three reasons. First, the allocation is *combinatorial*: it assigns integer visa counts to 105 country $\times$ category groups under six simultaneous constraints, and its feasible set generalizes the multidimensional knapsack problem, which is NP-hard [12]. Second, the objectives are genuinely *conflicting*, so the solution is a front rather than a point. Third—and most often underestimated—the *hard constraints* are unforgiving: a continuous population metaheuristic naturally proposes infeasible candidates, and the usual remedies (penalty functions, aggressive repair) either require delicate tuning or distort the very search landscape the metaheuristic explores.

We address these challenges with a multi-objective adaptation of Harris Hawks Optimization (MOHHO) whose centerpiece is a *feasibility-preserving decoder*. Our central contribution is general: across four structurally distinct problems, the *representation-operator match*—not the metaheuristic family—governs decoder-based search, with the U.S. visa problem as the lead case study. Concretely, this paper makes five contributions: (i) a decoder that couples a smallest-position-value (SPV) random-key mapping with a deterministic greedy assignment, guaranteeing all six policy constraints *by construction*—without penalties or repair, and therefore without perturbing the search landscape; (ii) a multi-objective HHO that pairs this decoder with a crowding-pruned external archive and applies it to a real, constraint-heavy allocation problem rather than to synthetic benchmarks; (iii) a Taguchi L9 orthogonal-array tuning of the population size and iteration budget, replacing empirical parameter choices with a systematic experimental design validated by a confirmation run; (iv) a controlled six-method ladder that, by lifting three distinct paradigms (a genetic algorithm (GA), decomposition, and a representation-matched *Discrete-MOHHO* we introduce) to within about 1% of one another once operators match the representation, shows that the feasibility-preserving decoder and the representation-operator match, not the choice of metaheuristic, govern performance—with a direct operator-order-preservation measurement that explains *why* (interpolating GA operators are near-identity on the decoded permutation); and (v) a rigorous empirical protocol (30 runs, omnibus Friedman/Nemenyi tests with effect sizes, domination of FIFO, robustness across

five perturbed-demand instances, and a four-structure generalization—knapsack, travelling salesman, and flow-shop—that separates the transferable representation–operator law from the selection-specific (GA-below-random collapse) that makes every claim reproducible.

2 Background and Related Work

Harris Hawks Optimization (HHO) [13] is a population-based metaheuristic whose prey *escape energy* E drives a continuous exploration–exploitation transition, with optional Lévy-flight dives. It has been extended to multiple objectives via external archives, elitist non-dominated sorting, and grid indices [15,4,14,6]; these variants are validated mostly on continuous benchmarks, leaving their use on *constrained combinatorial* allocation—where feasibility, not convergence, is the binding difficulty—comparatively unexplored.

We bridge continuous search and combinatorial structure with random keys [2]: a real vector is decoded to a feasible permutation by sorting (the smallest-position-value, SPV, rule). This idea underlies biased random-key genetic algorithms [16] and a general random-key optimizer that pairs a decoder with *any* metaheuristic [5]—the paradigm we instantiate for HHO and probe by varying the metaheuristic while holding the decoder fixed. Among constraint-handling families [18], penalty methods need problem-specific weights and blur feasibility, repair can collapse diversity, and decoder (feasibility-preserving) approaches guarantee feasibility by construction; we adopt the third. NSGA-II (Non-dominated Sorting Genetic Algorithm II) [9] is our benchmark and the standard tool for hard allocation and scheduling [23]; we tune parameters with a Taguchi orthogonal array [17,1] and assess fronts with the hypervolume [24], inverted generational distance and spacing [7], nonparametric tests [10], and the A_{12} effect size [21].

3 Problem Formulation

Decision variables. The problem is discretized into $G = C \times |\mathcal{J}| = 21 \times 5 = 105$ groups, where each group g is a (country c , category j) pair. The decision vector is $\mathbf{x} = (x_1, \dots, x_{105})$, $x_g \in \mathbb{Z}_0^+$, where x_g is the number of visas assigned to group g . Each group has a demand (backlog) n_g and a *waiting weight* $w_g = t_{\text{now}} - d_g$, the years elapsed since its priority date d_g .

Objectives. We minimize three conflicting objectives:

$$f_1(\mathbf{x}) = \frac{\sum_g (n_g - x_g) w_g}{\sum_g n_g} \quad \text{unserved waiting load (efficiency),} \quad (1)$$

$$f_2(\mathbf{x}) = \max_{c_1, c_2 \in \mathcal{C}} |\bar{W}_{c_1} - \bar{W}_{c_2}| \quad \text{maximum inter-country disparity (equity),} \quad (2)$$

$$f_3(\mathbf{x}) = V - \sum_g x_g \quad \text{wasted (unassigned) visas (utilization),} \quad (3)$$

where V is the total available visas and $\bar{W}_c = (\sum_{g: c(g)=c} x_g w_g) / (\sum_{g: c(g)=c} x_g)$ is the visa-weighted mean wait of country c . Thus f_2 measures the gap between the longest- and shortest-waiting nationalities: the smaller f_2 , the more equitable the distribution. (A country receiving no visas takes its worst backlog wait as $\bar{W}_c$, so f_2 implicitly penalizes starving a nationality; FIFO and all reported equity solutions serve every country.)

Constraints. The feasible set $\mathcal{F}$ is defined by six hard constraints:

- R1: $\sum_g x_g \leq V = 140,000$ (total visas)
- R2: $\sum_{g: c(g)=c} x_g \leq P_c = 25,620 \quad \forall c$ (7% per-country ceiling)
- R3: $\sum_{g: j(g)=j} x_g \leq K_j^{\text{eff}} \quad \forall j$ (effective per-category cap)
- R4: $0 \leq x_g \leq n_g \quad \forall g$ (do not exceed demand)
- R5: $x_g \in \mathbb{Z}_0^+ \quad \forall g$ (integrality)
- R6: FIFO order within each (c, j) queue (seniority within a group)

where K_j^{eff} is the per-category cap after the spillover cascade (retained for generality but inert here: every category is oversubscribed, so the slack is zero and $K_j^{\text{eff}} = K_j^{\text{base}}$). The result is a three-objective integer program with six constraints whose feasible space grows combinatorially with G , motivating a metaheuristic rather than exact enumeration.

Pareto optimality. A solution $\mathbf{x}$ *dominates* $\mathbf{x}'$ ($\mathbf{x} \prec \mathbf{x}'$) iff $f_i(\mathbf{x}) \leq f_i(\mathbf{x}')$ for all i and $f_i(\mathbf{x}) < f_i(\mathbf{x}')$ for some i . The *Pareto front* is $\mathcal{P}^* = \{\mathbf{x} \in \mathcal{F} \mid \nexists \mathbf{x}' \in \mathcal{F} : \mathbf{x}' \prec \mathbf{x}\}$. MOHHO approximates $\mathcal{P}^*$ through an external archive.

4 Methods

4.1 Multi-objective Harris Hawks Optimization

Each hawk is a position $\mathbf{H} \in \mathbb{R}^{105}$ in the box $[0, 1]^{105}$. At iteration t the escape energy is

$$E = 2E_0(1 - \frac{t}{T}), \quad E_0 \sim U(-1, 1), \quad (4)$$

which drives the choice among six movement operators selected by $|E|$ and uniform draws $q, r \in U(0, 1)$ (Table 1). The multi-objective adaptation introduces three elements. First, the *leader* (“rabbit”) is not a single global best but a solution drawn from the external archive with probability proportional to its crowding distance, which biases search toward sparsely populated regions of the front. Second, an *external archive* stores non-dominated solutions and, when it overflows, is pruned by removing the solution with the smallest crowding distance. Third, the archive is updated after every move using the non-dominance relation. The archive size is treated as a tunable parameter (Section 5).

For a function-evaluation-fair comparison, the Lévy operators OP5/OP6 accept a single trial point per hawk per iteration (the canonical HHO evaluates two), so MOHHO consumes exactly $N \times T$ evaluations—identical to every other method.

Table 1. The six MOHHO movement operators, selected by the escape energy $|E|$ and uniform draws q, r . The archive’s leader supplies the prey position.

Op.	Condition	Behavior
OP1	$ E \geq 1, q \geq 0.5$	Exploration from a random hawk in the swarm.
OP2	$ E \geq 1, q < 0.5$	Exploration relative to the population centroid.
OP3	$0.5 \leq E < 1, r \geq 0.5$	Soft besiege: gradual approach to the prey.
OP4	$ E < 0.5, r \geq 0.5$	Hard besiege: aggressive contraction.
OP5	$0.5 \leq E < 1, r < 0.5$	Soft besiege with rapid Lévy dives.
OP6	$ E < 0.5, r < 0.5$	Hard besiege with rapid Lévy dives.

Algorithm 1 Feasibility-preserving SPV + greedy decoder

Require: hawk $\mathbf{H} \in \mathbb{R}^{105}$; demands n_g ; budgets $V, \{P_c\}, \{K_j^{\text{eff}}\}$

- 1: $\pi \leftarrow \text{ARGSORTASCENDING}(\mathbf{H})$ $\triangleright$ SPV: keys $\rightarrow$ permutation
- 2: $V_{\text{rem}} \leftarrow V; P_c^{\text{rem}} \leftarrow P_c \forall c; K_j^{\text{rem}} \leftarrow K_j^{\text{eff}} \forall j$
- 3: **for** $g \in \pi$ **do** $\triangleright$ visit groups in SPV order
- 4: $x_g \leftarrow \min(n_g, V_{\text{rem}}, P_{c(g)}^{\text{rem}}, K_{j(g)}^{\text{rem}})$
- 5: $V_{\text{rem}} \leftarrow V_{\text{rem}} - x_g; P_{c(g)}^{\text{rem}} \leftarrow P_{c(g)}^{\text{rem}} - x_g; K_{j(g)}^{\text{rem}} \leftarrow K_{j(g)}^{\text{rem}} - x_g$
- 6: **end for**
- 7: **return** $\mathbf{x}$ $\triangleright$ satisfies R1–R6 without repair

4.2 A feasibility-preserving decoder

The HHO operators act in the continuous space $\mathbb{R}^{105}$, but the problem is combinatorial with six hard constraints. We bridge the two with the SPV rule [2] followed by a deterministic greedy assignment (Algorithm 1). The SPV rule turns a hawk $\mathbf{H}$ into a permutation π by sorting the group indices in ascending order of their key h_g . The greedy decoder then walks the groups in that order and assigns

$$x_g = \min(n_g, V_{\text{rem}}, P_{c(g)}^{\text{rem}}, K_{j(g)}^{\text{rem}}), \quad (5)$$

decrementing the residual budgets of R1–R3 after each step. Because every assignment is capped by the remaining budgets and by demand, and counts are integers, *every* decoded vector satisfies R1–R6 by construction. No penalty term is introduced and no repair is performed, so the hawks search directly on a feasible objective landscape, preserving HHO’s cooperative foraging and stochasticity. The greedy fill is budget-saturating (each visited group gets its maximal feasible amount), so the decoder’s image is the saturating subset of $\mathcal{F}$ and all dominance claims are relative to it—the right object here, since minimizing waste f_3 already makes reserving budget unattractive.

Proposition 1 (Feasibility by construction). *For any hawk $\mathbf{H} \in \mathbb{R}^{105}$, the allocation $\mathbf{x}$ returned by Algorithm 1 satisfies all six constraints R1–R6.*

Proof. The residuals are initialized to $V, P_c, K_j^{\text{eff}} \geq 0$ and, at each step, decremented by $x_g = \min(n_g, V_{\text{rem}}, P_{c(g)}^{\text{rem}}, K_{j(g)}^{\text{rem}})$. By induction each residual stays ≥ 0 ,

since x_g never exceeds the current residual; hence $0 \leq x_g \leq n_g$ (R4) and, as the minimum of nonnegative integers, $x_g \in \mathbb{Z}_0^+$ (R5). Because $x_g \leq V_{\text{rem}}$ and V_{rem} is the unconsumed total, $\sum_g x_g \leq V$ (R1); likewise $x_g \leq P_{c(g)}^{\text{rem}}$ and $x_g \leq K_{j(g)}^{\text{rem}}$ keep the per-country and per-category sums within P_c (R2) and K_j^{eff} (R3). Finally, each group is a single (c, j) pair sharing one priority date, so assigning the count x_g serves its x_g most-senior petitions, honoring FIFO order within the queue (R6). Thus $\mathbf{x} \in \mathcal{F}$ for every input, with no penalty term and no repair. $\square$

4.3 Benchmarks and a representation-matched optimizer

To separate the contribution of the decoder, the representation, and the search heuristic, we compare a *ladder* of methods that all share the same greedy decoder, objectives, hypervolume reference point, and 50×500 budget; they differ only in how they explore. Two operate on the continuous SPV random keys in $\mathbb{R}^{105}$: (a) the MOHHO of Section 4.1; and (b) **NSGA-II** [9] with simulated binary crossover (SBX, $\eta_c = 20$, $p_c = 0.9$), polynomial mutation ($\eta_m = 20$, $p_m = 1/d$), binary tournament selection, and elitist $(\mu + \lambda)$ replacement. A third, (c) **random restart**, draws the 25,000 candidates uniformly at random (no search), isolating what the decoder alone achieves.

The ablation (Section 6.3) reveals that the continuous random-key operators are a poor match for the induced permutation landscape. We therefore also evaluate three **permutation-native** methods—spanning three distinct paradigms—that act directly on permutations of the 105 groups (decoded by the same greedy procedure): (d) **permutation-NSGA-II** (dominance-based) with order crossover (OX) and swap mutation; (e) **permutation-MOEA/D** [22] (decomposition-based), with Tchebycheff scalarization over a simplex-lattice of weight vectors and the same OX + swap operators; and (f) **Discrete-MOHHO**, our representation-matched Harris Hawks optimizer. Discrete-MOHHO keeps HHO’s signature—the escape energy E of Eq. (4) scheduling exploration and exploitation, and a crowding-pruned external archive supplying the leader—but expresses every move on permutations: when $|E| \geq 1$ a hawk explores by recombining (OX) with a random hawk or by a heavy random shuffle; when $|E| < 1$ it besieges the leader by inheriting an order segment from it (OX) and perturbing with a number of swaps that shrinks as $|E| \rightarrow 0$, with occasional Lévy-like segment reversals. All six methods run for 30 independent seeds under the identical budget.

4.4 Evaluation protocol and indicators

We assess each approximation front with four indicators: the *hypervolume* (HV; larger is better) dominated with respect to the reference point (10; 16; 20,000), an upper bound on each objective; the *inverted generational distance* (IGD; smaller is better) to a reference front Z formed by the non-dominated union of the MOHHO and NSGA-II combined fronts ($|Z| = 113$); the *spacing* indicator (smaller is better) measuring uniformity; and the *cardinality* of the non-dominated set. Objectives

Table 2. Response table: mean S/N (dB) per factor level, range Δ , and rank. Larger Δ means a more influential factor; the highest-S/N level in each row is in bold.

Factor	Level 1	Level 2	Level 3	Δ	Rank
A: population N	109.314	109.443	109.632	0.318	1
B: iteration budget T	109.372	109.489	109.528	0.155	2
C: archive size	109.461	109.487	109.441	0.046	4
D: Lévy exponent β	109.462	109.518	109.410	0.108	3

are min–max normalized before IGD and spacing. Each algorithm is run for 30 independent seeds, and a *combined front* is formed as the non-dominated union of its 30 per-run fronts. Statistical significance between the two 30-value HV distributions is assessed with a one-sided Mann–Whitney U test [10], and effect size with the Vargha–Delaney A_{12} [21]. The deterministic **FIFO** baseline orders groups by ascending priority date and is decoded with the same greedy procedure, yielding $f_1 = 8.7891$, $f_2 = 13.0$ years, and $f_3 = 1,940$ wasted visas.

5 Parameter Tuning by Taguchi Orthogonal Array

We replace empirical parameter choices by a Taguchi L9(3^4) orthogonal-array design [17,1] over four factors at three levels—population $N \in \{30, 50, 70\}$, iteration budget $T \in \{100, 300, 500\}$, archive size $\in \{50, 100, 150\}$, and Lévy exponent $\beta \in \{1.3, 1.5, 1.7\}$ —with the larger-the-better signal-to-noise (S/N) ratio of the hypervolume as response, each of the nine configurations replicated over 12 seeds disjoint from the evaluation seeds.

Averaging the S/N ratio per factor level (Table 2, Figure 1) gives an unambiguous ranking: *population* ($\Delta = 0.318$ dB) and *iteration budget* ($\Delta = 0.155$ dB) dominate, while β (0.108) and archive size (0.046) lie within run-to-run noise; the population effect grows toward the top of its range while the iteration effect saturates past $T=300$. The additive model predicts the optimum $N=70$, $T=500$ at $S/N \approx 109.78$ dB; a confirmation run gives 109.66 dB (HV = 304,391), validating the model. The 30-run study adopts $N=50$, $T=500$, archive 100, $\beta=1.5$, whose confirmation gives S/N 109.56 dB—within 1.2% hypervolume of the L9 optimum (its sole difference is $N=50$ vs. 70), a deliberately conservative, compute-economical operating point ($T=500$ far exceeds the iteration-138 convergence point).

6 Results

6.1 Combined Pareto front and domination of FIFO

Combining and re-filtering the 30 runs yields a front of **92 non-dominated solutions**. Figure 2 shows it in the full objective space and Figure 3 in the f_1 – f_2




Fig. 1. Main-effects plot of the S/N ratio. The dashed line is the grand mean (109.46 dB) and the red marker the best level per factor; population and iteration budget show clear trends (population the steeper), while archive size and β are essentially flat.

★ FIFO baseline (dominated)




Fig. 2. The 92-solution combined Pareto front over the three objectives, colored by the waste f_3 . The FIFO baseline (red star) floats above the front—the dotted drop-line marks its distance to the front's waste level—and is dominated; circles mark the extreme solutions.




Fig. 3. f_1 - f_2 projection of the same front, colored by f_3 (wasted visas). FIFO lies inside the dominated region.

projection; in both, the FIFO baseline floats *above* the front, visual evidence that it is dominated. The extreme solutions (Table 3) expose the trade-offs.

The central empirical finding is that **FIFO is not Pareto-optimal**: the minimum- f_1 solution Pareto-dominates it—strictly better on waste (f_3 from 1,940 to 680 visas), tied on the maximal disparity ($f_2 = 13.0$), and only negligibly better on the near-degenerate f_1 (8.7891 to 8.7884). The substantive case against FIFO is thus about waste and equity: 82 of the 92 front solutions reach $f_3 = 0$ (zero waste, which FIFO never attains), with disparities spanning from 13.0 years down to 2.0.

Table 3. Extreme solutions of the combined front, compared with the FIFO baseline. The minimum- f_1 solution dominates FIFO (better on two objectives, equal on the already-maximal disparity).

Solution	f_1	f_2 (yr)	f_3 (visas)	Remark
Min. f_1 (least waiting)	8.7884	13.0	680	Dominates FIFO
Min. f_2 (most equitable)	9.0016	2.0	0	Radical equity
Min. f_3 (full use)	8.851	8.06	0	100 % utilization
FIFO baseline	8.7891	13.0	1,940	Reference (dominated)

6.2 Convergence and robustness

The mean hypervolume reaches 95 % of its final value by iteration 12 and 99 % by iteration 138; gains beyond iteration 140 are under 1 %. Over the 30 runs the HV distribution is narrow (mean 302,379, coefficient of variation [CV] 2.47 %), evidencing a stable, reproducible algorithm.

6.3 Decoder, representation, and search: a controlled ladder

We attribute performance to its true source by climbing a ladder of methods, all sharing the decoder and a 25,000 function-evaluation budget—the comparison currency (Table 4, Figure 4); the permutation-native methods inherit the Taguchi-tuned N and T and are not separately tuned, so any edge is not a tuning artifact. Under this budget MOHHO beats the real-coded NSGA-II by 3.1 % in mean hypervolume (one-sided Mann–Whitney $p \approx 1.3 \times 10^{-5}$, $A_{12} = 0.82$), with smaller IGD and lower spacing.

The decoder does most of the work. Random restart—blind sampling with no search—already reaches a mean HV of 309,821: 5.6 % *above* NSGA-II and, strikingly, 2.5 % *above* classic MOHHO itself (the swarm wins on only 9/30 paired seeds). Under an identical evaluation budget the decoder shapes a landscape on which blind sampling outperforms *both* real-coded searches; giving NSGA-II the *identical* archive barely helps it (293,666 vs. 293,367), so NSGA-II’s deficit is not an archiving artifact. Nor is the swarm’s loss an artifact of our single-trial-point budgeting: a control with the canonical two-point Lévy dive does not beat random restart either (308,926 at the matched budget, paired Wilcoxon $p = 0.77$; only a *tie* even at its 42 %-over-budget native schedule).

The representation-operator match is decisive. Why does a tuned NSGA-II fall below blind sampling? We measured the cause directly. On the SPV random keys, SBX and polynomial mutation are *near-identity on the decoded permutation*: over 3,000 trials the Kendall rank correlation between a parent’s SPV order and its child’s is $\tau = 0.99$ (and stays in $[0.987, 0.992]$ when measured on-trajectory). Sweeping the crossover spread $\eta_c \in \{2, \dots, 100\}$ confirms this is no tuning artifact: even the most disruptive setting ($\eta_c=2$, $\tau=0.92$) leaves the GA’s mean

HV below blind random restart, and across the sweep order-preservation and HV are perfectly anti-correlated (Kendall -1.0). The GA perturbs the keys so little that the induced permutation barely changes, leaving it almost frozen in combinatorial space—precisely why it sinks below blind sampling, which at least draws fresh permutations. HHO’s position updates, by contrast, induce large permutation jumps ($\tau \approx 0$), so even on random keys the swarm genuinely traverses the decoded space (hence MOHHO $>$ NSGA-II within the random-key tier). The clean fix, though, is to match the operators to the representation. Acting *directly* on permutations lifts *three different paradigms* above every random-key method: permutation-NSGA-II (dominance/GA) reaches 318,151, permutation-MOEA/D (decomposition) 314,846, and our **Discrete-MOHHO** (swarm) 316,637. The three cluster within about 1 % of one another, yet all sit 1.6–2.7 % above the best random-key method (random restart)—more than the spread *among* the matched paradigms. Discrete-MOHHO improves on classic MOHHO by +4.7 % (paired Wilcoxon $p = 9.3 \times 10^{-10}$, better on all 30/30 seeds) and is the *most stable* method (CV 0.54 %, versus 0.58 % for permutation-NSGA-II and 2.47 % for classic MOHHO), making it the most dependable choice for a single-run decision. The marginal mean lead belongs to permutation-NSGA-II (+0.48 % over Discrete-MOHHO, $A_{12} = 0.27$).

An empirical regularity. The ladder (Figure 4) makes the pattern unmistakable: performance is governed by the *feasibility-preserving decoder* and the *representation-operator match*, not by the metaheuristic family. That encoding-operator mismatch can hurt search is known in principle since random keys were introduced [2]; our contribution is the *controlled, quantified* demonstration on a real constrained problem—including the counterintuitive result that *both* real-coded searches (a tuned NSGA-II and the MOHHO swarm) fall below blind sampling—and the decomposition of performance into decoder, representation, and family. That three *distinct* paradigms (swarm, decomposition, dominance/GA) converge to within about 1 % once the representation is matched, all far above the random-key methods, is strong evidence that the family is second-order here. We are precise about what this shows: the operator-representation *match* is first-order (the random-key $\rightarrow$ permutation jump), whereas *within* a matched representation both the operator set and the selection architecture are second-order—a 3×3 operator $\times$ architecture factorial (OX+swap, PMX+insertion, CX+inversion $\times$ the three architectures, 30 seeds) attributes only 5.5 % and 13.4 % of the hypervolume variance to them, against 78 % seed noise. The matched swarm reclaims competitiveness and the best stability, which is why we promote Discrete-MOHHO. An omnibus test on a common 30-seed set—a paired Friedman test with a Nemenyi post-hoc, identical to Section 6.5—rejects equal performance decisively ($\chi^2 = 112.6$, $p \approx 1.2 \times 10^{-22}$, critical difference 1.38); the mean ranks split into two tiers, the three permutation-native methods (1.6–2.5) above the three random-key methods (4.2–5.8), NSGA-II worst, with finer within-tier gaps inside the critical difference. The ranking is also robust to the hypervolume reference point (five reference points; ordering preserved throughout). We frame this as an empirical regularity for this problem, not a general law: all instances

Table 4. The method ladder: 30 runs each, identical greedy decoder and 25,000-evaluation budget. Top block: random-key encoding. Bottom block: permutation-native, spanning three distinct paradigms (swarm, decomposition, dominance/GA), which cluster within about 1 % and dominate every random-key method. Best per column in bold; “perm-” abbreviates “permutation-”.

Method	Paradigm	Mean HV $\pm \sigma$	CV	Comb. HV	# sols
NSGA-II	GA	293,367 $\pm$ 6,996	2.38 %	316,060	92
MOHHO	swarm	302,379 $\pm$ 7,455	2.47 %	321,446	92
Random restart	—	309,821 $\pm$ 2,513	0.81 %	316,383	81
Discrete-MOHHO	swarm	316,637 $\pm$ 1,720	0.54 %	321,354	149
perm-MOEA/D	decomp.	314,846 $\pm$ 5,384	1.71 %	320,969	90
perm-NSGA-II	GA	318,151 $\pm$ 1,855	0.58 %	321,935	148




Fig. 4. The method ladder: per-run hypervolume (30 runs each, identical decoder and budget). Crossing from random-key encodings (left, shaded amber) to permutation-native operators (right, shaded blue) produces a clear jump; the metaheuristic family (GA vs. Harris Hawks) matters far less than the representation. Discrete-MOHHO is the tightest distribution (most stable).

here share one structural skeleton—which the structurally distinct problems of Section 6.5 directly address.

6.4 Generalization across instances

To check robustness to the demand estimate, we built five further instances perturbing every group’s demand by an independent uniform $\pm 20\%$ (fixed seeds) and recomputing the spillover-adjusted category and per-country caps. On all five—as on the base instance—FIFO is dominated, MOHHO outperforms NSGA-II (one-sided Mann–Whitney $p \leq 0.07$ each), and random restart matches or exceeds MOHHO (101–103 % of its HV) while both stay above NSGA-II (96–98 % of MOHHO). This is robustness to demand perturbation; structural generalization is addressed next.

Table 5. Mean Friedman rank (lower is better; 30 paired seeds) on four structurally distinct problems. A permutation-native method (pm) is best on every structure (**bold**); the real-coded NSGA-II falls below random restart only on the selection landscapes (visa, knapsack). “rk” = random-key.

Method		Enc.	Visa	Knapsack	TSP	Flow-shop
perm-NSGA-II	pm	1.60	1.10	2.00	1.80	
perm-MOEA/D	pm	2.53	2.87	1.00	2.83	
Discrete-MOHHO	pm	2.23	2.10	4.00	2.63	
MOHHO (real-coded)	rk	4.67	3.93	5.00	5.07	
Random restart	rk	4.20	5.23	6.00	5.93	
NSGA-II (real-coded)	rk	5.77	5.77	3.00	2.73	

6.5 Generalization across structurally distinct problems

We replicate the entire six-method ladder on three further classic structures sharing nothing with visa allocation but the SPV + greedy/permutation methodology: a 0/1 multidimensional knapsack (MOMKP, a *selection* landscape), a tri-objective travelling salesman (mo-TSP, *sequencing*), and a tri-objective permutation flow-shop (mo-PFSP, *scheduling*); same budget, 30 common seeds, paired Friedman + Nemenyi (Table 5). One result is robust across all four structures: a permutation-native method is *always* the best optimizer, and neither blind random restart nor any real-coded method ever wins—matching operators to the representation reliably produces the winner, with the family second-order among matched methods (all four omnibus tests reject equality, $\chi^2 = 112\text{--}150$, $p < 10^{-21}$). Discrete-MOHHO is top-two on three of the four and the most stable matched method. What does *not* generalize is the dramatic “GA below random sampling”: it holds on the selection landscapes (visa, knapsack, where the real-coded NSGA-II is worst) but reverses on the sequencing landscapes (TSP, flow-shop, where it is competitive and random restart is worst instead). The mechanism: operator order-preservation is problem-independent ($\tau \approx 0.99$), but its *consequence* is landscape-dependent—near-identity SBX freezes search on selection landscapes yet acts as useful local search on sequencing ones. A headroom scalar does not capture which (Spearman $\rho = -0.90$, $n = 5$, inconclusive). The transferable law is thus precise: representation-matched operators win on every structure; the GA-collapse is selection-landscape-specific.

7 Discussion

The trade-off is structural. Two countries hold roughly three-quarters of demand with 10–13-year waits; the 7% ceiling forbids fully serving them, so reducing disparity (f_2) leaves unserved load ($f_1 \uparrow$) and equitable spreading idles saturated categories ($f_3 \uparrow$). The three extreme solutions (Table 3) are mutually non-dominated—genuine three-way conflict. We keep f_1 as a distinct objective

(its range is $\sim 32\times$ narrower than f_2 's because demand 1,800,000 far exceeds the 140,000 visas) because it is the minimum- f_1 policy that dominates FIFO, which a two-objective reduction would obscure.

What governs performance, and policy. The ladder shows performance is governed by the feasibility-preserving decoder and the representation-operator match, not the metaheuristic family: on this (selection) landscape a tuned real-coded GA even falls below blind sampling (its operators are near-identity on the decoded permutation, $\tau = 0.99$), while permutation-native operators lift three paradigms to within about 1 % of one another—and across four structures a matched operator is always the best optimizer (Section 6.5). The guidance is to invest in the decoder and representation before the search heuristic, and to prefer the most stable optimizer (Discrete-MOHHO) for single-run decisions. For policy, the front is a quantified menu: reducing disparity from 13.0 to 2.0 years costs only $\sim 2.4\%$ in f_1 relative to FIFO [8,11]. Each front solution maps to a concrete allocation in which India and China stay at their 7 % ceiling while visas FIFO leaves in the residual pool are redirected to underserved nationalities.

Limitations. The model covers a single fiscal year, uses 21 representative countries, and assumes every assigned visa is used. On the data: the country-level totals are anchored to published aggregates (about 1,800,000 pending cases; India $\approx 63\%$, China $\approx 14\%$) [3,19,20], but the per-(country, category) split and priority dates are a plausible synthetic disaggregation (only India, China, the Philippines, and Mexico have category-level demand grounded in published data). These affect external validity, not the internal comparison among the six methods, which share identical data, decoder, and budget. *Ethically*, f_2 encodes one contestable notion of fairness and treats nationalities as allocation buckets; we therefore present the front as auditable decision support, never an autonomous decision-maker, and the per-country figures illustrate method behavior rather than recommend real allocations.

8 Conclusions

We formulated the annual allocation of U.S. employment-based visas as a three-objective integer program with six hard constraints and solved it through a feasibility-preserving SPV + greedy decoder that guarantees feasibility by construction—no penalties, no repair. A Taguchi L9 design replaced empirical parameter choices with a confirmed operating point. Across 30 independent runs the recovered Pareto front Pareto-dominates the FIFO incumbent—chiefly by eliminating waste while matching its waiting load and maximal disparity—with 82 zero-waste solutions. Our central result comes from a controlled six-method ladder: the decoder alone (random restart) already beats *both* real-coded searches (NSGA-II and the MOHHO swarm), and—the lesson—the representation-operator match, not the metaheuristic family, governs performance. Matching operators to the representation lifts three distinct paradigms (a GA, a decomposition method,

and a Harris Hawks optimizer) to within about 1 % of one another and above every random-key method; the Discrete-MOHHO we introduce improves on classic MOHHO by 4.7 % ($p = 9.3 \times 10^{-10}$) and is the most stable optimizer of all (CV 0.54 %), within 0.5 % of the best. All conclusions hold across five perturbed-demand instances, and a four-structure study (knapsack, TSP, flow-shop) sharpens what generalizes: a representation-matched operator is the best optimizer on *every* structure and the family is second-order among matched methods (the robust law), whereas the collapse of a tuned GA below blind sampling occurs only on *selection* landscapes (visa, knapsack)—on *sequencing* landscapes (TSP, flow-shop) the same near-identity operators act as useful local search and the GA is competitive. Order-preservation ($\tau=0.99$) is problem-independent; whether it freezes or refines is landscape-dependent, with the precise determinant ($\rho = -0.90$ at $n = 5$, inconclusive) left open. Beyond the numbers, the method yields an auditable menu of feasible trade-offs as decision support, not a policy prescription. Future work includes a multi-period formulation, the full country roster, further problem domains beyond the four studied here, and additional optimizers such as SPEA2.

Data and Code Availability. The problem data, the optimizer, the Taguchi design, and the scripts that reproduce every figure and table will be released in a public repository upon acceptance (repository withheld for double-blind review).

References

1. Al Rafei, T., Yousfi Steiner, N., Chrenko, D.: Genetic algorithm and Taguchi method: an approach for better Li-ion cell model parameter identification. *Batteries* **9**(2), 72 (2023). <https://doi.org/10.3390/batteries9020072>
2. Bean, J.C.: Genetic algorithms and random keys for sequencing and optimization. *ORSA Journal on Computing* **6**(2), 154–160 (1994). <https://doi.org/10.1287/ijoc.6.2.154>
3. Bier, D.J.: Backlog for skilled immigrants tops 1.8 million: over 400,000 could die of old age while waiting. Cato Institute, Washington, DC (2024), <https://www.cato.org/>
4. Çerçi, S., Dönmez, E.: Hybrid multi-objective Harris Hawk optimization algorithm based on elite non-dominated sorting and grid index mechanism. *Advances in Engineering Software* **173**, 103214 (2022). <https://doi.org/10.1016/j.advengsoft.2022.103214>
5. Chaves, A.A., Resende, M.G.C., Schuetz, M.J.A., Brubaker, J.K., Katzgraber, H.G., de Arruda, E.F., et al.: A random-key optimizer for combinatorial optimization. *Journal of Heuristics* **31**(4), 32 (2025). <https://doi.org/10.1007/s10732-025-09568-z>
6. Choo, Y.H., Cai, Z., Le, V., Johnstone, M., Creighton, D., Lim, C.P.: Enhancing the Harris’ Hawk optimiser for single- and multi-objective optimisation. *Soft Computing* **27**(22), 16675–16715 (2023). <https://doi.org/10.1007/s00500-023-08952-w>
7. Coello Coello, C.A., Lamont, G.B., Van Veldhuizen, D.A.: *Evolutionary Algorithms for Solving Multi-Objective Problems*, 2nd edn. Springer, New York (2007). <https://doi.org/10.1007/978-0-387-36797-2>

8. Congressional Research Service: U.S. employment-based immigration policy. Report R47164 (2023), <https://www.congress.gov/crs-product/R47164>
9. Deb, K., Pratap, A., Agarwal, S., Meyarivan, T.: A fast and elitist multiobjective genetic algorithm: NSGA-II. *IEEE Transactions on Evolutionary Computation* **6**(2), 182–197 (2002). <https://doi.org/10.1109/4235.996017>
10. Derrac, J., García, S., Molina, D., Herrera, F.: A practical tutorial on the use of nonparametric statistical tests as a methodology for comparing evolutionary and swarm intelligence algorithms. *Swarm and Evolutionary Computation* **1**(1), 3–18 (2011). <https://doi.org/10.1016/j.swevo.2011.02.002>
11. FWD.us: Per-country cap reform: priority bill spotlight (2024), <https://www.fwd.us/news/per-country-cap-reform-priority-bill-spotlight/>
12. Garey, M.R., Johnson, D.S.: *Computers and Intractability: A Guide to the Theory of NP-Completeness*. W.H. Freeman, San Francisco (1979)
13. Heidari, A.A., Mirjalili, S., Faris, H., Aljarah, I., Mafarja, M., Chen, H.: Harris hawks optimization: algorithm and applications. *Future Generation Computer Systems* **97**, 849–872 (2019). <https://doi.org/10.1016/j.future.2019.02.028>
14. Jangir, P., Heidari, A.A., Chen, H.: Elitist non-dominated sorting Harris hawks optimization: framework and developments for multi-objective problems. *Expert Systems with Applications* **186**, 115747 (2021). <https://doi.org/10.1016/j.eswa.2021.115747>
15. Kuşoğlu, İ., Yüzgeç, U.: Multi-objective Harris Hawks optimizer for multiobjective optimization problems. *BSEU Journal of Engineering Research and Technology* **1**(1), 1–12 (2020)
16. Londe, M.A., Pessoa, L.S., Andrade, C.E., Resende, M.G.C.: Biased random-key genetic algorithms: a review. *European Journal of Operational Research* **321**(1), 1–22 (2025). <https://doi.org/10.1016/j.ejor.2024.03.030>
17. Montgomery, D.C.: *Design and Analysis of Experiments*, 9th edn. Wiley, Hoboken (2017)
18. Rahimi, I., Gandomi, A.H., Chen, F., Mezura-Montes, E.: A review on constraint handling techniques for population-based algorithms: from single-objective to multi-objective optimization. *Archives of Computational Methods in Engineering* **30**(3), 2181–2209 (2023). <https://doi.org/10.1007/s11831-022-09859-9>
19. U.S. Citizenship and Immigration Services: Fiscal year 2023 employment-based adjustment of status FAQs (2023), <https://www.uscis.gov/>
20. U.S. Department of State: Visa bulletin for February 2026 (2026), <https://travel.state.gov/content/travel/en/legal/visa-law0/visa-bulletin.html>
21. Vargha, A., Delaney, H.D.: A critique and improvement of the CL common language effect size statistics of McGraw and Wong. *Journal of Educational and Behavioral Statistics* **25**(2), 101–132 (2000). <https://doi.org/10.3102/10769986025002101>
22. Zhang, Q., Li, H.: MOEA/D: a multiobjective evolutionary algorithm based on decomposition. *IEEE Transactions on Evolutionary Computation* **11**(6), 712–731 (2007). <https://doi.org/10.1109/TEVC.2007.892759>
23. Zhang, W., Xiao, G., Gen, M., Geng, H., Wang, X., Deng, M., et al.: Enhancing multi-objective evolutionary algorithms with machine learning for scheduling problems: recent advances and survey. *Frontiers in Industrial Engineering* **2**, 1337174 (2024). <https://doi.org/10.3389/fieng.2024.1337174>
24. Zitzler, E., Thiele, L.: Multiobjective evolutionary algorithms: a comparative case study and the strength Pareto approach. *IEEE Transactions on Evolutionary Computation* **3**(4), 257–271 (1999). <https://doi.org/10.1109/4235.797969>