




Announcements

- Homework
 - WebWork 8 due tonight
 - Video HW 4 will be posted this afternoon
- Test 2 is a week from next Wednesday
- I didn't get a chance to update the grade reports yet, so I'll try to make that happen this weekend
- Polling: `rembold-class.ddns.net`



Understanding Check



Given the hanging object to the left (and assuming it is hanging near the surface of the Earth), what is the magnitude of the tension T_2 ? You can assume the mass is in equilibrium and unmoving and that the wires have insignificant mass in comparison to the hanging block.


- A) 0 N
- B) 98 N
- C) 196 N
- D) 392 N

Solution: 0 N



Slip or No Slide?


Suppose you have the two block system to the right which are placed on a 20° slope. The smaller block is rough and has a coefficient of static friction with the surface of $\mu_s = 0.65$, but the larger block is smooth and frictionless. The blocks are initially stationary, and then released. Will they slide down the slope?





Simplifying Life


- Sometimes we don't want to deal with all the angles
- Can rotate our coordinates to give a nicer system
- Still need to keep axes 90° from each other
- Everything else proceeds as per normal
- Only useful if majority of forces lie along new axes





Simplifying Life

- Sometimes we don't want to deal with all the angles
- Can rotate our coordinates to give a nicer system
- Still need to keep axes 90° from each other
- Everything else proceeds as per normal
- Only useful if majority of forces lie along new axes





Equal and Opposite

- Both gravity and the electrostatic force have only the direction differ depending on the system




$$-\frac{Gm_1m_2}{r^2}(-\hat{\mathbf{x}})$$



$$-\frac{Gm_1m_2}{r^2}\hat{\mathbf{x}}$$


- Since all contact forces build from these, each contact force has equal and opposite pairings






Equal and Opposite

- Both gravity and the electrostatic force have only the direction differ depending on the system


$$-\frac{Gm_1m_2}{r^2}(-\hat{\mathbf{x}}) \quad -\frac{Gm_1m_2}{r^2}\hat{\mathbf{x}}$$


- Since all contact forces build from these, each contact force has equal and opposite pairings






Equal and Opposite

- Both gravity and the electrostatic force have only the direction differ depending on the system


$$-\frac{Gm_1m_2}{r^2}(-\hat{\mathbf{x}}) \quad -\frac{Gm_1m_2}{r^2}\hat{\mathbf{x}}$$


- Since all contact forces build from these, each contact force has equal and opposite pairings






Equal and Opposite

- Both gravity and the electrostatic force have only the direction differ depending on the system


$$-\frac{Gm_1m_2}{r^2}(-\hat{\mathbf{x}}) \quad -\frac{Gm_1m_2}{r^2}\hat{\mathbf{x}}$$

- Since all contact forces build from these, each contact force has equal and opposite pairings



$$\vec{F}_{sp,gold} = -\vec{F}_{sp,blue}$$



Slide or No Slide

Suppose you have the two block system to the right which are placed on a 20° slope. The smaller block is rough and has a coefficient of static friction with the surface of $\mu_s = 0.65$, but the larger block is smooth and frictionless. The blocks are initially stationary, and then released. Will they slide down the slope?

