**BRENT OZAR**
UNLIMITED

This report was generated by the completely free sp_Blitz™ tool.

| Priority | Findings Group | Database Name |
|----------|----------------|---------------|
|          | **Finding**    |               |
| **1**    | **Backup**     |               |
|          | **Backing Up to Same Drive Where Databases Reside** | |
|          | Drive E:\ houses both database files AND backups taken in the last two weeks. This represents a serious risk if that array fails.<br><br>More information at: http://BrentOzar.com/go/backup | |
| **10**   | **Security**   |               |
|          | **Security Admins** | |
|          | Login [ABSOLUTE\cgibbs] is a security admin - meaning they can give themselves permission to do absolutely anything in SQL Server, including dropping databases or hiding their tracks.<br><br>More information at: http://BrentOzar.com/go/sa | |
| **10**   | **Security**   |               |
|          | **Security Admins** | |
|          | Login [cgibbs] is a security admin - meaning they can give themselves permission to do absolutely anything in SQL Server, including dropping databases or hiding their tracks.<br><br>More information at: http://BrentOzar.com/go/sa | |
| **10**   | **Security**   |               |
|          | **Security Admins** | |
|          | Login [cvlok] is a security admin - meaning they can give themselves permission to do absolutely anything in SQL Server, including dropping databases or hiding their tracks.<br><br>More information at: http://BrentOzar.com/go/sa | |
| **10**   | **Security**   |               |
|          | **SQL Agent Job Runs at Startup** | |
|          | Job [ASPRODDB-BUR01-CashVault_G4S-1] runs automatically when SQL Server Agent starts up. Make sure you know exactly what this job is doing, because it could pose a security risk.<br><br>More information at: http://BrentOzar.com/go/startup | |
| **10**   | **Security**   |               |
|          | **SQL Agent Job Runs at Startup** | |
|          | Job [ASPRODDB-BUR01-CashVault_G4S-CashvaultG4SPublicati-ASPRODREP02-1] runs automatically when SQL Server Agent starts up. Make sure you know exactly what this job is doing, because it could pose a security risk.<br><br>More information at: http://BrentOzar.com/go/startup | |

| Priority | Findings Group | Database Name |
|---|---|---|
| | **Finding** | |
| **10** | **Security** | |
| | **SQL Agent Job Runs at Startup** | |
| | Job [ASPRODDB-BUR01-CashVault_SBV-2] runs automatically when SQL Server Agent starts up. Make sure you know exactly what this job is doing, because it could pose a security risk.<br><br>More information at: http://BrentOzar.com/go/startup | |
| **10** | **Security** | |
| | **SQL Agent Job Runs at Startup** | |
| | Job [ASPRODDB-BUR01-CashVault_SBV-CashvaultSBVPublicati-ASPRODREP02-2] runs automatically when SQL Server Agent starts up. Make sure you know exactly what this job is doing, because it could pose a security risk.<br><br>More information at: http://BrentOzar.com/go/startup | |
| **10** | **Security** | |
| | **SQL Agent Job Runs at Startup** | |
| | Job [Replication monitoring refresher for distribution.] runs automatically when SQL Server Agent starts up. Make sure you know exactly what this job is doing, because it could pose a security risk.<br><br>More information at: http://BrentOzar.com/go/startup | |
| **10** | **Security** | |
| | **Sysadmins** | |
| | Login [ABSOLUTE\CashAdmin] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks.<br><br>More information at: http://BrentOzar.com/go/sa | |
| **10** | **Security** | |
| | **Sysadmins** | |
| | Login [ABSOLUTE\cgibbs] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks.<br><br>More information at: http://BrentOzar.com/go/sa | |
| **10** | **Security** | |
| | **Sysadmins** | |
| | Login [ABSOLUTE\HDiesel] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks.<br><br>More information at: http://BrentOzar.com/go/sa | |
| **10** | **Security** | |
| | **Sysadmins** | |
| | Login [ABSOLUTE\prodadmin] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks.<br><br>More information at: http://BrentOzar.com/go/sa | |

| Priority | Findings Group | Database Name |
|---|---|---|
| | **Finding** | |
| **10** | **Security** | |
| | **Sysadmins** | |
| | Login [distributor_admin] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks. | |
| | More information at: http://BrentOzar.com/go/sa | |
| **10** | **Security** | |
| | **Sysadmins** | |
| | Login [NT Service\MSSQLSERVER] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks. | |
| | More information at: http://BrentOzar.com/go/sa | |
| **10** | **Security** | |
| | **Sysadmins** | |
| | Login [NT SERVICE\SQLSERVERAGENT] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks. | |
| | More information at: http://BrentOzar.com/go/sa | |
| **10** | **Security** | |
| | **Sysadmins** | |
| | Login [NT SERVICE\SQLWriter] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks. | |
| | More information at: http://BrentOzar.com/go/sa | |
| **10** | **Security** | |
| | **Sysadmins** | |
| | Login [NT SERVICE\Winmgmt] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks. | |
| | More information at: http://BrentOzar.com/go/sa | |
| **20** | **Security** | **CashTrace_G4S** |
| | **Elevated Permissions on a Database** | |
| | In [CashTrace_G4S], user [ABSOLUTE\aspreprod03$] has the role [db_owner]. This user can perform tasks beyond just reading and writing data. | |
| | More information at: http://BrentOzar.com/go/elevated | |
| **20** | **Security** | **CashVault_G4S** |
| | **Elevated Permissions on a Database** | |
| | In [CashVault_G4S], user [ABSOLUTE\aspreprod03$] has the role [db_owner]. This user can perform tasks beyond just reading and writing data. | |
| | More information at: http://BrentOzar.com/go/elevated | |

**BRENT OZAR**
UNLIMITED

| Priority | Findings Group | Database Name |
|---|---|---|
| | **Finding** | |
| **20** | **Security** | **CashVault_G4S** |
| | **Elevated Permissions on a Database** | |
| | In [CashVault_G4S], user [ABSOLUTE\ASPRODREP$] has the role [db_owner]. This user can perform tasks beyond just reading and writing data.<br><br>More information at: http://BrentOzar.com/go/elevated | |
| **20** | **Security** | **CashVault_G4S** |
| | **Elevated Permissions on a Database** | |
| | In [CashVault_G4S], user [ABSOLUTE\ASPRODREP02$] has the role [db_owner]. This user can perform tasks beyond just reading and writing data.<br><br>More information at: http://BrentOzar.com/go/elevated | |
| **20** | **Security** | **CashVault_G4S** |
| | **Elevated Permissions on a Database** | |
| | In [CashVault_G4S], user [ABSOLUTE\Cashadmin] has the role [db_ddladmin]. This user can perform tasks beyond just reading and writing data.<br><br>More information at: http://BrentOzar.com/go/elevated | |
| **20** | **Security** | **CashVault_SBV** |
| | **Elevated Permissions on a Database** | |
| | In [CashVault_SBV], user [ABSOLUTE\ASPRODREP$] has the role [db_owner]. This user can perform tasks beyond just reading and writing data.<br><br>More information at: http://BrentOzar.com/go/elevated | |
| **20** | **Security** | **CashVault_SBV** |
| | **Elevated Permissions on a Database** | |
| | In [CashVault_SBV], user [ABSOLUTE\ASPRODREP02$] has the role [db_owner]. This user can perform tasks beyond just reading and writing data.<br><br>More information at: http://BrentOzar.com/go/elevated | |
| **20** | **Security** | **master** |
| | **Elevated Permissions on a Database** | |
| | In [master], user [ABSOLUTE\HDiesel] has the role [db_owner]. This user can perform tasks beyond just reading and writing data.<br><br>More information at: http://BrentOzar.com/go/elevated | |
| **50** | **Reliability** | |
| | **Agent Jobs Without Failure Emails** | |
| | The job syspolicy_purge_history has not been set up to notify an operator if it fails.<br><br>More information at: http://BrentOzar.com/go/alerts | |
| **50** | **Reliability** | |
| | **Alerts Disabled** | |
| | The following Alert is disabled, please review and enable if desired: Replication: agent success<br><br>More information at: http://www.BrentOzar.com/go/alerts/ | |

Created 17:41:52 on Fri May 2014

| Priority | Findings Group | Database Name |
|---|---|---|
| | **Finding** | |
| **50** | **Reliability** | |
| | **Alerts Disabled** | |
| | The following Alert is disabled, please review and enable if desired: Replication: Subscriber has passed data validation<br><br>More information at: http://www.BrentOzar.com/go/alerts/ | |
| **50** | **Reliability** | **CashVault_G4S** |
| | **Collation for CashVault_G4S different than tempdb collation** | |
| | Collation differences between user databases and tempdb can cause conflicts especially when comparing string values<br><br>More information at: http://BrentOzar.com/go/collate | |
| **50** | **Reliability** | **CashVault_SBV** |
| | **Collation for CashVault_SBV different than tempdb collation** | |
| | Collation differences between user databases and tempdb can cause conflicts especially when comparing string values<br><br>More information at: http://BrentOzar.com/go/collate | |
| **50** | **Reliability** | **tempdb** |
| | **Last good DBCC CHECKDB over 2 weeks old** | |
| | Database [tempdb] never had a successful DBCC CHECKDB. This check should be run regularly to catch any database corruption as soon as possible. Note: you can restore a backup of a busy production database to a test server and run DBCC CHECKDB against that to minimize impact. If you do that, you can ignore this warning.<br><br>More information at: http://BrentOzar.com/go/checkdb | |
| **50** | **Reliability** | |
| | **No Alerts for Corruption** | |
| | SQL Server Agent alerts do not exist for errors 823, 824, and 825. These three errors can give you notification about early hardware failure. Enabling them can prevent you a lot of heartbreak.<br><br>More information at: http://BrentOzar.com/go/alert | |
| **50** | **Reliability** | |
| | **No Alerts for Sev 19-25** | |
| | SQL Server Agent alerts do not exist for severity levels 19 through 25. These are some very severe SQL Server errors. Knowing that these are happening may let you recover from errors faster.<br><br>More information at: http://BrentOzar.com/go/alert | |
| **50** | **Reliability** | |
| | **Not All Alerts Configured** | |
| | Not all SQL Server Agent alerts have been configured. This is a free, easy way to get notified of corruption, job failures, or major outages even before monitoring systems pick it up.<br><br>More information at: http://BrentOzar.com/go/alert | |

| Priority | Findings Group | Database Name |
|---|---|---|
| | **Finding** | |
| **100** | **Performance** | **CashTrace_G4S** |
| | **File growth set to percent** | |
| | The [CashTrace_G4S] database is using percent filegrowth settings. This can lead to out of control filegrowth. <br><br> More information at: http://brentozar.com/go/percentgrowth | |
| **100** | **Performance** | **CashTrace_SBV** |
| | **File growth set to percent** | |
| | The [CashTrace_SBV] database is using percent filegrowth settings. This can lead to out of control filegrowth. <br><br> More information at: http://brentozar.com/go/percentgrowth | |
| **100** | **Performance** | **CashVault_G4S** |
| | **File growth set to percent** | |
| | The [CashVault_G4S] database is using percent filegrowth settings. This can lead to out of control filegrowth. <br><br> More information at: http://brentozar.com/go/percentgrowth | |
| **100** | **Performance** | **CashVault_SBV** |
| | **File growth set to percent** | |
| | The [CashVault_SBV] database is using percent filegrowth settings. This can lead to out of control filegrowth. <br><br> More information at: http://brentozar.com/go/percentgrowth | |
| **100** | **Performance** | **distribution** |
| | **File growth set to percent** | |
| | The [distribution] database is using percent filegrowth settings. This can lead to out of control filegrowth. <br><br> More information at: http://brentozar.com/go/percentgrowth | |
| **100** | **Performance** | **master** |
| | **File growth set to percent** | |
| | The [master] database is using percent filegrowth settings. This can lead to out of control filegrowth. <br><br> More information at: http://brentozar.com/go/percentgrowth | |
| **100** | **Performance** | **model** |
| | **File growth set to percent** | |
| | The [model] database is using percent filegrowth settings. This can lead to out of control filegrowth. <br><br> More information at: http://brentozar.com/go/percentgrowth | |
| **100** | **Performance** | **msdb** |
| | **File growth set to percent** | |
| | The [msdb] database is using percent filegrowth settings. This can lead to out of control filegrowth. <br><br> More information at: http://brentozar.com/go/percentgrowth | |

| Priority | Findings Group | Database Name |
|---|---|---|
| | **Finding** | |
| **100** | **Performance** | **CashTrace_G4S** |
| | **Foreign Keys Not Trusted** | |
| | The [CashTrace_G4S] database has foreign keys that were probably disabled, data was changed, and then the key was enabled again. Simply enabling the key is not enough for the optimizer to use this key - we have to alter the table using the WITH CHECK CHECK CONSTRAINT parameter.<br><br>More information at: http://BrentOzar.com/go/trust | |
| **100** | **Performance** | **CashTrace_SBV** |
| | **Foreign Keys Not Trusted** | |
| | The [CashTrace_SBV] database has foreign keys that were probably disabled, data was changed, and then the key was enabled again. Simply enabling the key is not enough for the optimizer to use this key - we have to alter the table using the WITH CHECK CHECK CONSTRAINT parameter.<br><br>More information at: http://BrentOzar.com/go/trust | |
| **100** | **Performance** | **CashVault_G4S** |
| | **Foreign Keys Not Trusted** | |
| | The [CashVault_G4S] database has foreign keys that were probably disabled, data was changed, and then the key was enabled again. Simply enabling the key is not enough for the optimizer to use this key - we have to alter the table using the WITH CHECK CHECK CONSTRAINT parameter.<br><br>More information at: http://BrentOzar.com/go/trust | |
| **100** | **Performance** | **CashVault_SBV** |
| | **Foreign Keys Not Trusted** | |
| | The [CashVault_SBV] database has foreign keys that were probably disabled, data was changed, and then the key was enabled again. Simply enabling the key is not enough for the optimizer to use this key - we have to alter the table using the WITH CHECK CHECK CONSTRAINT parameter.<br><br>More information at: http://BrentOzar.com/go/trust | |
| **100** | **Performance** | **tempdb** |
| | **Multiple Log Files on One Drive** | |
| | The [tempdb] database has multiple log files on the H drive. This is not a performance booster because log file access is sequential, not parallel.<br><br>More information at: http://BrentOzar.com/go/manylogs | |
| **100** | **Performance** | |
| | **Slow Storage Writes on Drive F** | |
| | Writes are averaging longer than 20ms for at least one database on this drive. For specific database file speeds, run the query from the information link.<br><br>More information at: http://BrentOzar.com/go/slow | |

BRENT OZAR
UNLIMITED

| Priority | Findings Group | Database Name |
|---|---|---|
| | **Finding** | |
| **100** | **Performance** | |
| | **Slow Storage Writes on Drive H** | |
| | Writes are averaging longer than 20ms for at least one database on this drive. For specific database file speeds, run the query from the information link.<br><br>More information at: http://BrentOzar.com/go/slow | |
| **100** | **Performance** | distribution |
| | **Stored Procedure WITH RECOMPILE** | |
| | [distribution].[dbo].[sp_MSdelete_dodelete] has WITH RECOMPILE in the stored procedure code, which may cause increased CPU usage due to constant recompiles of the code.<br><br>More information at: http://BrentOzar.com/go/recompile | |
| **110** | **Performance** | CashTrace_G4S |
| | **Inactive Tables Without Clustered Indexes** | |
| | The [CashTrace_G4S] database has heaps - tables without a clustered index - that have not been queried since the last restart. These may be backup tables carelessly left behind.<br><br>More information at: http://BrentOzar.com/go/heaps | |
| **110** | **Performance** | CashTrace_SBV |
| | **Inactive Tables Without Clustered Indexes** | |
| | The [CashTrace_SBV] database has heaps - tables without a clustered index - that have not been queried since the last restart. These may be backup tables carelessly left behind.<br><br>More information at: http://BrentOzar.com/go/heaps | |
| **110** | **Performance** | CashVault_G4S |
| | **Inactive Tables Without Clustered Indexes** | |
| | The [CashVault_G4S] database has heaps - tables without a clustered index - that have not been queried since the last restart. These may be backup tables carelessly left behind.<br><br>More information at: http://BrentOzar.com/go/heaps | |
| **110** | **Performance** | CashVault_SBV |
| | **Inactive Tables Without Clustered Indexes** | |
| | The [CashVault_SBV] database has heaps - tables without a clustered index - that have not been queried since the last restart. These may be backup tables carelessly left behind.<br><br>More information at: http://BrentOzar.com/go/heaps | |
| **110** | **Performance** | distribution |
| | **Inactive Tables Without Clustered Indexes** | |
| | The [distribution] database has heaps - tables without a clustered index - that have not been queried since the last restart. These may be backup tables carelessly left behind.<br><br>More information at: http://BrentOzar.com/go/heaps | |

| Priority | Findings Group | Database Name |
|---|---|---|
| | **Finding** | |
| **110** | **Performance** | **CashTrace_G4S** |
| | **Triggers on Tables** | |
| | The [CashTrace_G4S] database has triggers on the dbo.aspnet_Membership table. More information at: http://BrentOzar.com/go/trig | |
| **110** | **Performance** | **CashTrace_SBV** |
| | **Triggers on Tables** | |
| | The [CashTrace_SBV] database has triggers on the dbo.aspnet_Membership table. More information at: http://BrentOzar.com/go/trig | |
| **110** | **Performance** | **CashVault_G4S** |
| | **Triggers on Tables** | |
| | The [CashVault_G4S] database has triggers on the dbo.BankTransactions table. More information at: http://BrentOzar.com/go/trig | |
| **110** | **Performance** | **CashVault_G4S** |
| | **Triggers on Tables** | |
| | The [CashVault_G4S] database has triggers on the dbo.CPSTransactions table. More information at: http://BrentOzar.com/go/trig | |
| **110** | **Performance** | **CashVault_G4S** |
| | **Triggers on Tables** | |
| | The [CashVault_G4S] database has triggers on the dbo.DeviceConfiguration table. More information at: http://BrentOzar.com/go/trig | |
| **110** | **Performance** | **CashVault_G4S** |
| | **Triggers on Tables** | |
| | The [CashVault_G4S] database has triggers on the dbo.DeviceInformation table. More information at: http://BrentOzar.com/go/trig | |
| **110** | **Performance** | **CashVault_G4S** |
| | **Triggers on Tables** | |
| | The [CashVault_G4S] database has triggers on the dbo.DeviceOperators2 table. More information at: http://BrentOzar.com/go/trig | |
| **110** | **Performance** | **CashVault_G4S** |
| | **Triggers on Tables** | |
| | The [CashVault_G4S] database has triggers on the dbo.OperatorsPerDevice table. More information at: http://BrentOzar.com/go/trig | |
| **110** | **Performance** | **CashVault_SBV** |
| | **Triggers on Tables** | |
| | The [CashVault_SBV] database has triggers on the dbo.BankTransactions table. More information at: http://BrentOzar.com/go/trig | |

Created 17:41:52 on Fri May 2014

| Priority | Findings Group | Database Name |
|---|---|---|
| | **Finding** | |
| **110** | **Performance** | **CashVault_SBV** |
| | **Triggers on Tables** | |
| | The [CashVault_SBV] database has triggers on the dbo.CPSTransactions table.<br><br>More information at: http://BrentOzar.com/go/trig | |
| **110** | **Performance** | **CashVault_SBV** |
| | **Triggers on Tables** | |
| | The [CashVault_SBV] database has triggers on the dbo.DeviceConfiguration table.<br><br>More information at: http://BrentOzar.com/go/trig | |
| **110** | **Performance** | **CashVault_SBV** |
| | **Triggers on Tables** | |
| | The [CashVault_SBV] database has triggers on the dbo.DeviceInformation table.<br><br>More information at: http://BrentOzar.com/go/trig | |
| **110** | **Performance** | **CashVault_SBV** |
| | **Triggers on Tables** | |
| | The [CashVault_SBV] database has triggers on the dbo.DeviceOperators2 table.<br><br>More information at: http://BrentOzar.com/go/trig | |
| **110** | **Performance** | **CashVault_SBV** |
| | **Triggers on Tables** | |
| | The [CashVault_SBV] database has triggers on the dbo.OperatorsPerDevice table.<br><br>More information at: http://BrentOzar.com/go/trig | |
| **150** | **Security** | |
| | **Server Audits Running** | |
| | SQL Server built-in audit functionality is being used by server audit: Audit-20130808-162516<br><br>More information at: http://BrentOzar.com/go/audits | |
| **200** | **Informational** | |
| | **Backup Compression Default Off** | |
| | Backup compression is included with SQL Server 2008R2 & newer, even in Standard Edition. We recommend turning backup compression on by default so that ad-hoc backups will get compressed.<br><br>More information at: http://BrentOzar.com/go/backup | |
| **200** | **Informational** | |
| | **Linked Server Configured** | |
| | ASPRODDB01\MODBA is configured as a linked server. Check its security configuration to make sure it isn't connecting with SA or some other bone-headed administrative login, because any user who queries it might get admin-level permissions.<br><br>More information at: http://BrentOzar.com/go/link | |

| Priority | Findings Group | Database Name |
|---|---|---|
| | **Finding** | |
| **200** | **Informational** | **CashVault_G4S** |
| | **Replication In Use** | |
| | Database [CashVault_G4S] is a replication publisher, subscriber, or distributor.<br><br>More information at: http://BrentOzar.com/go/repl | |
| **200** | **Informational** | **CashVault_SBV** |
| | **Replication In Use** | |
| | Database [CashVault_SBV] is a replication publisher, subscriber, or distributor.<br><br>More information at: http://BrentOzar.com/go/repl | |
| **200** | **Informational** | **distribution** |
| | **Replication In Use** | |
| | Database [distribution] is a replication publisher, subscriber, or distributor.<br><br>More information at: http://BrentOzar.com/go/repl | |
| **200** | **Informational** | **master** |
| | **Tables in the Master Database** | |
| | The CommandLog table in the master database was created by end users on May 12 2014 4:48AM. Tables in the master database may not be restored in the event of a disaster.<br><br>More information at: http://BrentOzar.com/go/mastuser | |
| **200** | **Non-Active Server Config** | |
| | **min server memory (MB)** | |
| | This sp_configure option isn't running under its set value. Its set value is 0 and its running value is 16. When someone does a RECONFIGURE or restarts the instance, this setting will start taking effect.<br><br>More information at: http://www.BrentOzar.com/blitz/sp_configure/ | |
| **200** | **Non-Default Server Config** | |
| | **Agent XPs** | |
| | This sp_configure option has been changed. Its default value is 0 and it has been set to 1.<br><br>More information at: http://BrentOzar.com/go/conf | |
| **200** | **Non-Default Server Config** | |
| | **Database Mail XPs** | |
| | This sp_configure option has been changed. Its default value is 0 and it has been set to 1.<br><br>More information at: http://BrentOzar.com/go/conf | |
| **200** | **Non-Default Server Config** | |
| | **max server memory (MB)** | |
| | This sp_configure option has been changed. Its default value is 2147483647 and it has been set to 9216.<br><br>More information at: http://BrentOzar.com/go/conf | |

| Priority | Findings Group | Database Name |
|---|---|---|
| | **Finding** | |
| **200** | **Non-Default Server Config** | |
| | **max text repl size (B)** | |
| | This sp_configure option has been changed. Its default value is 65536 and it has been set to 655360.<br><br>More information at: http://BrentOzar.com/go/conf | |
| **200** | **Non-Default Server Config** | |
| | **remote admin connections** | |
| | This sp_configure option has been changed. Its default value is 0 and it has been set to 1.<br><br>More information at: http://BrentOzar.com/go/conf | |
| **200** | **Non-Default Server Config** | |
| | **scan for startup procs** | |
| | This sp_configure option has been changed. Its default value is 0 and it has been set to 1.<br><br>More information at: http://BrentOzar.com/go/conf | |
| **200** | **Non-Default Server Config** | |
| | **show advanced options** | |
| | This sp_configure option has been changed. Its default value is 0 and it has been set to 1.<br><br>More information at: http://BrentOzar.com/go/conf | |
| **200** | **Performance** | |
| | **Agent Jobs Starting Simultaneously** | |
| | Multiple SQL Server Agent jobs are configured to start simultaneously. For detailed schedule listings, see the query in the URL.<br><br>More information at: http://BrentOzar.com/go/busyagent/ | |
| **200** | **Performance** | **CashVault_G4S** |
| | **User-Created Statistics In Place** | |
| | [CashVault_G4S] has user-created statistics. This indicates that someone is being a rocket scientist with the stats, and might actually be slowing things down, especially during stats updates.<br><br>More information at: http://BrentOzar.com/go/userstats | |
| **200** | **Performance** | **CashVault_SBV** |
| | **User-Created Statistics In Place** | |
| | [CashVault_SBV] has user-created statistics. This indicates that someone is being a rocket scientist with the stats, and might actually be slowing things down, especially during stats updates.<br><br>More information at: http://BrentOzar.com/go/userstats | |

| Priority | Findings Group | Database Name |
|---|---|---|
| | **Finding** | |
| **200** | **Performance** | **distribution** |
| | **User-Created Statistics In Place** | |
| | [distribution] has user-created statistics. This indicates that someone is being a rocket scientist with the stats, and might actually be slowing things down, especially during stats updates. <br><br> More information at: http://BrentOzar.com/go/userstats | |
| **200** | **Reliability** | **CashVault_G4S** |
| | **Database Collation Mismatch** | |
| | Database CashVault_G4S has collation SQL_Latin1_General_CP1_CI_AS; Server collation is Latin1_General_CI_AS <br><br> More information at: http://BrentOzar.com/go/collate | |
| **200** | **Reliability** | **CashVault_SBV** |
| | **Database Collation Mismatch** | |
| | Database CashVault_SBV has collation SQL_Latin1_General_CP1_CI_AS; Server collation is Latin1_General_CI_AS <br><br> More information at: http://BrentOzar.com/go/collate | |

This report was generated by the completely free sp_Blitz™ tool.