

This report was generated by the completely [free sp\\_Blitz™ tool](#).

Priority	Findings Group	Database Name
	Finding	
1	<b>Backup</b>	<b>CashvaultG4SReplicated</b>
	<b>Backups Not Performed Recently</b>	
	Database CashvaultG4SReplicated last backed up: May 15 2014 4:19PM	
	More information at: <a href="http://BrentOzar.com/go/nobak">http://BrentOzar.com/go/nobak</a>	
1	<b>Backup</b>	<b>CashvaultReplicated</b>
	<b>Backups Not Performed Recently</b>	
	Database CashvaultReplicated last backed up: May 15 2014 4:24PM	
	More information at: <a href="http://BrentOzar.com/go/nobak">http://BrentOzar.com/go/nobak</a>	
1	<b>Backup</b>	<b>CashvaultSBVReplicated</b>
	<b>Backups Not Performed Recently</b>	
	Database CashvaultSBVReplicated last backed up: May 15 2014 4:27PM	
	More information at: <a href="http://BrentOzar.com/go/nobak">http://BrentOzar.com/go/nobak</a>	
1	<b>Backup</b>	<b>master</b>
	<b>Backups Not Performed Recently</b>	
	Database master last backed up: May 15 2014 4:17PM	
	More information at: <a href="http://BrentOzar.com/go/nobak">http://BrentOzar.com/go/nobak</a>	
1	<b>Backup</b>	<b>model</b>
	<b>Backups Not Performed Recently</b>	
	Database model last backed up: May 15 2014 4:17PM	
	More information at: <a href="http://BrentOzar.com/go/nobak">http://BrentOzar.com/go/nobak</a>	
1	<b>Backup</b>	<b>msdb</b>
	<b>Backups Not Performed Recently</b>	
	Database msdb last backed up: May 15 2014 4:17PM	
	More information at: <a href="http://BrentOzar.com/go/nobak">http://BrentOzar.com/go/nobak</a>	
1	<b>Backup</b>	<b>ReportServer</b>
	<b>Backups Not Performed Recently</b>	
	Database ReportServer last backed up: May 15 2014 4:27PM	
	More information at: <a href="http://BrentOzar.com/go/nobak">http://BrentOzar.com/go/nobak</a>	
1	<b>Backup</b>	<b>ReportServerTempDB</b>
	<b>Backups Not Performed Recently</b>	
	Database ReportServerTempDB last backed up: May 15 2014 4:27PM	
	More information at: <a href="http://BrentOzar.com/go/nobak">http://BrentOzar.com/go/nobak</a>	

Priority	Findings Group	Database Name
	Finding	
1	<b>Backup</b>	<b>CashvaultG4SReplicated</b>
	<b>Full Recovery Mode w/o Log Backups</b>	
	Database CashvaultG4SReplicated is in FULL recovery mode but has not had a log backup in the last week.	
	More information at: <a href="http://BrentOzar.com/go/biglogs">http://BrentOzar.com/go/biglogs</a>	
1	<b>Backup</b>	<b>CashvaultReplicated</b>
	<b>Full Recovery Mode w/o Log Backups</b>	
	Database CashvaultReplicated is in FULL recovery mode but has not had a log backup in the last week.	
	More information at: <a href="http://BrentOzar.com/go/biglogs">http://BrentOzar.com/go/biglogs</a>	
1	<b>Backup</b>	<b>CashvaultSBVReplicated</b>
	<b>Full Recovery Mode w/o Log Backups</b>	
	Database CashvaultSBVReplicated is in FULL recovery mode but has not had a log backup in the last week.	
	More information at: <a href="http://BrentOzar.com/go/biglogs">http://BrentOzar.com/go/biglogs</a>	
1	<b>Backup</b>	<b>ReportServer</b>
	<b>Full Recovery Mode w/o Log Backups</b>	
	Database ReportServer is in FULL recovery mode but has not had a log backup in the last week.	
	More information at: <a href="http://BrentOzar.com/go/biglogs">http://BrentOzar.com/go/biglogs</a>	
10	<b>Security</b>	
	<b>Security Admins</b>	
	Login [ABSOLUTE\cgibbs] is a security admin - meaning they can give themselves permission to do absolutely anything in SQL Server, including dropping databases or hiding their tracks.	
	More information at: <a href="http://BrentOzar.com/go/sa">http://BrentOzar.com/go/sa</a>	
10	<b>Security</b>	
	<b>Security Admins</b>	
	Login [cgibbs] is a security admin - meaning they can give themselves permission to do absolutely anything in SQL Server, including dropping databases or hiding their tracks.	
	More information at: <a href="http://BrentOzar.com/go/sa">http://BrentOzar.com/go/sa</a>	
10	<b>Security</b>	
	<b>Sysadmins</b>	
	Login [ABSOLUTE\CashAdmin] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks.	
	More information at: <a href="http://BrentOzar.com/go/sa">http://BrentOzar.com/go/sa</a>	

Priority	Findings Group	Database Name
	Finding	
10	<b>Security</b>	
	<b>Sysadmins</b>	
	Login [ABSOLUTE\cgibbs] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks.  More information at: <a href="http://BrentOzar.com/go/sa">http://BrentOzar.com/go/sa</a>	
10	<b>Security</b>	
	<b>Sysadmins</b>	
	Login [ABSOLUTE\HDiesel] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks.  More information at: <a href="http://BrentOzar.com/go/sa">http://BrentOzar.com/go/sa</a>	
10	<b>Security</b>	
	<b>Sysadmins</b>	
	Login [ABSOLUTE\PRODAdmin] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks.  More information at: <a href="http://BrentOzar.com/go/sa">http://BrentOzar.com/go/sa</a>	
10	<b>Security</b>	
	<b>Sysadmins</b>	
	Login [NT Service\MSSQLSERVER] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks.  More information at: <a href="http://BrentOzar.com/go/sa">http://BrentOzar.com/go/sa</a>	
10	<b>Security</b>	
	<b>Sysadmins</b>	
	Login [NT SERVICE\SQLSERVERAGENT] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks.  More information at: <a href="http://BrentOzar.com/go/sa">http://BrentOzar.com/go/sa</a>	
10	<b>Security</b>	
	<b>Sysadmins</b>	
	Login [NT SERVICE\SQLWriter] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks.  More information at: <a href="http://BrentOzar.com/go/sa">http://BrentOzar.com/go/sa</a>	
10	<b>Security</b>	
	<b>Sysadmins</b>	
	Login [NT SERVICE\Winmgmt] is a sysadmin - meaning they can do absolutely anything in SQL Server, including dropping databases or hiding their tracks.  More information at: <a href="http://BrentOzar.com/go/sa">http://BrentOzar.com/go/sa</a>	

Priority	Findings Group	Database Name
	Finding	
20	<b>Security</b>	<b>CashvaultG4SReplicated</b>
	<b>Elevated Permissions on a Database</b>	
	In [CashvaultG4SReplicated], user [ABSOLUTE\ASPRODDB-BUR01\$] has the role [db_owner]. This user can perform tasks beyond just reading and writing data.	
	More information at: <a href="http://BrentOzar.com/go/elevated">http://BrentOzar.com/go/elevated</a>	
20	<b>Security</b>	<b>CashvaultG4SReplicated</b>
	<b>Elevated Permissions on a Database</b>	
	In [CashvaultG4SReplicated], user [ABSOLUTE\CashAdmin] has the role [db_owner]. This user can perform tasks beyond just reading and writing data.	
	More information at: <a href="http://BrentOzar.com/go/elevated">http://BrentOzar.com/go/elevated</a>	
20	<b>Security</b>	<b>CashvaultSBVReplicated</b>
	<b>Elevated Permissions on a Database</b>	
	In [CashvaultSBVReplicated], user [ABSOLUTE\ASPRODDB-BUR01\$] has the role [db_owner]. This user can perform tasks beyond just reading and writing data.	
	More information at: <a href="http://BrentOzar.com/go/elevated">http://BrentOzar.com/go/elevated</a>	
20	<b>Security</b>	<b>CashvaultSBVReplicated</b>
	<b>Elevated Permissions on a Database</b>	
	In [CashvaultSBVReplicated], user [ABSOLUTE\SQLADMIN] has the role [db_ddladmin]. This user can perform tasks beyond just reading and writing data.	
	More information at: <a href="http://BrentOzar.com/go/elevated">http://BrentOzar.com/go/elevated</a>	
20	<b>Security</b>	<b>master</b>
	<b>Elevated Permissions on a Database</b>	
	In [master], user [ABSOLUTE\HDiesel] has the role [db_owner]. This user can perform tasks beyond just reading and writing data.	
	More information at: <a href="http://BrentOzar.com/go/elevated">http://BrentOzar.com/go/elevated</a>	
20	<b>Security</b>	<b>ReportServer</b>
	<b>Elevated Permissions on a Database</b>	
	In [ReportServer], user [ReportsUser] has the role [db_ddladmin]. This user can perform tasks beyond just reading and writing data.	
	More information at: <a href="http://BrentOzar.com/go/elevated">http://BrentOzar.com/go/elevated</a>	
20	<b>Security</b>	<b>ReportServer</b>
	<b>Elevated Permissions on a Database</b>	
	In [ReportServer], user [RSExecRole] has the role [db_owner]. This user can perform tasks beyond just reading and writing data.	
	More information at: <a href="http://BrentOzar.com/go/elevated">http://BrentOzar.com/go/elevated</a>	
20	<b>Security</b>	<b>ReportServerTempDB</b>
	<b>Elevated Permissions on a Database</b>	
	In [ReportServerTempDB], user [RSExecRole] has the role [db_owner]. This user can perform tasks beyond just reading and writing data.	
	More information at: <a href="http://BrentOzar.com/go/elevated">http://BrentOzar.com/go/elevated</a>	

Priority	Findings Group	Database Name
	Finding	
50	<b>Reliability</b>	<b>CashvaultG4SReplicated</b>
	<b>Collation for CashvaultG4SReplicated different than tempdb collation</b>	
	Collation differences between user databases and tempdb can cause conflicts especially when comparing string values  More information at: <a href="http://BrentOzar.com/go/collate">http://BrentOzar.com/go/collate</a>	
50	<b>Reliability</b>	<b>CashvaultReplicated</b>
	<b>Collation for CashvaultReplicated different than tempdb collation</b>	
	Collation differences between user databases and tempdb can cause conflicts especially when comparing string values  More information at: <a href="http://BrentOzar.com/go/collate">http://BrentOzar.com/go/collate</a>	
50	<b>Reliability</b>	<b>CashvaultSBVReplicated</b>
	<b>Collation for CashvaultSBVReplicated different than tempdb collation</b>	
	Collation differences between user databases and tempdb can cause conflicts especially when comparing string values  More information at: <a href="http://BrentOzar.com/go/collate">http://BrentOzar.com/go/collate</a>	
50	<b>Reliability</b>	<b>tempdb</b>
	<b>Last good DBCC CHECKDB over 2 weeks old</b>	
	Database [tempdb] never had a successful DBCC CHECKDB. This check should be run regularly to catch any database corruption as soon as possible. Note: you can restore a backup of a busy production database to a test server and run DBCC CHECKDB against that to minimize impact. If you do that, you can ignore this warning.  More information at: <a href="http://BrentOzar.com/go/checkdb">http://BrentOzar.com/go/checkdb</a>	
50	<b>Reliability</b>	<b>CashvaultReplicated</b>
	<b>Transaction Log Larger than Data File</b>	
	The database [CashvaultReplicated] has a transaction log file larger than a data file. This may indicate that transaction log backups are not being performed or not performed often enough.  More information at: <a href="http://BrentOzar.com/go/biglog">http://BrentOzar.com/go/biglog</a>	
100	<b>Performance</b>	<b>master</b>
	<b>File growth set to percent</b>	
	The [master] database is using percent filegrowth settings. This can lead to out of control filegrowth.  More information at: <a href="http://brentozar.com/go/percentgrowth">http://brentozar.com/go/percentgrowth</a>	
100	<b>Performance</b>	<b>model</b>
	<b>File growth set to percent</b>	
	The [model] database is using percent filegrowth settings. This can lead to out of control filegrowth.  More information at: <a href="http://brentozar.com/go/percentgrowth">http://brentozar.com/go/percentgrowth</a>	

Priority	Findings Group	Database Name
	Finding	
100	Performance	msdb
	File growth set to percent	
	<p>The [msdb] database is using percent filegrowth settings. This can lead to out of control filegrowth.</p> <p>More information at: <a href="http://brentozar.com/go/percentgrowth">http://brentozar.com/go/percentgrowth</a></p>	
100	Performance	ReportServer
	Foreign Keys Not Trusted	
	<p>The [ReportServer] database has foreign keys that were probably disabled, data was changed, and then the key was enabled again. Simply enabling the key is not enough for the optimizer to use this key - we have to alter the table using the WITH CHECK CHECK CONSTRAINT parameter.</p> <p>More information at: <a href="http://BrentOzar.com/go/trust">http://BrentOzar.com/go/trust</a></p>	
100	Performance	ReportServerTempDB
	Foreign Keys Not Trusted	
	<p>The [ReportServerTempDB] database has foreign keys that were probably disabled, data was changed, and then the key was enabled again. Simply enabling the key is not enough for the optimizer to use this key - we have to alter the table using the WITH CHECK CHECK CONSTRAINT parameter.</p> <p>More information at: <a href="http://BrentOzar.com/go/trust">http://BrentOzar.com/go/trust</a></p>	
100	Performance	CashvaultReplicated
	High VLF Count	
	<p>The [CashvaultReplicated] database has 3899 virtual log files (VLFs). This may be slowing down startup, restores, and even inserts/updates/deletes.</p> <p>More information at: <a href="http://BrentOzar.com/go/vlf">http://BrentOzar.com/go/vlf</a></p>	
100	Performance	tempdb
	Multiple Log Files on One Drive	
	<p>The [tempdb] database has multiple log files on the H drive. This is not a performance booster because log file access is sequential, not parallel.</p> <p>More information at: <a href="http://BrentOzar.com/go/manylogs">http://BrentOzar.com/go/manylogs</a></p>	
100	Performance	
	Slow Storage Writes on Drive E	
	<p>Writes are averaging longer than 20ms for at least one database on this drive. For specific database file speeds, run the query from the information link.</p> <p>More information at: <a href="http://BrentOzar.com/go/slow">http://BrentOzar.com/go/slow</a></p>	
100	Performance	
	Slow Storage Writes on Drive F	
	<p>Writes are averaging longer than 20ms for at least one database on this drive. For specific database file speeds, run the query from the information link.</p> <p>More information at: <a href="http://BrentOzar.com/go/slow">http://BrentOzar.com/go/slow</a></p>	

Priority	Findings Group	Database Name
	<b>Finding</b>	
<b>100</b>	<b>Performance</b>	
	<b>Slow Storage Writes on Drive G</b>	
	Writes are averaging longer than 20ms for at least one database on this drive. For specific database file speeds, run the query from the information link.  More information at: <a href="http://BrentOzar.com/go/slow">http://BrentOzar.com/go/slow</a>	
<b>100</b>	<b>Performance</b>	
	<b>Slow Storage Writes on Drive H</b>	
	Writes are averaging longer than 20ms for at least one database on this drive. For specific database file speeds, run the query from the information link.  More information at: <a href="http://BrentOzar.com/go/slow">http://BrentOzar.com/go/slow</a>	
<b>110</b>	<b>Performance</b>	<b>ReportServer</b>
	<b>Active Tables Without Clustered Indexes</b>	
	The [ReportServer] database has heaps - tables without a clustered index - that are being actively queried.  More information at: <a href="http://BrentOzar.com/go/heaps">http://BrentOzar.com/go/heaps</a>	
<b>200</b>	<b>Informational</b>	
	<b>Backup Compression Default Off</b>	
	Backup compression is included with SQL Server 2008R2 & newer, even in Standard Edition. We recommend turning backup compression on by default so that ad-hoc backups will get compressed.  More information at: <a href="http://BrentOzar.com/go/backup">http://BrentOzar.com/go/backup</a>	
<b>200</b>	<b>Informational</b>	<b>master</b>
	<b>Tables in the Master Database</b>	
	The CommandLog table in the master database was created by end users on May 15 2014 4:16PM. Tables in the master database may not be restored in the event of a disaster.  More information at: <a href="http://BrentOzar.com/go/mastuser">http://BrentOzar.com/go/mastuser</a>	
<b>200</b>	<b>Non-Active Server Config</b>	
	<b>min server memory (MB)</b>	
	This sp_configure option isn't running under its set value. Its set value is 0 and its running value is 16. When someone does a RECONFIGURE or restarts the instance, this setting will start taking effect.  More information at: <a href="http://www.BrentOzar.com/blitz/sp_configure/">http://www.BrentOzar.com/blitz/sp_configure/</a>	
<b>200</b>	<b>Non-Default Server Config</b>	
	<b>Agent XPs</b>	
	This sp_configure option has been changed. Its default value is 0 and it has been set to 1.  More information at: <a href="http://BrentOzar.com/go/conf">http://BrentOzar.com/go/conf</a>	

Priority	Findings Group	Database Name
	Finding	
200	<b>Non-Default Server Config</b>	
	<b>max server memory (MB)</b>	
	This sp_configure option has been changed. Its default value is 2147483647 and it has been set to 9216.  More information at: <a href="http://BrentOzar.com/go/conf">http://BrentOzar.com/go/conf</a>	
200	<b>Non-Default Server Config</b>	
	<b>remote admin connections</b>	
	This sp_configure option has been changed. Its default value is 0 and it has been set to 1.  More information at: <a href="http://BrentOzar.com/go/conf">http://BrentOzar.com/go/conf</a>	
200	<b>Non-Default Server Config</b>	
	<b>show advanced options</b>	
	This sp_configure option has been changed. Its default value is 0 and it has been set to 1.  More information at: <a href="http://BrentOzar.com/go/conf">http://BrentOzar.com/go/conf</a>	
200	<b>Reliability</b>	<b>CashvaultG4SReplicated</b>
	<b>Database Collation Mismatch</b>	
	Database CashvaultG4SReplicated has collation SQL_Latin1_General_CP1_CI_AS; Server collation is Latin1_General_CI_AS  More information at: <a href="http://BrentOzar.com/go/collate">http://BrentOzar.com/go/collate</a>	
200	<b>Reliability</b>	<b>CashvaultReplicated</b>
	<b>Database Collation Mismatch</b>	
	Database CashvaultReplicated has collation SQL_Latin1_General_CP1_CI_AS; Server collation is Latin1_General_CI_AS  More information at: <a href="http://BrentOzar.com/go/collate">http://BrentOzar.com/go/collate</a>	
200	<b>Reliability</b>	<b>CashvaultSBVReplicated</b>
	<b>Database Collation Mismatch</b>	
	Database CashvaultSBVReplicated has collation SQL_Latin1_General_CP1_CI_AS; Server collation is Latin1_General_CI_AS  More information at: <a href="http://BrentOzar.com/go/collate">http://BrentOzar.com/go/collate</a>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [1494B594-5117-490D-9DD9-12ECB2F24C6D] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.  More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	



Priority	Findings Group	Database Name
	<b>Finding</b>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [1DC592D4-EB35-4CB2-BF3C-8008DBBB33D1] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [45A8BE37-9E4E-49CD-9FBF-70A8C2D8C510] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [461F29FB-1D49-46CC-BD64-9A70CD36F612] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [5E462B51-ECA6-4942-AB5B-4F9F18BA3B57] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [6006D6CD-83A1-4812-A651-25321CD66032] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [71CC7D78-0FC8-4928-9043-5D6C266DF97A] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [8C269B68-DE55-4363-ABD2-008AB85003B9] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	

Priority	Findings Group	Database Name
	Finding	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [8DFEC798-8108-461D-A434-B072E1A408A2] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [98DFCBDB-A19B-4A5B-B202-F06DF069BDD9] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [9987877A-7E18-49C8-8EC8-B7C18252603A] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [ADB114AA-15FC-4BFE-9806-C389AFB30FDB] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [B87735BC-25B3-48FB-B619-23CA2E2A8887] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	
200	<b>Security</b>	
	<b>Jobs Owned By Users</b>	
	Job [BDF11514-649C-48E7-9F95-D8D91E719FDF] is owned by [NT AUTHORITY\NETWORK SERVICE] - meaning if their login is disabled or not available due to Active Directory problems, the job will stop working.	
	More information at: <a href="http://BrentOzar.com/go/owners">http://BrentOzar.com/go/owners</a>	

This report was generated by the completely [free sp\\_Blitz™ tool](#).