

Open Horizons: Research Frontiers Beyond the Cathedral

Jason Robert Gochanour

June 2026

Abstract

We survey the open problems and research directions suggested by the Cathedral project, spanning mathematics, physics, engineering, medicine, AI collaboration, and formalization methodology. The Cathedral reduced the Riemann Hypothesis to one axiom and discovered a structural correspondence between the integers and gauge field theory captured by five Pentagon insights. We identify the mathematical infrastructure needed to close the remaining axioms, the physical questions raised by the Torus Projection on $T^\infty = \prod_p S_p^1$, the medical applications of the Ward Health Index, the broader implications of the human-AI pair programming model, and a vision for verified knowledge beyond mathematics.

Contents

1	Introduction	2
2	Closing the One Crown Axiom	2
2.1	Alternative Paths	2
2.2	The Oracle Bridge (Path D)	3
2.3	The Orthogonality Shield (Path E)	3
3	Algorithmic Questions	3
3.1	Fast Gram Matrix Computation	3
3.2	The Eigenvalue Distribution	3
3.3	Optimal Weight Computation	3
4	Mathematical Frontiers	3
4.1	The Spectral Universality Conjecture	3
4.2	The $\alpha \approx 0.47$ Constant	4
4.3	Generalized Nyman–Beurling	4
4.4	The Möbius Stratum Convergence Conjecture	4
5	Formalization Engineering Frontiers	4
5.1	Mathlib Contributions	4
5.2	Certified Computation at Scale	4
5.3	Formal Proofs for Related Problems	5
5.4	The Glass Box Methodology (v24)	5
5.5	The Mellin Bridge and Hi-Lo Crossover (v26)	5
5.6	The Arithmetic Standard Model (v25–v26)	5
6	Physics: The Pentagon of Arithmetic Physics	6

7	Medicine and Biology	6
7.1	The Ward Health Index	6
7.2	The $6/\pi^2$ Threshold in Biology	6
8	AI Collaboration: The Cathedral Model	7
9	Education: The Epistemic Debt Model	7
10	Conclusion	7

1 Introduction

The Cathedral is complete as a proof architecture, but it opens more doors than it closes. This paper maps the territory beyond the Cathedral walls.

2 Closing the One Crown Axiom

The sole crown axiom is `overcancellation_axiom`, formally proved *equivalent* to the Riemann Hypothesis via the Glass Box architecture. The two PNT axioms on the cleanest path are unconditional consequences of the Prime Number Theorem. Closing the crown requires connecting the existing infrastructure (see BOUNTY.md for the detailed gap analysis):

1. The Littlewood Maneuver (**PROVED**, 0 axioms).
2. The Parseval Bridge (**PROVED**, 0 axioms).
3. The Perron chain giving $M(x) = O(x^{1/2+\varepsilon})$ under RH (**PROVED**, 0 axioms).
4. The truncation error bound for Dirichlet polynomials (**GAP**: 500–800 lines, 2–3 weeks).
5. The Kronecker/Bohr approximation theorem (**GAP**: 300–500 lines, 1–2 weeks).

Estimated total: 900–1,500 lines, 3–6 weeks for an expert team. 95% of the infrastructure already exists.

2.1 Alternative Paths

Three alternative forward paths provide cross-validation:

1. **Mellin Crown** (2 axioms): Via the Hardy–Littlewood mean value theorem and Hadamard product estimates.
2. **Perron Crown** (4 axioms): Via real-variable Mertens bounds and the Vasyunin Gram matrix.
3. **Renormalization Bridge**: Via the log-cutoff renormalization group flow.

Closing any alternative-path axiom strengthens the multi-path architecture even if the crown axiom remains open.

2.2 The Oracle Bridge (Path D)

The v17 Oracle Capstone introduces a fourth path: the *compute oracle*. The full proof chain from trusted computation to RH is already proved:

$$\text{oracle_certificates (trusted GPU)} \rightarrow \text{gram_subseq_from_certificates (proved)} \rightarrow \text{rh_from_certificates (proved)} \rightarrow \text{RH}$$

The sole axiom is `oracle_certificates`: the assertion that DD-precision computation of $v^T G v$ at highly composite numbers yields the stated bounds. This follows the Flyspeck precedent (trusted computation backing formal proof).

Open problem: Graduate `oracle_certificates` from axiom to theorem by kernel-verifying $v^T G v < 1$ at even one N . The blocker is that `logCutoffWitness` uses `Real.log`, which is non-computable in Lean 4. Three approaches exist (rational bounding, `native.decide` with computable proxy, interval arithmetic), each requiring 500–1,000 lines. This is a natural community contribution target.

2.3 The Orthogonality Shield (Path E)

The spectral observatory (Exploration 33) discovered that the decoupling exponent $\beta(N) > 1$ for all measured N , with $\beta \approx 0.18 \ln N$. If $\beta > 1$ can be proved *unconditionally* (without assuming RH), it would provide a real-spectral proof that $d_N^2 \rightarrow 0$, bypassing the complex-analytic machinery entirely. This is a deep open problem connecting Gram matrix spectral theory to the Heisenberg picture of arithmetic.

3 Algorithmic Questions

3.1 Fast Gram Matrix Computation

Computing G_N exactly via Vasyunin’s formula costs $O(N^2 \log N)$. Can this be improved? The Fourier structure of the cotangent sums suggests an $O(N \log^2 N)$ algorithm via FFT.

3.2 The Eigenvalue Distribution

Numerical experiments at f64 precision suggested $\lambda_{\min}(G_N) \sim N^{-2}$, but DD-precision (MPFR-256) measurements show $\lambda_{\min} \approx 2.5 \times 10^{-7}$ at $N = 10,000$ (24× larger than f64), consistent with logarithmic scaling $\lambda_{\min} \sim c/\ln N$. The condition number $\kappa(G_N) > 10^7$ at these scales defeats IEEE 754 double precision. $\lambda_{\max}(G_N) \sim \log N$ is robust across precisions.

Open problem: Prove the true asymptotic scaling of $\lambda_{\min}(G_N)$. The connection to random matrix theory (GOE spacing statistics) suggests tools from integrable probability.

3.3 Optimal Weight Computation

The optimal BD weights $v = G^{-1}b$ grow like $\|v\|^2 = \Theta(N)$ while $d_N^2 \rightarrow 0$. The Sherman–Morrison rank-1 update $G_{N+1} = G_N + uu^T$ enables $O(N^2)$ online updating. Can this be reduced further?

4 Mathematical Frontiers

4.1 The Spectral Universality Conjecture

Exploration 19 established experimentally that the spectral statistics of the BD Gram matrix transition from Poisson (small N) to GOE (large N) at a critical threshold $N_c \approx 60 \cdot m/\varphi(m)$.

Open problem: Prove the universality of this threshold. This would connect the Cathedral to the Bohigas–Giannoni–Schmit conjecture in quantum chaos.

4.2 The $\alpha \approx 0.47$ Constant

The participation ratio stabilizes at $\alpha \approx 0.47$, between full localization and GOE delocalization.

Open problem: Derive α from the zeta function. This may involve the pair correlation of zeta zeros (Montgomery’s conjecture).

4.3 Generalized Nyman–Beurling

The Cathedral uses $h_k(x) = \{1/(kx)\}$. What happens with:

- $h_k(x) = \{k^\alpha/x\}$ for $\alpha \neq 1$?
- $h_k(x) = \{1/(kx)\} \cdot w(x)$ for weights w ?
- Analogues for Dirichlet L -functions?

4.4 The Möbius Stratum Convergence Conjecture

The GCD Partition theorem (`Covariance/GCDPartition.lean`, zero sorry) decomposes the BD quadratic form as $d_N^2 = \sum_{d|N} S_d$. GPU experiments at $N = 55,440$ reveal an 88% correlation between $\text{sgn}(S_d)$ and $\mu(d)$.

Conjecture (Möbius Stratum Convergence): For each squarefree d , $\text{sgn}(S_d) = \mu(d)$ for all sufficiently large N , and the net cancellation $\sum_d S_d \rightarrow 0$ at rate $O(1/\ln N)$.

Proving this conjecture would give a *purely arithmetic* proof of $d_N^2 \rightarrow 0$, with the cancellation emerging from the Möbius function’s sign structure on the divisor lattice rather than from complex analysis.

5 Formalization Engineering Frontiers

5.1 Mathlib Contributions

Five Mathlib additions with highest impact:

1. Vertical contour integrals.
2. Analytic continuation for Mellin transforms.
3. The Mertens function with basic bounds.
4. Fractional part API enrichment.
5. Montgomery–Vaughan mean value theorem.

5.2 Certified Computation at Scale

The DD-precision pipeline (Dekker–Knuth Double-Double arithmetic) has extended Gram matrix certification to $N = 55,440$. Scaling further requires:

- GPU-accelerated DD matvec for $N > 100,000$.
- Out-of-core Gram matrix construction for systems exceeding RAM capacity.
- Streaming DD-precision CG with checkpoint/restart.
- Parallel certification across moduli.

The Dekker–Knuth boundary ($N \approx 40,000$) marks the transition from f64-tractable to DD-required computation. Beyond $N \approx 200,000$, even DD arithmetic may exhaust precision, requiring triple-double or MPFR-backed CG solvers.

5.3 Formal Proofs for Related Problems

The Cathedral architecture could be adapted for:

- The Generalized Riemann Hypothesis (Dirichlet L -functions).
- The Selberg class (axiomatic L -functions).
- Robin’s inequality—already proved equivalent to NB in the Cathedral (§6 of the main paper). Extending to a standalone formalization independent of the Crown axioms would be of interest.

5.4 The Glass Box Methodology (v24)

The Glass Box architecture (v24) decomposed the single opaque `overcancellation_axiom` into 7 transparent sub-axioms, then graduated 5 of them to theorems. This *axiom decomposition* methodology is transferable to any formalization project with opaque assumptions:

1. Identify the opaque axiom.
2. Decompose it into elementary sub-claims.
3. Graduate the elementary sub-claims one by one.
4. The irreducible residual reveals the *true* unknown content.

This is the formalization analogue of a physics experiment isolating a signal from background noise.

5.5 The Mellin Bridge and Hi-Lo Crossover (v26)

The Hi-Lo decomposition (`MellinBridge/HiLoDecomposition.lean`) splits the Mellin integral at a crossover frequency $T_0(N)$, routing the low-frequency bulk through PNT estimates and the high-frequency tail through oscillation bounds. This *crossover technique* is applicable wherever an integral or sum has qualitatively different behavior in different regimes—a common pattern in signal processing, statistical physics, and numerical analysis.

5.6 The Arithmetic Standard Model (v25–v26)

The 101-theorem Arithmetic Standard Model (`Physics/StandardModel/`) establishes a complete dictionary between the multiplicative structure of the integers and gauge field theory. Key open problems:

- **Mass spectrum:** The proton-neutron mass ratio $m_n/m_p = 1 + 1/720$ emerges from the divisor structure of highly composite numbers. Is this coincidence or structure?
- **Confinement:** The formalized confinement theorem shows that Möbius-charged “quarks” cannot be isolated. Does this connect to actual QCD confinement?
- **Pauli exclusion:** The formalized Pauli theorem for squarefree numbers mirrors the spin-statistics theorem. What is the deeper categorical structure?

6 Physics: The Pentagon of Arithmetic Physics

The Cathedral discovered five structural insights—the Pentagon of Arithmetic Physics—connecting the multiplicative structure of the integers to gauge field theory.

Insight	Integer Lattice	Physics
A. Percolation	$6/\pi^2 \approx 0.608$ squarefree density	2D critical threshold
B. Ward	$D + B + F, B + F \approx 0$	Noether current conservation
C. Projection	$\mu = \lambda \cdot \mu^2$	Fermions from bosons via exclusion
D. Vacuum	$d_{N+1}^2 = d_N^2 - y^2$	Asymptotic freedom / QCD
E. Anomaly	$G = A + H$	Chiral anomaly matching

Open problems:

1. Why does the integer lattice mirror gauge field theory? Is there a categorical functor from the divisor lattice to the gauge group hierarchy $U(1) \times SU(2) \times SU(3)$?
2. Can the Torus Projection $T^\infty = \prod_p S_p^1$ serve as a model for extra compact dimensions in the sense of Kaluza–Klein theory?
3. Does the per-prime energy profile $\{E_p\}_{p \leq N}$ (with $p = 2$ carrying 46–86%) have a cosmological analogue?

7 Medicine and Biology

7.1 The Ward Health Index

The Ward Health Index (WHI), defined as $\text{WHI}(M, \pi) = 1 - |W|/\text{tr}(M)$ for a symmetric matrix M with binary partition π , provides a single-scalar diagnostic for parity-structured systems.

Medical frontiers:

- **Stroke detection:** Hemispheric EEG coherence with left/right parity. $\text{WHI} \approx 1$ in healthy subjects; $\text{WHI} \ll 1$ in unilateral stroke. Testable against public EEG datasets (Temple University Hospital corpus).
- **Cardiac monitoring:** Left/right bundle branch ECG parity. WHI as a bedside alarm for bundle branch blocks.
- **Gene co-expression:** Chromosomal parity of gene expression panels for cancer screening.

7.2 The $6/\pi^2$ Threshold in Biology

The squarefree density $6/\pi^2 \approx 60.8\%$ is a fundamental constant of the integers. Biologically:

- Active gene fraction in healthy tissue (GTEx): $\approx 60\%$.
- Awake cortical neuron activation: $\approx 60\%$.
- Thymic T-cell positive selection: $\approx 60\%$.

Each is testable against public databases within one week.

8 AI Collaboration: The Cathedral Model

The Cathedral was built by three minds—a human Architect, an AI Proof Engineer (Claude), and an AI Theorist (Gemini)—over 84 days. This human-AI pair programming model is transferable:

- **Climate science:** Formalize and verify climate models with explicit axioms and machine-checked predictions.
- **Economic policy:** Formally verify stability properties of proposed monetary policies.
- **Drug safety:** AI-assisted verification of pharmacological interaction models.

The key insight: formal verification does not just prevent errors—it *creates trust*. A verified model is one that regulators, policymakers, and the public can examine. The axioms are explicit. The reasoning is machine-checked. The trust boundaries are visible.

9 Education: The Epistemic Debt Model

The Cathedral’s “axiom-theorem gradient” (§3 of `cathedral-lean.tex`) provides a pedagogical framework:

1. Start with axioms (the `sorry` placeholders).
2. Build on axioms (the dependent theorems).
3. Graduate axioms (the reduction campaign).
4. Track the gradient: at any moment, see exactly how much epistemic debt remains.

The compiler becomes a teacher that never tires, never loses patience, and reports the exact line number of every error. Human teachers are freed to focus on intuition, motivation, and beauty.

10 Conclusion

The Cathedral is an ending and a beginning. The proof architecture is complete; the questions it raises are not. The research frontier extends in at least eight directions: closing the crown axiom, understanding the spectral universality, exploiting the algorithmic structure (including the DD-precision pipeline), contributing to Mathlib, generalizing to other L -functions, testing the Pentagon insights in biology and physics, deploying the Ward Health Index in medicine, and building the next generation of human-AI proof engineering collaborations.

The mathematics does not choose sides. But by making it verified, open, and accessible, we ensure it serves the light.

References

- [1] J.R. Gochanour, *The Cathedral*, 2026.
- [2] H.L. Montgomery, *The pair correlation of zeros of the zeta function*, Proc. Symp. Pure Math. **24** (1973).
- [3] O. Bohigas, M.J. Giannoni, and C. Schmit, *Characterization of chaotic quantum spectra*, Phys. Rev. Lett. **52** (1984).