

PURCHASE ORDER Nº EW-2013-0135-1

MANUFACTURER: BENNING CONVERSIÓN DE ENERGÍA S.A.
C/Pico de Santa Catalina 2 / Pol. Ind. Los Linares / E-28970
Humanes, Madrid
Tel.: +34 91/ 6048110

SUPPLIER' REF.:
Su oferta 13_0113_0

RESPONSIBLE: Ricardo Hartbrecht (rhartbrecht@benning.es)

PROJECT:
FL-0423-1

INVOICE TO: ELECTROWERKE S.A.
Calle Maria Reiche 159, 4to. Piso Urb. Higuiereta - Surco Lima, Peru
Tel.: 271-2700

SHIPPING MARKS:
ELECTROWERKE S.A.
EW-2013-0135-1
CALLAO - PERU
QUIMPAC

DELIVERY TO: ELECTROWERKE S.A.
Calle Maria Reiche 159, 4to. Piso Urb. Higuiereta - Surco Lima, Peru
Tel.: 271-2700

CONTACT: Enrique Lino (enrique.lino@electrowerke.com.pe)
Marilyn Salazar (marilyn.salazar@electrowerke.com.pe)

DATE :01/10/2013

Item	Description	Quantity	Unit Price	Total
1	Sistema cargador de batería Thyrotronic Entrada 3x460VAC, 60Hz Salida 125VDC, 25A @1000msnm Para operación stand alone con un banco de baterías en común Grado de protección IP20 (IEC60529) Color RAL7035 Demás características del catálogo	1	2,943.00	2,943.00
Total Price €				2,943.00

Incoterms EXW Madrid
Delivery time Estimado en 12 semanas en fábrica desde la confirmación del pedido (24 Dic).
Payment terms 30% a la orden de compra, pago completo antes del embarque
Via marítimo

Shipping Document Required:

- Commercial Invoice
- Packing list
- Bill of Loading (3 / 3)

APPROVED BY:

ELECTROWERKE S.A.

JOSÉ PHILIPPS JARAMILLO
Jefe de Administración y Finanzas

Notes:

1.- After completion of tests and before shipment, you must send to us two (02) copies of the technical file, consisting of test report, operating manual and asbuilt drawings. One additional copy should be dispatched together with the goods, in the same box. 2.- Draft of Commercial Invoice should be mailed to EW contact person one week prior to dispatch to get the necessary approval before final issuing. All shipping documents shall indicate the number of this Order and Projects name. Packing List must indicate Dimension (LxWxH), Weight and Number of Packages. 3.- Packing should be according to new intl standards (wooden crates should be fumigated) 4.- TRANSHIPMENTS ARE NOT ALLOWED.