

PURCHASE ORDER Nº EW-2013-0120-1

MANUFACTURER: RITZ INSTRUMENT TRANSFORMERS GMBH
Wandsbeker Zollstraße 92-98 22041 Hamburg
Tel.: +49- 2602679- 0

RESPONSIBLE: Judith Conradi (judith.conradi@ritz-international.com)

INVOICE TO: ELECTROWERKE S.A.
Calle Maria Reiche 159, 4to. Piso Urb. Higuiereta - Surco Lima, Peru
Tel.: 271-2700

DELIVERY TO: ELECTROWERKE S.A.
Calle Maria Reiche 159, 4to. Piso Urb. Higuiereta - Surco Lima, Peru
Tel.: 271-2700

CONTACT: Herbert Paredes (herbert.paredes@electrowerke.com.pe)
Marilyn Salazar (marilyn.salazar@electrowerke.com.pe)

SUPPLIER' REF.:
Your offer 2045/12 dtd 13.09.12

PROJECT:
UNITS FOR STOCK 2013

SHIPPING MARKS:
ELECTROWERKE S.A.
EW-2013-0120-1
CALLAO - PERU

DATE :16/9/2013

Item	Description	Quantity	Unit Price	Total
1	VZF 17.5-03 10000 // 220 V 1000 VA, without class IL = 12/38/95 kV IEC, 60 Hz	5	698.00	3,490.00
2	VZF 24-03 22900//220 V 1000 VA, without class IL = 24/50/125 kV IEC, 60 Hz	14	729.00	10,206.00
3	VZF 36-03 22900 // 220 V 1000 VA, without class IL = 27.5/70/170 kV IEC, 60 Hz	15	1,132.00	16,980.00
Total FOB US\$				30,676.00
Insurance+Freight				1,289.00
Total CIF US\$				31,965.00

Incoterms CIF Callao
Delivery time 06 weeks EXW (Oct.29)
Payment terms 90 days after invoice date
Via Sea freight

Shipping Document Required:

- Comercial Invoice
- Packing list
- Bill of Loading (3 / 3)

APPROVED BY:

ELECTROWERKE S.A.

JOSÉ PHILIPPS JANAMILLO
Jefe de Administración y Finanzas

Notes:

1.- After completion of tests and before shipment, you must send to us two (02) copies of the technical file, consisting of test report, operating manual and asbuilt drawings. One additional copy should be dispatched together with the goods, in the same box. 2.- Draft of Commercial Invoice should be mailed to EW contact person one week prior to dispatch to get the necessary approval before final issuing. All shipping documents shall indicate the number of this Order and Projects name. Packing List must indicate Dimension (LxWxH), Weight and Number of Packages. 3.- Packing should be according to new intl standards (wooden crates should be fumigated) 4.- TRANSHIPMENTS ARE NOT ALLOWED.