





## VISUAL STUDIO CODE SNIPPETS

Name: Bootstrap 4, Font awesome 4, Font Awesome 5 Free & Pro snippets

Id: thekalinga.bootstrap4-vscode

Description: Bootstrap 4 snippets based on documentation + Font awesome 4 + Font

Awesome 5 Free & Pro snippets

Version: 6.1.0

Publisher: Ashok Koyi

VS Marketplace Link:

https://marketplace.visualstudio.com/items?itemName=thekalinga.bootstrap4-vscode

VS Code + B

<!-- b4s-warpheader -->

<!-- b4s-header -->

<!-- b4s-cover -->



## b4-\$ Bootstrap master template

ALERT

Trigger Description

b4-alert-additional-content Alert additional content

b4-alert-closable b4-alert-default b4-alert-dismissible

Alert closable
Alert default
Alert dismissible

b4-alert-link Alert link

Badge

Trigger Description

b4-badge-button b4-badge-default b4-badge-heading Badge button
Badge default
Badge heading

b4-badge-link Badge link b4-badge-pill Badge pill b4-button-a Button a

Trigger

b4-button-block **Button block** b4-button-checkbox **Button checkbox** b4-button-default **Button default** b4-button-disabled-a Button disabled a b4-button-input **Button input** b4-button-outline **Button** outline b4-button-radio **Button** radio b4-button-sizes **Button sizes** b4-button-toggle **Button toggle** 

Description

## **CARD**

BUTTON

Trigger Description b4-card-align Card align

b4-card-background-custom Card background custom

b4-card-background
b4-card-blockquote
b4-card-border
b4-card-columns

Card background
Card blockquote
Card border
Card columns

b4-card-decks Card decks

b4-card-default Card default

b4-card-grid Card grid

b4-card-groups Card groups b4-card-head-foot Card head foot

b4-card-links Card links

b4-card-list Card listCard tab head





"O simples pode se tornar uma ferramenta poderosa com uma pitada de criatividade."



```
✓ OPEN EDITORS

                                               C: > Users > Junior Kaibro > AppData > Roaming > Code > User > snippets > {...} B4S.code-snippets > .
  🥫 inpulso.html
 X B4S.code-snippets C:\Users\Junior Kaibro\AppData\Roami...
∨ VSCODESNIPPED
                                中の日内
 > 📄 css
                                                            // is left empty or omitted, the snippet gets applied to all languages. The prefix is what is
 > 🔼 fonts
 > 🌇 images
 > 🏬 js
                                                            // Placeholders with the same ids are connected.
 > 📭 scss
 > vscode+bootstrap
   ■ inpulso.html
   prepros-6.config
   README.MD
                                                            // "description": "Log output to console"
```

 $\forall$  VS Code + [B]

