

## II. CODEBOOK AND PHYSICIAN SPECIALTY LIST

### A. CODEBOOK

Number of records = 28,332

This section consists of a detailed breakdown of each variable on the record, including a sequential item number, field length, file location, and brief description, along with valid codes. Most data are from the automated Patient Record form (PRF). The American Medical Association (AMA), the American Osteopathic Association (AOA) and the automated Physician Induction Interview (reference 3) are alternate sources of data. Some information is obtained by recoding selected data from these sources.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
DATE OF VISIT			
1	2	1-2	[VMONTH] MONTH OF VISIT  01-12: January-December
2	1	3	[VDAYR] DAY OF WEEK OF VISIT  1 = Sunday 2 = Monday 3 = Tuesday 4 = Wednesday 5 = Thursday 6 = Friday 7 = Saturday
3	3	4-6	[AGE] PATIENT AGE (reported in years or derived from date of visit and date of birth) Age has been top coded in accordance with NCHS confidentiality requirements.  000 = Under 1 year 001-091 = 1-91 years 092 = 92 years and over
4	1	7	[AGER] AGE RECODE  1 = Under 15 years 2 = 15-24 years 3 = 25-44 years 4 = 45-64 years 5 = 65-74 years 6 = 75 years and over

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
5	3	8-10	[AGEDAYS] AGE IN DAYS FOR PATIENTS LESS THAN ONE YEAR OF AGE (derived from date of visit and date of birth)  -7 = Not applicable 0-364 (0 = Less than one day old)
6	1	11	[SEX] SEX  1 = Female 2 = Male
7	2	12-13	[PREGNANT] IS PATIENT PREGNANT? -9 = Blank -8 = Unknown -7 = Not Applicable 1 = Yes 2 = No
8	2	14-15	[GESTWK] IF PATIENT IS PREGNANT, SPECIFY GESTATION WEEK  -9 = Blank -8 = Unknown -7 = Not Applicable 2-44
9	2	16-17	[ETHUN] UNIMPUTED ETHNICITY  This variable is NOT imputed. Ethnicity data were missing for 25.8 of NAMCS visit records. -9 = Blank -8 = Unknown -6 = Refused to answer 1 = Hispanic or Latino 2 = Not Hispanic or Latino
10	2	18-19	[RACEUN] UNIMPUTED RACE  This variable is NOT imputed. Race data were missing for 25.8 of NAMCS visit records.  -9 = Blank 1 = White 2 = Black or African American 3 = Asian 4 = Native Hawaiian or Other Pacific Islander 5 = American Indian or Alaska Native 6 = More than one race reported

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
11	1	20	<p>[ETHIM] IMPUTED ETHNICITY</p> <p>Missing data for ethnicity were imputed for this variable. Ethnicity data were missing for 25.8 of NAMCS visit records.  1 = Hispanic  2 = Not Hispanic</p>
12	1	21	<p>[RACER] IMPUTED RACE</p> <p>Missing data for race were imputed for this variable. Race data were missing for 25.8 of NAMCS visit records.  1 = White  2 = Black  3 = Other</p>
13	1	22	<p>[RACERETH] IMPUTED RACE/ETHNICITY</p> <p>Missing race and ethnicity data were imputed for this variable. Both race and ethnicity were missing for 20.0 of records. Race alone was missing for an additional 5.9 and ethnicity alone was missing for an additional 5.8 of records.</p> <p>NOTE: In survey years prior to 2009, the categories were Non-Hispanic White, Non-Hispanic Black, Hispanic, Asian, Native Hawaiian/Other Pacific Islander, American Indian or Alaska Native, and Multiple Races. Starting in 2009, the decision was made to reformulate this item. Hispanic can now be of any race.</p> <p>1 = White Only, Non-Hispanic  2 = Black Only, Non-Hispanic  3 = Hispanic  4 = Other Race/Multiple Race, Non-Hispanic</p>
14	1	23	<p>[NOPAY] NO RESPONSE TO EXPECTED SOURCE(S) OF PAYMENT FOR THIS VISIT</p> <p>0 = At least one source of payment was reported  1 = All expected source of payment boxes are blank</p>
15	1	24	<p>[PAYPRIV] EXPECTED SOURCE OF PAYMENT: PRIVATE INSURANCE</p> <p>0 = No  1 = Yes</p>
16	1	25	<p>[PAYMCARE] EXPECTED SOURCE OF PAYMENT: MEDICARE</p> <p>0 = No  1 = Yes</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
17	1	26	[PAYMCAID] EXPECTED SOURCE OF PAYMENT: MEDICAID OR CHIP OR OTHER STATE-BASED PROGRAM  0 = No 1 = Yes
18	1	27	[PAYWKCMP] EXPECTED SOURCE OF PAYMENT: WORKER'S COMPENSATION  0 = No 1 = Yes
19	1	28	[PAYSELF] EXPECTED SOURCE OF PAYMENT: SELF-PAY  0 = No 1 = Yes
20	1	29	[PAYNOCHG] EXPECTED SOURCE OF PAYMENT: NO CHARGE/CHARITY  0 = No 1 = Yes
21	1	30	[PAYOTH] EXPECTED SOURCE OF PAYMENT: OTHER  0 = No 1 = Yes
22	1	31	[PAYDK] EXPECTED SOURCE OF PAYMENT: UNKNOWN  0 = No 1 = Yes

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
23	2	32-33	[PAYTYPER] RECODED PRIMARY EXPECTED SOURCE OF PAYMENT FOR THIS VISIT (Recoded from 'Expected Sources of Payment for this Visit' using this hierarchy of payment categories: Medicare, Medicaid or CHIP or other state-based program, Private Insurance, Worker's Compensation, Self-Pay, No Charge/Charity, Other, Unknown)

IMPORTANT: For more information about earlier versions of the variable PAYTYPE, and variable PAYTYPER which used a different hierarchy of payment categories, please see the 2009 NAMCS Public Use Data File Documentation.

-9 = Blank  
 -8 = Unknown  
 1 = Private insurance  
 2 = Medicare  
 3 = Medicaid or CHIP or other state-based program  
 4 = Worker's Compensation  
 5 = Self-pay  
 6 = No charge/charity  
 7 = Other

24	2	34-35	[USETOBAC] TOBACCO USE
----	---	-------	------------------------

-9 = Blank  
 -8 = Unknown  
 1 = Not current  
 2 = Current

25	2	36-37	[EVERTOBAC] PRIOR TOBACCO USE
----	---	-------	-------------------------------

-8 = Unknown  
 1 = Never  
 2 = Former

#### INJURY VARIABLES

There are three separate injury-related variables: one which asks if the visit was related to injury/trauma, overdose/poisoning, or adverse effects of medical/surgical treatment. The second item (new in 2014) which asks whether the injury/trauma or overdose/poisoning occurred within 72 hours prior to the visit, and a third item which asks about intentionality. This format is different from survey years prior to 2012, when one item was used which combined whether the visit was related to injury/poisoning/adverse effect and what the intent was. Also, in years before 2012, 'poisoning' was not listed as a separate category.

For trending purposes, the variables INJURY, INJR1, and INJR2 are still available in 2015. The differences between these variables are explained in more detail in the 2010 NAMCS Public Use Data File Documentation. Briefly, INJURY reflects the broad definition of injury used traditionally in NAMCS. INJR1 has been recoded from INJURY and uses a narrower definition of injury which was recommended by subject matter experts in the NCHS Office of Analysis and Epidemiology (OAE). It is based mainly on first-listed reason for visit and first-listed diagnosis and does not include adverse effects of medical treatment. INJR2 is based on the narrower NCHS OAE definition, but includes second-, third-, fourth-, and fifth-listed reasons and diagnoses, not just first-listed.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

The INJDET variable contained in survey years before 2012 is no longer collected. However, a similar item (INJDET\_TRD) was created during data processing using data from the new injury items (INJPOISAD and INTENT), as well as Reason for Visit and Diagnosis. In addition, each record contained verbatim entries which are not included in the public use file but which were used to evaluate whether a visit was injury related. INJDET\_TRD can be compared with INJDET from previous years. Similarly, two recoded variables INJDETR1\_TRD and INJDETR2\_TRD were created, which can be trended with INJDETR1 and INJDETR2 from previous years. INJDETR1\_TRD uses the narrower OAE definition, comparable to INJR1, and INJDETR2\_TRD uses the OAE definition used with INJR2.

As mentioned previously, INJPOISAD and INTENT replaced the previous INJDET variable on the survey instrument. INJPOISAD is provided here in three versions for consistency with the other injury items. The first version (INJPOISAD) is edited according to the broad injury definition used with NAMCS data and is comparable with INJURY and INJDET\_TRD. INJPOISADR1 uses the narrower OAE definition comparable to INJR1 and INJDETR1\_TRD. INJPOISADR2 uses the same definition as INJR2 and INJDETR2\_TRD.

26	2	38-39	[INJURY] Is this visit related to an injury/trauma, overdose/poisoning, or adverse effect of medical/surgical treatment? – Based on Injury, Reason for Visit, Cause of Injury and Diagnosis items, using the broad definition of injury traditionally used with NAMCS data.
----	---	-------	---

-9 = Blank

-8 = Unknown

0 = No

1 = Yes

2 = Questionable injury status (indicates visits which were reported to be injury related but for which there was no indication on the record based on reason for visit, cause of injury, or diagnosis)

27	1	40	[INJR1] Is this visit related to an injury/trauma or overdose/poisoning? Recoded version #1 (recoded from Injury, Reason for Visit, Cause of Injury and Diagnosis items).
----	---	----	---

0 = No (includes blank and unknown; can be crossed with INJURY to see where those occur)

1 = Yes

This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on **first-listed reason for visit, first-listed cause of injury, and first-listed diagnosis** only. Note that adverse effects of medicinal drugs and adverse effects or complications of medical and surgical care are not included in this definition. However, that information, based on **first-listed reason for visit and first-listed diagnosis**, can be found in category 4 of the INJDETR1\_TRD item.

28	1	41	[INJR2] Is this visit related to an injury/trauma or overdose/poisoning? Recoded version #2 (recoded from Injury, Reason for Visit, Cause of Injury, and Diagnosis items).
----	---	----	--

0 = No (includes blank and unknown; can be crossed with INJURY to see where these occur)

1 = Yes

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on **any-listed reason for visit, any-listed cause of injury, and any-listed diagnosis**. Note that adverse effects of medicinal drugs and adverse effects or complications of medical and surgical care are not included in this definition. However, that information, based on **any-listed reason for visit, any-listed cause of injury, and any-listed diagnosis**, can be found in category 4 of the INJDETR2\_TRD item.

29	2	42-43	<p>[INJPOISAD] Is this visit related to an injury/trauma, overdose/poisoning, or adverse effect of medical/surgical treatment? (2012 was the first year for this format on the automated Patient Record form.)</p> <p>-9 = Blank  -8 = Unknown  1 = Yes, injury/trauma  2 = Yes, overdose/poisoning  3 = Yes, adverse effect of medical/surgical treatment  4 = No  5 = Questionable injury status</p>
30	1	44	<p>[INJPOISADR1] Is this visit related to an injury/trauma, overdose/poisoning, or adverse effect of medical/surgical treatment? (Recoded version #1, based on first-listed Reason for Visit, Cause of Injury, and Diagnosis.)</p> <p>1 = Yes, injury/trauma  2 = Yes, overdose/poisoning  3 = Yes, adverse effect of medical/surgical treatment  4 = No (includes blank and unknown; can be crossed with INJURY to see where those occur)</p>

INJPOISADR1 uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on **first-listed reason for visit, first-listed cause of injury, and first-listed diagnosis** only. In addition, **first-listed reason for visit, first-listed cause of injury, and first-listed diagnosis** codes were used to edit checkbox 3.

31	1	45	<p>[INJPOISADR2] Is this visit related to an injury/trauma, overdose/poisoning, or adverse effect of medical/surgical treatment? (Recoded version #2, based on any-listed Reason for Visit, Cause of Injury, and Diagnosis.)</p> <p>1 = Yes, injury/trauma  2 = Yes, overdose/poisoning  3 = Yes, adverse effect of medical/surgical treatment  4 = No (includes blank and unknown; can be crossed with INJURY to see where those occur)</p>
----	---	----	--

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

INJPOISADR2 uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on **any-listed reason for visit, any-listed cause of injury, and any-listed diagnosis**. In addition, **any-listed reason for visit, any-listed cause of injury, and any-listed diagnosis** codes were used to edit checkbox 3.

32	2	46-47	[INJURY72] Did the injury/trauma, overdose/poisoning, or adverse effect occur within 72 hours prior to the date and time of this visit?
----	---	-------	---

NOTE: In 2014, this item was only asked for injury/trauma and overdose/poisoning-related visits, based on a skip pattern in the instrument. For 2015, it was changed into include adverse effects.

-9=Blank  
 -8=Unknown  
 -7=Not applicable  
 1=Yes  
 2=No

33	2	48-49	[INTENT] Is this injury/trauma or overdose/poisoning intentional or unintentional?
----	---	-------	--

NOTE: The order of the categories was changed on the survey instrument for 2014. Previously, "Unintentional" was listed first. Use caution when combining data across years.

-9 = Blank  
 -8 = Unknown  
 1 = Intentional  
 2 = Unintentional  
 3 = Questionable injury status

34	2	50-51	[INJDET_TRD] Is this visit related to any of the following:
----	---	-------	---

This variable was created during data processing using INJURY, INTENT, Reason for Visit, Cause of Injury, and Diagnosis, as well as any relevant verbatim entries on the record.

-9 = Blank  
 -8 = Unknown  
 -5 = Intentionality does not apply  
 1 = Unintentional injury/poisoning  
 2 = Intentional injury/poisoning  
 3 = Injury/poisoning – unknown intent  
 4 = Adverse effect of medical/surgical care or adverse effect of medicinal drug  
 5 = Visit is not related to injury/poisoning or adverse effect of medical treatment  
 6 = Questionable injury status



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

35	1	52	[INJDETR1_TRD] (INJURY/POISONING/ADVERSE EFFECT – Recoded version #1).
----	---	----	--

Is this visit related to any of the following:

This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on **first-listed reason for visit, first-listed cause of injury, and first-listed diagnosis** only. In addition, **first-listed reason for visit, first-listed cause of injury, and first-listed diagnosis** codes were used to edit checkbox 4.

- 1 = Unintentional injury/poisoning
- 2 = Intentional injury/poisoning
- 3 = Injury/poisoning – unknown intent
- 4 = Adverse effect of medical/surgical care or adverse effect of medicinal drug
- 5 = Visit is not related to injury/poisoning or adverse effect of medical treatment

36	1	53	[INJDETR2_TRD] (INJURY/POISONING/ADVERSE EFFECT – Recoded version #2).
----	---	----	--

Is this visit related to any of the following:

This variable uses a definition of injury developed in conjunction with NCHS' Office of Analysis and Epidemiology and is based on **any-listed reason for visit, any-listed cause of injury, and any-listed diagnosis**. In addition, **any-listed reason for visit, any-listed cause of injury, and any-listed diagnosis** codes were used to edit checkbox 4.

- 1 = Unintentional injury/poisoning
- 2 = Intentional injury/poisoning
- 3 = Injury/poisoning – unknown intent
- 4 = Adverse effect of medical/surgical care or adverse effect of medicinal drug
- 5 = Visit is not related to injury/poisoning or adverse effect of medical treatment

PATIENT'S REASON(S) FOR VISIT (See page 27 in Section I and Coding List in Appendix II.)

37	5	54-58	[RFV1] REASON # 1
----	---	-------	-------------------

-9 = Blank  
10050-89990 = 1005.0-8999.0

38	5	59-63	[RFV2] REASON # 2
----	---	-------	-------------------

-9 = Blank  
10050-89990 = 1005.0-8999.0  
10050-89990 = 1005.0-8999.0

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
39	5	64-68	[RFV3] REASON # 3  -9 = Blank 10050-89990 = 1005.0-8999.0
40	5	69-73	[RFV4] REASON # 4  -9 = Blank 10050-89990 = 1005.0-8999.0
41	5	74-78	[RFV5] REASON # 5  -9 = Blank 10050-89990 = 1005.0-8999.0
42	4	79-82	[CAUSE1] CAUSE OF INJURY #1 (ICD-9-CM, E-Codes) There is an implied decimal between the third and fourth digits; for inapplicable fourth digits, a dash is inserted. A prefix 'E' is implied. Codes in the 700- series were developed by the Ambulatory and Hospital Care Statistics Branch.  -9 = Not applicable/Blank 700- = Drug use/abuse 710- = Alcohol use/abuse 8000-999[-] = E800.0-E999
43	4	83-86	[CAUSE2] CAUSE OF INJURY #2 (ICD-9-CM, E-Codes) There is an implied decimal between the third and fourth digits; for inapplicable fourth digits, a dash is inserted. A prefix 'E' is implied. Codes in the 700- series were developed by the Ambulatory and Hospital Care Statistics Branch.  NOTE: CAUSE2 and CAUSE3 include additional activity codes (E000.0-E030.0) that can be used to indicate the activity of the patient seeking health care for an injury or health condition.  -9 = Not applicable/Blank 700- = Drug use/abuse 710- = Alcohol use/abuse 0000-999[-] = E000.0-E999
44	4	87-90	[CAUSE3] CAUSE #3 (ICD-9-CM, E-Codes) There is an implied decimal between the third and fourth digits; for inapplicable fourth digits, a dash is inserted. A prefix 'E' is implied. See CAUSE #2 for details.

#### NUMERIC RECODES FOR CAUSE OF INJURY

The following recodes are included on the public use file to facilitate analysis of visits using ICD-9-CM E-codes. It had come to our attention in the past that some users of NAMCS data find it preferable to use

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

the numeric field recodes rather than the alphanumeric fields in certain data applications. Users can make their own choice about which format best suits their needs (more information can be found on page 27).

45	4	91-94	[CAUSE1R] CAUSE OF INJURY #1 (Recode to Numeric Field) -9 = Blank 7000 = Drug use/abuse 7100 = Alcohol use/abuse 8000-9999 = E800.0 - E999.[9]
46	4	95-98	[CAUSE2R] CAUSE OF INJURY #2 (Recode to Numeric Field) See CAUSE1R.
47	4	99-102	[CAUSE3R] CAUSE OF INJURY #3 (Recode to Numeric Field) See CAUSE1R.
48	2	103-104	[PRIMCARE] ARE YOU THE PATIENT'S PRIMARY CARE PHYSICIAN?  -9 = Blank -8 = Unknown 1 = Yes 2 = No
49	2	105-106	[REFER] WAS PATIENT REFERRED FOR THIS VISIT?  -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No
50	1	107	[SENBFOR] HAS THE PATIENT BEEN SEEN IN YOUR PRACTICE BEFORE?  1 = Yes, established patient 2 = No, new patient
51	3	108-110	[PASTVIS] HOW MANY PAST VISITS IN THE LAST 12 MONTHS? The value has been topcoded at 35 for visits to all specialties except psychiatry and at 135 for visits to psychiatrists. Top coding of outlier values was done in accordance with NCHS confidentiality requirements.  -7 = Not applicable 0-34 = 0-34 visits 35 = 35 visits or more (applies to all specialties except psychiatry) 36-134 (psychiatry only) 135 = 135 visits or more (psychiatry only)

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
52	2	111-112	<p>[MAJOR] MAJOR REASON FOR THIS VISIT</p> <p>-9 = Blank  1 = New problem (&lt;3 mos. onset)  2 = Chronic problem, routine  3 = Chronic problem, flare-up  4 = Pre surgery  5 = Post surgery  6 = Preventive care (e.g. routine prenatal, well-baby, screening, insurance, general exams)</p> <p>DIAGNOSES (See page 27, Section 1 for explanation of coding.)</p> <p>Note: Physician's diagnosis was modified slightly on 1.6 percent of records due to confidentiality requirements.</p>
53	5	113-117	<p>[DIAG1] DIAGNOSIS # 1 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted.</p> <p>-9 = Blank  0010[-] - V829[-] = 001.0[0]-V82.9[0]  V990- = Noncodable, insufficient information for coding, illegible  V991- = Left before being seen; patient walked out; not seen by doctor; left against medical advice  V992- = Transferred to another facility; sent to see specialist  V993- = HMO will not authorize treatment  V997- = Entry of "none," "no diagnosis," "no disease," or "healthy"</p>
54	2	118-119	<p>[PRDIAG1] IS DIAGNOSIS #1 PROBABLE, QUESTIONABLE, OR RULE OUT?</p> <p>-7 = Not applicable  1 = Yes  2 = No</p>
55	5	120-124	<p>[DIAG2] DIAGNOSIS # 2 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.</p>
56	2	125-126	<p>[PRDIAG2] IS DIAGNOSIS #2 PROBABLE, QUESTIONABLE, OR RULE OUT?</p> <p>-7 = Not applicable  1 = Yes  2 = No</p>
57	5	127-131	<p>[DIAG3] DIAGNOSIS # 3 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
58	2	132-133	[PRDIAG3] IS DIAGNOSIS #3 PROBABLE, QUESTIONABLE, OR RULE OUT?  -7 = Not applicable 1 = Yes 2 = No
59	5	134-138	[DIAG4] DIAGNOSIS # 4 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.
60	2	139-140	[PRDIAG4] IS DIAGNOSIS #3 PROBABLE, QUESTIONABLE, OR RULE OUT?  -7 = Not applicable 1 = Yes 2 = No
61	5	141-145	[DIAG5] DIAGNOSIS # 5 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.
62	2	146-147	[PRDIAG5] IS DIAGNOSIS #3 PROBABLE, QUESTIONABLE, OR RULE OUT?  -7 = Not applicable 1 = Yes 2 = No

#### NUMERIC RECODES FOR DIAGNOSES

The following items were included on the public use file to facilitate analysis of visits using ICD-9-CM codes. Prior to the 1995 public use file, all ICD-9-CM diagnosis codes on the NAMCS micro-data file were converted from alphanumeric to numeric fields according to the following coding conventions: A prefix of '1' was added to ICD-9-CM codes in the range of 001.0[-] through 999.9[-]. A prefix of '20' was substituted for the letter 'V' for codes in the range of V01.0[-] through V82.9[-]. Inapplicable fourth or fifth digits were zero-filled. This conversion was done to facilitate analysis of ICD-9-CM data using Ambulatory Care Statistics software systems. Specific coding conventions are discussed in the public use documentation for each data year.

In 1995, however, the decision was made to use actual ICD-9-CM codes on the public use data file. Codes were not prefixed, and a dash was inserted for inapplicable fourth or fifth digits. This had the advantage of preserving actual codes and avoiding possible confusion over the creation of some artificial codes due to zero-filling.

It had come to our attention in the past that some users of NAMCS data find it preferable to use the numeric field recodes rather than the alphanumeric fields in certain data applications. Therefore, since data year 1997, we have included numeric recodes for ICD-9-CM diagnosis codes on our datasets. These are in addition to the actual codes for these diagnoses which appear earlier on the public use file. Users can make their own choice about which format best suits their needs.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
63	6	148-153	[DIAG1R] DIAGNOSIS # 1 (Recode to Numeric Field) -9 = Blank 100100-208290 = 001.0[0]-V82.9[0] 209900 = Noncodable, insufficient information for coding, illegible 209910 = Left before being seen; patient walked out; not seen by doctor; left against medical advice 209920 = Transferred to another facility; sent to see specialist 209930 = HMO will not authorize treatment 209970 = Entry of "none," "no diagnosis," "no disease," or "healthy"
64	6	154-159	[DIAG2R] DIAGNOSIS # 2 (Recode to Numeric Field) Same as DIAG1R.
65	6	160-165	[DIAG3R] DIAGNOSIS # 3 (Recode to Numeric Field) Same as DIAG1R.
66	6	166-171	[DIAG4R] DIAGNOSIS # 4 (Recode to Numeric Field) Same as DIAG1R.
67	6	172-177	[DIAG5R] DIAGNOSIS # 5 (Recode to Numeric Field) Same as DIAG1R.
			REGARDLESS OF THE DIAGNOSES WRITTEN ABOVE, DOES THE PATIENT NOW HAVE:
			0 = No 1 = Yes
68	1	178	[ETOHAB] Alcohol misuse, abuse, or dependence
69	1	179	[ALZHD] Alzheimer's Disease/Dementia
70	1	180	[ARTHRTIS] Arthritis
71	1	181	[ASTHMA] Asthma
72	2	182-183	[ASTH_SEV] Asthma severity -9 = Blank -7 = Not applicable 1 = Intermittent 2 = Mild persistent 3 = Moderate persistent 4 = Severe persistent 5 = Other, specify 6 = None recorded
73	2	184-185	[ASTH_CON] Asthma control -9=Blank -7=Not applicable 1=Well-controlled 2=Not well controlled 3=Very poorly controlled 4=Other, specify 5=None recorded

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
74	1	186	[AUTISM] Autism spectrum disorder
75	1	187	[CANCER] Cancer
76	1	188	[CEBVD] Cerebrovascular disease/History of stroke (CVA) or transient ischemic attack (TIA)
77	1	189	[CKD] Chronic kidney disease (CKD)
78	1	190	[COPD] Chronic obstructive pulmonary disease (COPD)
79	1	191	[CHF] Congestive heart failure (CHF)
80	1	192	[CAD] Coronary artery disease (CAD), ischemic heart disease (IHD), or history of myocardial infarction (MI)
81	1	193	[DEPRN] Depression
82	1	194	[DIABTYP1] Diabetes mellitus (DM), type I
83	1	195	[DIABTYP2] Diabetes mellitus (DM), type II
84	1	196	[DIABTYP0] Diabetes mellitus (DM), type unspecified
85	1	197	[ESRD] End stage renal disease (ESRD)
86	1	198	[HPE] History of pulmonary embolism (PE), or deep vein thrombosis (DVT), or venous thromboembolism (VTE)
87	1	199	[HIV] HIV infection/AIDS
88	1	200	[HYPLIPID] Hyperlipidemia
89	1	201	[HTN] Hypertension
90	1	202	[OBESITY] Obesity
91	1	203	[OSA] Obstructive sleep apnea (OSA)
92	1	204	[OSTPRIS] Osteoporosis
93	1	205	[SUBSTAB] Substance abuse or dependence
94	1	206	[NOCHRON] None of the above  0 = "None" not checked 1 = "None" checked 2 = Entire item blank
95	2	207-208	[TOTCHRON] TOTAL NUMBER OF CHRONIC CONDITIONS  -9 = Entire item blank 0-12  VITAL SIGNS
96	1	209	[HTTAKE] Was height measurement reported? (Created during data processing based on reported data.)  0 = No 1 = Yes
97	2	210-211	[HTIN] PATIENT'S HEIGHT (inches) Height has been top coded in accordance with NCHS confidentiality requirements.  -9 = Blank 12 - 71 inches (reported range) 72 = 72 inches or more (top code for females) 77 = 77 inches or more (top code for males)

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
98	1	212	[WTTAKE] Was weight measurement reported? (Created during data processing based on reported data.)  0 = No 1 = Yes
99	3	213-215	[WTLB] PATIENT'S WEIGHT (pounds) Weight has been top coded in accordance with NCHS confidentiality requirements. -9 = Blank 1-349 (reported range) 350 = 350 lbs. or more
100	8	216-223	[BMI] Body-Mass Index This was calculated from Patient's Height and Weight during data processing. It contains a decimal point and up to 2 decimal places. BMI was not calculated for pregnant females, patients under age 2, or patients with a recorded height and/or weight that fell outside of acceptable ranges. Also, BMI was recalculated to reflect topcoded values for height and weight.  -9 = Missing data -7 = Not calculated -5 = Height and/or weight outside of acceptable ranges 9.97 – 66.39 (reported range)
101	1	224	[TEMPTAKE] Was temperature reported? (Created during data processing based on reported data.)  0 = No 1 = Yes
102	4	225-228	[TEMPF] Temperature (Fahrenheit) There is an implied decimal between the third and fourth digits.  -9 = Blank 908 - 1044 = 90.8 - 104.4 Fahrenheit (reported range)
103	1	229	[BLODPRES] Was blood pressure reported? (Created during data processing based on reported data.)  0 = No 1 = Yes
104	3	230-232	[BPSYS] Blood pressure – systolic  -9 = Blank 62-229 (reported range)



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
105	3	233-235	<p>[BPDIAS] Blood pressure – diastolic</p> <p>-9 = Blank 21-180 (reported range) 998 = P, Palp, DOP, or DOPPLER</p> <p>SERVICES</p>
106	1	236	<p>[SERVICES] Were any examinations/screenings, laboratory tests, imaging, procedures, treatments, health education/counseling, or other services ordered or provided at this visit?</p> <p>NOTE: Prior to the 2012 survey, diagnostic and screening services were collected in one question on the Patient Record Form, non-medication services in another, and health education in a third. As described in the annual public use file documentation, from 2009-2011, the diagnostic and screening services item was combined with the non-medication services item to create a combined services item during data processing. Starting in 2012, all services were combined into one item on the automated Patient Record Form.</p> <p>0 = No services were reported 1 = At least one service was reported</p> <p>0 = No, 1 = Yes for each category below</p> <p>Examinations:</p>
107	1	237	[ETOH] Alcohol abuse screening (includes AUDIT, MAST, CAGE, T-ACE)
108	1	238	[BREAST] Breast exam
109	1	239	[DEPRESS] Depression screening
110	1	240	[DVS] Domestic violence screening
111	1	241	[FOOT] Foot exam
112	1	242	[NEURO] Neurologic exam
113	1	243	[PELVIC] Pelvic exam
114	1	244	[RECTAL] Rectal exam
115	1	245	[RETINAL] Retinal/Eye exam
116	1	246	[SKIN] Skin exam
117	1	247	[SUBST] Substance abuse screening (includes NIDA/NM ASSIST, CAGE-AID, DAST-10]
			Laboratory tests:
118	1	248	[BMP] Basic metabolic panel ((BMP)
119	1	249	[CBC] CBC (Complete blood count)
120	1	250	[CHLAMYD] Chlamydia test
121	1	251	[CMP] Comprehensive metabolic panel (CMP)
122	1	252	[CREAT] Creatinine/Renal function panel
123	1	253	[BLDCX] Culture, blood
124	1	254	[TRTCX] Culture, throat

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
125	1	255	[URNCX] Culture, urine
126	1	256	[OTHCX] Culture, other
127	1	257	[GLUCOSE] Glucose, serum
128	1	258	[GCT] Gonorrhea test
129	1	259	[HGBA] HgbA1C (Glycohemoglobin)
130	1	260	[HEPTEST] Hepatitis testing/Hepatitis panel
131	1	261	[HIVTEST] HIV test
132	1	262	[HPVDNA] HPV DNA test
133	1	263	[CHOLEST] Lipid profile
134	1	264	[HEPATIC] Liver enzyme/hepatic function panel
135	1	265	[PAP] Pap test
136	1	266	[PREGTEST] Pregnancy/HCG test
137	1	267	[PSA] PSA (Prostate specific antigen)
138	1	268	[STREP] Rapid strep test
139	1	269	[THYROID] TSH/Thyroid panel
140	1	270	[URINE] Urinalysis (UA)
141	1	271	[VITD] Vitamin D test
			Imaging:
142	1	272	[ANYIMAGE] This item was created during data processing and indicates whether any of the imaging boxes were checked.
143	1	273	[BONEDENS] Bone mineral density
144	1	274	[CATSCAN] CT Scan
145	1	275	[ECHOCARD] Echocardiogram
146	1	276	[OTHULTRA] Other ultrasound
147	1	277	[MAMMO] Mammography
148	1	278	[MRI] MRI
149	1	279	[XRAY] X-ray and procedures
150	1	280	[OTHIMAGE] Other imaging NOTE: This was not a checkbox category on the survey. It was created during data processing based on responses to the "other services not listed" items, in which data respondents could enter names of procedures which were later coded using ICD-9-CM procedure codes.
			Procedures:
151	1	281	[AUDIO] Audiometry
152	1	282	[BIOPSY] Biopsy
153	2	283-284	[BIOPROV] Biopsy provided -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No
154	1	285	[CARDIAC] Cardiac stress test

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
155	1	286	[COLON] Colonoscopy
156	1	287	[CRYO] Cryosurgery (cryotherapy)/Destruction of tissue
157	1	288	[EKG] EKG/ECG
158	1	289	[EEG] Electroencephalogram (EEG)
159	1	290	[EMG] Electromyogram (EMG)
160	1	291	[EXCISION] Excision of tissue
161	2	292-293	[EXCIPROV] Excision of tissue provided -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No
162	1	294	[FETAL] Fetal monitoring
163	1	295	[PEAK] Peak flow
164	1	296	[SIGMOID] Sigmoidoscopy
165	2	297-298	[SIGPROV] Sigmoidoscopy provided -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No
166	1	299	[SPIRO] Spirometry
167	1	300	[TONO] Tonometry
168	1	301	[TBTEST] Tuberculosis skin testing/PPD
169	1	302	[EGD] Upper gastrointestinal endoscopy/EGD
170	1	303	[SIGCOLON] Sigmoidoscopy/Colonoscopy This item was created during data processing and indicates whether any type of sigmoidoscopy or colonoscopy was ordered or provided, as reported in the checkbox data or write-in procedures.  This estimate will be slightly greater than just combining data from SIGMOID and COLON because of the addition of overlapping ICD-9-CM procedure codes that couldn't be assigned to either SIGMOID or COLON. This is a summary variable only and should not be added to results from the checkbox or write-in procedure fields.  Treatments:
171	1	304	[CSW] Cast/Splint/Wrap
172	1	305	[CAM] Complementary and alternative medicine (CAM)
173	1	306	[DME] Durable medical equipment
174	1	307	[HOMEHLTH] Home health care
175	1	308	[MENTAL] Mental health counseling, excluding psychotherapy
176	1	309	[OCCUPY] Occupational therapy
177	1	310	[PT] Physical therapy
178	1	311	[PSYCHOTH] Psychotherapy
179	1	312	[RADTHER] Radiation therapy

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
180	1	313	[WOUND] Wound care  Health education/Counseling:
181	1	314	[ETOHED] Alcohol abuse counseling
182	1	315	[ASTHMAED] Asthma education
183	1	316	[ASTHMAP] Asthma action plan given to patient
184	1	317	[DIAEDUC] Diabetes education
185	1	318	[DIETNUTR] Diet/Nutrition
186	1	319	[EXERCISE] Exercise
187	1	320	[FAMPLAN] Family planning/Contraception
188	1	321	[GENETIC] Genetic counseling
189	1	322	[GRWTHDEV] Growth/Development
190	1	323	[INJPREV] Injury prevention
191	1	324	[STDPREV] STD prevention
192	1	325	[STRESMGT] Stress management
193	1	326	[SUBSTED] Substance abuse counseling
194	1	327	[TOBACED] Tobacco use/Exposure
195	1	328	[WTREDUC] Weight reduction
196	1	329	[OTHSERV] Other services not listed

## PROCEDURES

Procedures 1-9 are derived from the write-in fields under "Other Services Not Listed" on the automated Patient Record Form. To get a complete picture of the number and type of procedures reported at a visit, data users should include results from all of the procedure fields.

197	4	330-333	[PROC1] Write-in procedure #1  ICD-9-CM Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. -9 = Blank 0001-999 = 00.01-99.99
198	4	334-337	[PROC2] Write-in procedure #2: see PROC1 for details
199	4	338-341	[PROC3] Write-in procedure #3: see PROC1 for details
200	4	342-345	[PROC4] Write-in procedure #4: see PROC1 for details
201	4	346-349	[PROC5] Write-in procedure #5: see PROC1 for details
202	4	350-353	[PROC6] Write-in procedure #6: see PROC1 for details
203	4	354-357	[PROC7] Write-in procedure #7: see PROC1 for details
204	4	358-361	[PROC8] Write-in procedure #8: see PROC1 for details
205	4	362-365	[PROC9] Write-in procedure #9: see PROC1 for details

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### NUMERIC RECODES FOR PROCEDURES 1-9

The following recodes are included on the public use file to facilitate analysis of visits using ICD-9-CM codes. It had come to our attention in the past that some users of NAMCS data find it preferable to use the numeric field recodes rather than the alphanumeric fields in certain data applications. Users can make their own choice about which format best suits their needs.

206	4	366-369	<p>[PROC1R] Write-in procedure #1</p> <p>A left-justified numeric code with an implied decimal after the first two digits; inapplicable fourth digits are zero-filled.</p> <p>-9 = Blank</p> <p>0001-999 = 00.01-99.99</p>
207	4	370-373	[PROC2R] Write-in procedure #2: see PROC1R for details
208	4	374-377	[PROC3R] Write-in procedure #3: see PROC1R for details
209	4	378-381	[PROC4R] Write-in procedure #4: see PROC1R for details
210	4	382-385	[PROC5R] Write-in procedure #5: see PROC1R for details
211	4	386-389	[PROC6R] Write-in procedure #6: see PROC1R for details
212	4	390-393	[PROC7R] Write-in procedure #7: see PROC1R for details
213	4	394-397	[PROC8R] Write-in procedure #8: see PROC1R for details
214	4	398-401	[PROC9R] Write-in procedure #9: see PROC1R for details
215	1	402	<p>[EXAM] Examination</p> <p>This item was created during data processing and indicates whether any of the write-in procedures reflect an ICD-9-CM code indexed specifically to Examinations. It is a summary variable only and should not be added to results from the write-in procedure fields.</p>
216	2	403-404	<p>[SERVCNT] Total number of services reported as ordered or provided at the visit. Includes all services and vital sign determinations, including write-in entries for procedures (adjusted to avoid double counting between procedures that could be reported as both a checkbox and with more detail in the write-in field).</p> <p>0-25 (reported range)</p>
217	1	405	<p>[ALLSERV] Were any services ordered or provided at the visit, including vital sign determinations?</p> <p>0 = No services were ordered or provided at the visit</p> <p>1 = At least one service was ordered or provided at the visit</p> <p>MEDICATIONS &amp; IMMUNIZATIONS (See page 28 for more information. See Appendix III for Code List.)</p>
218	1	406	<p>[MED] WERE ANY PRESCRIPTION OR NON-PRESCRIPTION DRUGS ORDERED OR PROVIDED (BY ANY ROUTE OF ADMINISTRATION) AT THIS VISIT?</p> <p>0 = No</p> <p>1 = Yes</p> <p>2 = Entire item blank, including "None" box</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
219	5	407-411	[MED1] MEDICATION #1 -9 = Blank 00000-99227 = 00000-99227 99980 = Unknown Entry; Other 99999 = Illegible Entry
220	5	412-416	[MED2] MEDICATION #2 - See MED1
221	5	417-421	[MED3] MEDICATION #3 - See MED1
222	5	422-426	[MED4] MEDICATION #4 - See MED1
223	5	427-431	[MED5] MEDICATION #5 - See MED1
224	5	432-436	[MED6] MEDICATION #6 - See MED1
225	5	437-441	[MED7] MEDICATION #7 - See MED1
226	5	442-446	[MED8] MEDICATION #8 - See MED1
227	5	447-451	[MED9] MEDICATION #9 - See MED1
228	5	452-456	[MED10] MEDICATION #10 - See MED1
229	5	457-461	[MED11] MEDICATION #11 - See MED1
230	5	462-466	[MED12] MEDICATION #12 - See MED1
231	5	467-471	[MED13] MEDICATION #13 - See MED1
232	5	472-476	[MED14] MEDICATION #14 - See MED1
233	5	477-481	[MED15] MEDICATION #15 - See MED1
234	5	482-486	[MED16] MEDICATION #16 - See MED1
235	5	487-491	[MED17] MEDICATION #17 - See MED1
236	5	492-496	[MED18] MEDICATION #18 - See MED1
237	5	497-501	[MED19] MEDICATION #19 - See MED1
238	5	502-506	[MED20] MEDICATION #20 - See MED1
239	5	507-511	[MED21] MEDICATION #21 - See MED1
240	5	512-516	[MED22] MEDICATION #22 - See MED1
241	5	517-521	[MED23] MEDICATION #23 - See MED1
242	5	522-526	[MED24] MEDICATION #24 - See MED1
243	5	527-531	[MED25] MEDICATION #25 - See MED1
244	5	532-536	[MED26] MEDICATION #26 - See MED1
245	5	537-541	[MED27] MEDICATION #27 - See MED1
246	5	542-546	[MED28] MEDICATION #28 - See MED1
247	5	547-551	[MED29] MEDICATION #29 - See MED1
248	5	552-556	[MED30] MEDICATION #30 - See MED1
249	2	557-558	[NCMED1] Was medication #1 new or continued? -9 = Blank -7 = Not applicable (no drug listed) 1 = New 2 = Continued
250	2	559-560	[NCMED2] Was medication #2 new or continued? See NCMED1.
251	2	561-562	[NCMED3] Was medication #3 new or continued? See NCMED1.
252	2	563-564	[NCMED4] Was medication #4 new or continued? See NCMED1.
253	2	565-566	[NCMED5] Was medication #5 new or continued? See NCMED1.
254	2	567-568	[NCMED6] Was medication #6 new or continued? See NCMED1.
255	2	569-570	[NCMED7] Was medication #7 new or continued? See NCMED1.
256	2	571-572	[NCMED8] Was medication #8 new or continued? See NCMED1.
257	2	573-574	[NCMED9] Was medication #9 new or continued? See NCMED1.
258	2	575-576	[NCMED10] Was medication #10 new or continued? See NCMED1.
259	2	577-578	[NCMED11] Was medication #11 new or continued? See NCMED1.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
260	2	579-580	[NCMED12] Was medication #12 new or continued? See NCMED1.
261	2	581-582	[NCMED13] Was medication #13 new or continued? See NCMED1.
262	2	583-584	[NCMED14] Was medication #14 new or continued? See NCMED1.
263	2	585-586	[NCMED15] Was medication #15 new or continued? See NCMED1.
264	2	587-588	[NCMED16] Was medication #16 new or continued? See NCMED1.
265	2	589-590	[NCMED17] Was medication #17 new or continued? See NCMED1.
266	2	591-592	[NCMED18] Was medication #18 new or continued? See NCMED1.
267	2	593-594	[NCMED19] Was medication #19 new or continued? See NCMED1.
268	2	595-596	[NCMED20] Was medication #20 new or continued? See NCMED1.
269	2	597-598	[NCMED21] Was medication #21 new or continued? See NCMED1.
270	2	599-600	[NCMED22] Was medication #22 new or continued? See NCMED1.
271	2	601-602	[NCMED23] Was medication #23 new or continued? See NCMED1.
272	2	603-604	[NCMED24] Was medication #24 new or continued? See NCMED1.
273	2	605-606	[NCMED25] Was medication #25 new or continued? See NCMED1.
274	2	607-608	[NCMED26] Was medication #26 new or continued? See NCMED1.
275	2	609-610	[NCMED27] Was medication #27 new or continued? See NCMED1.
276	2	611-612	[NCMED28] Was medication #28 new or continued? See NCMED1.
277	2	613-614	[NCMED29] Was medication #29 new or continued? See NCMED1.
278	2	615-616	[NCMED30] Was medication #30 new or continued? See NCMED1.
279	2	617-618	[NUMMED] NUMBER OF MEDICATIONS CODED 0 – 30
280	2	619-620	[NUMNEW] NUMBER OF NEW MEDICATIONS CODED 0 – 30
281	2	621-622	[NUMCONT] NUMBER OF CONTINUED MEDICATIONS CODED 0 – 30
NOTE: For NUMNEW and NUMCONT, the value '0' can reflect the following situations: for NUMNEW, a) no drug listed; b) drug listed as continued medication only; or c) drug listed but unknown whether new or continued; for NUMCONT, a) no drug listed; b) drug listed as new medication only, or c) drug listed but unknown whether new or continued			
PROVIDERS SEEN			
0 = No, 1 = Yes			
282	1	623	[NOPROVID] No answer to item
283	1	624	[PHYS] Physician
284	1	625	[PHYSASST] Physician assistant
285	1	626	[NPNMW] Nurse practitioner/Midwife
286	1	627	[RNLPN] RN/LPN
287	1	628	[MHP] Mental health provider
288	1	629	[OTHPROV] Other provider
289	1	630	[PROVNONE] None; no providers seen

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
290	3	631-633	[TIMEMD] TIME SPENT WITH MD (in minutes) Time spent with MD has been top coded in accordance with NCHS confidentiality requirements.  0-89 minutes 90 = 90 minutes or more  VISIT DISPOSITION  0 = No, 1 = Yes
291	1	634	[NODISP] No answer to item
292	1	635	[RETREFPHY] Return to referring physician
293	1	636	[REFOTHMD] Refer to other physician
294	1	637	[RETAPPT1] Return in less than 1 week
295	1	638	[RETAPPT2] Return in 1 week to less than 2 months
296	1	639	[RETAPPT3] Return in 2 months or greater
297	1	640	[RETUNSP] Return at unspecified time
298	1	641	[RETNEED] Return as needed (p.r.n.)
299	1	642	[ERADMHOS] Refer to emergency department/Admit to hospital
300	1	643	[OTHDISP] Other visit disposition

\*\*\*\* THE FOLLOWING FIELDS SHOW WHETHER DATA WERE REPORTED ON THE AUTOMATED PATIENT RECORD FORM OR CALCULATED DURING DATA PROCESSING, OR WHETHER DATA WERE IMPUTED TO REPLACE BLANKS \*\*\*\*

301	2	644-645	[AGEFLAG] Was patient age reported on the automated Patient Record Form or calculated during data processing based on date of visit and date of birth?  -9 = Birth date imputed 0 = Calculated by NCHS 1 = Entered by respondent
302	1	646	Blank – reserved for possible future use  IMPUTED ITEMS  0 = Not imputed 1 = Imputed
303	1	647	[BDATEFL] Patient birth year
304	1	648	[SEXFL] Patient sex
305	1	649	[ETHNICFL] Patient ethnicity
306	1	650	[RACERFL] Patient race
307	1	651	[SENBEFL] Has patient been seen in your practice before?
308	1	652	[PASTFL] If yes, how many past visits in last 12 months?
309	1	653	[TIMEMDFL] Time spent with physician (minutes)
310	1	654	[HTWTFL] Did height or weight fall outside of acceptable ranges?



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
311	4	655-659	[PHYCODE] PHYSICIAN CODE - A unique code assigned to all records from a particular physician. 15-8072
312	3	660-662	[PATCODE] PATIENT CODE - A number assigned to identify each individual record from a particular physician. 1-58
313	2	663-664	[SPECR] PHYSICIAN SPECIALTY RECODE, 14 GROUPS This is a 14-group specialty variable that is consistent with the SPECR variable in previous survey years when similar groups were sampled.  <div> 01 = General and family practice    09 = Dermatology  03 = Internal medicine                10 = Urology  04 = Pediatrics                        11 = Psychiatry  05 = General surgery                12 = Neurology  06 = Obstetrics and gynecology    13 = Ophthalmology  07 = Orthopedic surgery            14 = Otolaryngology  08 = Cardiovascular diseases      15 = All other </div>
(Note: For SPECR, doctors of osteopathy (formerly stratum 02) have been aggregated with doctors of medicine according to their self-designated practice specialty, and therefore are not differentiated in the variable range. To isolate doctors of osteopathy from medical doctors using the Physician Specialty Recode variable, it is necessary to crosstabulate it with Type of Doctor located in position 666.)			
314	1	665	[SPEC CAT] PHYSICIAN SPECIALTY GROUP (Recoded from internal data using categories on page 124.) 1 = Primary care specialty 2 = Surgical care specialty 3 = Medical care specialty
315	1	666	[MDDO] TYPE OF DOCTOR 1 = M.D. - Doctor of Medicine 2 = D.O. - Doctor of Osteopathy
316	1	667	[RETYPOFFR] TYPE OF OFFICE SETTING FOR THIS VISIT (Recoded) 1 = Private solo or group practice 2 = Other
317	2	668-669	[SOLO] DO YOU HAVE A SOLO PRACTICE, OR ARE YOU ASSOCIATED WITH OTHER PHYSICIANS IN A PARTNERSHIP, A GROUP PRACTICE, OR SOME OTHER WAY AT THIS VISIT LOCATION? -9 = Blank -8 = Unknown -6 = Refused to answer question 1 = Solo 2 = Non-solo

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
318	2	670-671	<p>[EMPSTAT] ARE YOU A FULL OR PART OWNER, EMPLOYEE, OR INDEPENDENT CONTRACTOR AT THIS VISIT LOCATION?</p> <p>-9 = Blank  -8 = Unknown  -6 = Refused to answer question  1 = Full owner  2 = Part owner  3 = Employee  4 = Contractor</p>
319	2	672-673	<p>[OWNSR] WHO OWNS THE PRACTICE AT THIS VISIT LOCATION? (Recoded)</p> <p>-9 = Blank  -8 = Unknown  -6 = Refused to answer question  1 = Physician or physician group  2 = Medical/Academic health center; other hospital  3 = Insurance company, health plan, or HMO; other health care Corporation; other</p>
320	2	674-675	<p>[PATEVEN] DO YOU SEE PATIENTS IN THE OFFICE DURING THE EVENING OR ON WEEKENDS?</p> <p>-9 = Blank  -8 = Unknown  -6 = Refused to answer question  1 = Yes  2 = No</p> <p>DURING LAST NORMAL WEEK OF PRACTICE, DID YOU MAKE ENCOUNTERS OF THE FOLLOWING TYPES WITH PATIENTS:</p>
321	2	676-677	<p>[NHVISR] NURSING HOME VISITS</p> <p>-9 = Blank  -8 = Unknown  -6 = Refused to answer question  0 = No  1 = Yes</p>
322	2	678-679	<p>[HOMVISR] OTHER HOME VISITS</p> <p>-9 = Blank  -8 = Unknown  -6 = Refused to answer question  0 = No  1 = Yes</p>
323	2	680-681	<p>[HOSVISR] HOSPITAL VISITS</p> <p>-9 = Blank  -8 = Unknown  -6 = Refused to answer question  0 = No  1 = Yes</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
324	2	682-683	<p>[TELCONR] TELEPHONE CONSULTS</p> <p>-9 = Blank  -8 = Unknown  -6 = Refused to answer question  0 = No  1 = Yes</p>
325	2	684-685	<p>[ECONR] INTERNET/EMAIL CONSULTS</p> <p>-9 = Blank  -8 = Unknown  -6 = Refused to answer question  0 = No  1 = Yes</p>
326	2	686-687	<p>[EBILLANY] DOES YOUR PRACTICE SUBMIT ANY CLAIMS ELECTRONICALLY (ELECTRONIC BILLING)?</p> <p>NOTE: In cases where physicians report on multiple office locations, the item included here refers to the office with the most visits.</p> <p>-9 = Blank  -8 = Unknown  -6 = Refused to answer question  1 = Yes  2 = No</p>
327	2	688-689	<p>[EMEDREC] DOES YOUR PRACTICE USE AN ELECTRONIC HEALTH RECORD (EHR) OR ELECTRONIC MEDICAL RECORD (EMR) SYSTEM? Do not include billing records systems.</p> <p>NOTE: In cases where physicians report on multiple office locations, the item included here refers to the office with the most visits.</p> <p>-9 = Blank  -8 = Don't know  -6 = Refused to answer question  1 = Yes, all electronic  2 = Yes, part paper and part electronic  3 = No</p>
328	2	690-691	<p>[HHSMU] DOES YOUR CURRENT SYSTEM MEET MEANINGFUL CRITERIA AS DEFINED BY THE DEPARTMENT OF HEALTH AND HUMAN SERVICES?</p> <p>-9 = Blank  -8 = Don't know  -6 = Refused to answer question  1 = Yes  2 = No</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
329	2	692-693	<p>[SECURCHCK] HAS YOUR PRACTICE MADE AN ASSESSMENT OF THE POTENTIAL RISKS AND VULNERABILITY OF YOUR ELECTRONIC HEALTH INFORMATION WITHIN THE LAST 12 MONTHS?</p> <p>-9 = Blank  -8 = Don't know  -6 = Refused to answer question  1 = Yes  2 = No</p>
330	2	694-695	<p>[DIFFEHR] DOES YOUR EHR HAVE THE CAPABILITY TO ELECTRONICALLY SEND HEALTH INFORMATION TO ANOTHER PROVIDER WHOSE EHR SYSTEM IS DIFFERENT FROM YOUR SYSTEM?</p> <p>-9 = Blank  -8 = Don't know  -6 = Refused to answer question  1 = Yes  2 = No</p>
331	2	696-697	<p>[EMRINS] AT YOUR PRACTICE, ARE THERE PLANS FOR INSTALLING A NEW EMR SYSTEM OR REPLACING THE CURRENT SYSTEM WITHIN THE NEXT 18 MONTHS?</p> <p>NOTE: In cases where physicians report on multiple office locations, the item included here refers to the office with the most visits.</p> <p>-9 = Blank  -8 = Don't know  -6 = Refused to answer question  1 = Yes  2 = No  3 = Maybe</p>
332	2	698-699	<p>[MUSTAGE1] MEDICARE AND MEDICAID OFFER INCENTIVES TO PRACTICES THAT DEMONSTRATE, MEANINGFUL USE OF HEALTH IT. AT YOUR PRACTICE, ARE THERE PLANS TO APPLY FOR STAGE 1 OF THESE INCENTIVE PAYMENTS?</p> <p>NOTE: In cases where physicians report on multiple office locations, the item included here refers to the office with the most visits.</p> <p>-9 = Blank  -8 = Don't know  -6 = Refused to answer question  1 = Yes, we already applied  2 = Yes, we intend to apply  3 = Uncertain if we will apply  4 = No, we will not apply</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
333	2	700-701	[MUSTAGE2] ARE THERE PLANS TO APPLY FOR STAGE 2 INCENTIVE PAYMENTS? -9 = Blank -8 = Unknown -7 = Not applicable 1 = Yes 2 = No 3 = Maybe

IMPORTANT NOTE: Questions on features of a practice's computerized capabilities have changed over the years. In the following section, items with an "R" suffix have been recoded in each year since 2010 to be consistent with the format used in the 2009 Physician Induction Interview, to make trending easier. Items without the "R" suffix reflect the current format. New items may appear in both formats as well.

PLEASE INDICATE WHETHER THE AMBULATORY REPORTING LOCATION HAS EACH OF THE FOLLOWING COMPUTERIZED CAPABILITIES AND HOW OFTEN THESE CAPABILITIES ARE USED:  
(APPLIES TO ITEMS 334-385)

NOTE: In cases where physicians report on multiple office locations, the items included below refer to the office with the most visits.

334	2	702-703	[EDEMOG] RECORDING PATIENT HISTORY AND DEMOGRAPHIC INFORMATION -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
335	2	704-705	[EDEMOGR] RECORDING PATIENT HISTORY AND DEMOGRAPHIC INFORMATION (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
336	2	706-707	[EPROLST] RECORDING PATIENT PROBLEM LIST -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
337	2	708-709	[EPROLSTR] RECORDING PATIENT PROBLEM LIST (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1= Yes 2= No 4= Turned off
338	2	710-711	[EVITAL] RECORDING AND CHARTING VITAL SIGNS -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
339	2	712-713	[EVITALR] RECORDING AND CHARTING VITAL SIGNS (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
340	2	714-715	[ESMOKE] RECORDING PATIENT SMOKING STATUS -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
341	2	716-717	[ESMOKER] RECORDING PATIENT SMOKING STATUS (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
342	2	718-719	[EPNOTES] RECORDING CLINICAL NOTES -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
343	2	720-721	[EPNOTESR] RECORDING CLINICAL NOTES (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
344	2	722-723	[EMEDALG] RECORDING PATIENT'S MEDICATIONS AND ALLERGIES? -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
345	2	724-725	[EMEDALGR] RECORDING PATIENT'S MEDICATIONS AND ALLERGIES? (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
346	2	726-727	[EMEDID] RECONCILING LISTS OF PATIENTS' MEDICATIONS TO IDENTIFY THE MOST ACCURATE LIST -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
347	2	728-729	[EMEDIDR] RECONCILING LISTS OF PATIENTS' MEDICATIONS TO IDENTIFY THE MOST ACCURATE LIST (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
348	2	730-731	[EREMIND] REMINDERS FOR GUIDELINE-BASED INTERVENTIONS AND/OR SCREENING TESTS -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
349	2	732-733	[EREMINDR] REMINDERS FOR GUIDELINE-BASED INTERVENTIONS AND/OR SCREENING TESTS (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
350	2	734-735	[ECPOE] ORDERING PRESCRIPTIONS -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
351	2	736-737	[ECPOER] ORDERING PRESCRIPTIONS (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
352	2	738-739	[ESCRIP] IF YES TO ORDERING PRESCRIPTIONS, ARE PRESCRIPTIONS SENT ELECTRONICALLY TO THE PHARMACY? -9 = Blank -8 = Don't know -7 = Not applicable -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
353	2	740-741	[ESCRIPR] IF YES TO ORDERING PRESCRIPTIONS, ARE PRESCRIPTIONS SENT ELECTRONICALLY TO THE PHARMACY? -9 = Blank -8 = Don't know -7 = Not applicable -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
354	2	742-743	[EWARN] IF YES TO ORDERING PRESCRIPTIONS, ARE WARNINGS OF DRUG INTERACTIONS OR CONTRAINDICATIONS PROVIDED? -9 = Blank -8 = Don't know -7 = Not applicable -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
355	2	744-745	[EWARNR] IF YES TO ORDERING PRESCRIPTIONS, ARE WARNINGS OF DRUG INTERACTIONS OR CONTRAINDICATIONS PROVIDED? (recoded for trending) -9 = Blank -8 = Don't know -7 = Not applicable -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
356	2	746-747	[EFORMULA] IF YES TO ORDERING PRESCRIPTIONS, ARE DRUG FORMULARY CHECKS PERFORMED? -9 = Blank -8 = Don't know -7 = Not applicable -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
357	2	748-749	[EFORMULAR] IF YES TO ORDERING PRESCRIPTIONS, ARE DRUG FORMULARY CHECKS PERFORMED? (recoded for trending) -9 = Blank -8 = Don't know -7 = Not applicable -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
358	2	750-751	[ECTOEO] ORDERING LAB TESTS -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
359	2	752-753	[ECTOER] ORDERING LAB TESTS (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
360	2	754-755	[EORDER] IF YES TO ORDERING LAB TESTS, ARE ORDERS SENT ELECTRONICALLY? -9 = Blank -8 = Don't know -7 = Not applicable -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
361	2	756-757	[EORDERR] IF YES TO ORDERING LAB TESTS, ARE ORDERS SENG ELECTRONICALLY? (recoded for trending) -9 = Blank -8 = Don't know -7 = Not applicable -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
362	2	758-759	[ERESULT] VIEWING LAB RESULTS -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
363	2	760-761	[ERESULTR] VIEWING LAB RESULTS (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
364	2	762-763	[EGRAPH] IF YES TO VIEWING LAB RESULTS, CAN THE EHR/EMR AUTOMATICALLY GRAPH A SPECIFIC PATIENT'S LAB RESULTS OVER TIME? -9 = Blank -8 = Don't know -7 = Not applicable -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
365	2	764-765	[EGRAPHR] IF YES TO VIEWING LAB RESULTS, CAN THE EHR/EMR AUTOMATICALLY GRAPH A SPECIFIC PATIENT'S LAB RESULTS OVER TIME? (recoded) -9 = Blank -8 = Don't know -7 = Not applicable -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
366	2	766-767	[ERADI] ORDERING RADIOLOGY TESTS? -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
367	2	768-769	[ERADIR] ORDERING RADIOLOGY TESTS? (recoded) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
368	2	770-771	[EIMGRES] VIEWING IMAGING RESULTS -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
369	2	772-773	[EIMGRESR] VIEWING IMAGING RESULTS (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
370	2	774-775	[EPTEDU] IDENTIFYING EDUCATIONAL RESOURCES FOR PATIENTS' SPECIFIC CONDITIONS -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
371	2	776-777	[EPTEDUR] IDENTIFYING EDUCATIONAL RESOURCES FOR PATIENTS' SPECIFIC CONDITIONS (recoded for trending) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
372	2	778-779	[ECQM] REPORTING CLINICAL QUALITY MEASURES TO FEDERAL OR STATE AGENCIES (SUCH AS CMS OR MEDICAID) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
373	2	780-781	[ECQMR] REPORTING CLINICAL QUALITY MEASURES TO FEDERAL OR STATE AGENCIES (SUCH AS CMS OR MEDICAID) (recoded) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
374	2	782-783	[EIDPT] IDENTIFYING PATIENTS DUE FOR PREVENTIVE OR FOLLOW-UP CARE IN ORDER TO SEND PATIENTS REMINDERS? -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
375	2	784-785	[EIDPTR] IDENTIFYING PATIENTS DUE FOR PREVENTIVE OR FOLLOW-UP CARE IN ORDER TO SEND PATIENTS REMINDERS? (recoded) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
376	2	786-787	[EGENLIST] GENERATING LISTS OF PATIENTS WITH PARTICULAR HEALTH CONDITIONS -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
377	2	788-789	[EGENLISTR] GENERATING LISTS OF PATIENTS WITH PARTICULAR HEALTH CONDITIONS (recoded) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
378	2	790-791	[EIMMREG] ELECTRONIC REPORTING TO IMMUNIZATION REGISTRIES -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
379	2	792-793	[EIMMREGR] ELECTRONIC REPORTING TO IMMUNIZATION REGISTRIES (recoded) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
380	2	794-795	[ESUM] PROVIDING PATIENTS WITH CLINICAL SUMMARIES FOR EACH VISIT -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
381	2	796-797	[ESUMR] PROVIDING PATIENTS WITH CLINICAL SUMMARIES FOR EACH VISIT (recoded) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
382	2	798-799	[EMSG] EXCHANGING SECURE MESSAGES WITH PATIENTS -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
383	2	800-801	[EMSGR] EXCHANGING SECURE MESSAGES WITH PATIENTS (recoded) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
384	2	802-803	[EPTREC] PROVIDING PATIENTS THE ABILITY TO VIEW ONLINE, DOWNLOAD, OR TRANSMIT INFORMATION FROM THEIR MEDICAL RECORD -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, used routinely 2 = Yes, but NOT used routinely 3 = Yes, but turned off or not used 4 = No
385	2	804-805	[EPTRECR] PROVIDING PATIENTS THE ABILITY TO VIEW ONLINE, DOWNLOAD, OR TRANSMIT INFORMATION FROM THEIR MEDICAL RECORD (recoded) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No 4 = Turned off
386	2	806-807	[REFOUT] DO YOU REFER ANY OF YOUR PATIENTS TO A PROVIDER OUTSIDE OF YOUR OFFICE OR GROUP? -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
387	2	808-809	<p>[REFOUTS] IF YES TO “DO YOU REFER ANY OF YOUR PATIENTS TO A PROVIDER OUTSIDE OF YOUR OFFICE OR GROUP?”, DO YOU SEND THE PATIENT’S CLINICAL INFORMATION TO THE OTHER PROVIDERS?</p> <p>-9 = Blank  -8 = Don’t know  -7 = Not applicable  -6 = Refused to answer question  1 = Yes, routinely  2 = Yes, but NOT routinely  3 = No</p>
388	2	810-811	<p>[REFOUTSE] IF YES TO “DO YOU SEND THE PATIENT’S CLINICAL INFORMATION TO THE OTHER PROVIDERS”, DO YOU SEND IT ELECTRONICALLY (NOT FAX)?</p> <p>-9 = Blank  -8 = Don’t know  -7 = Not applicable  -6 = Refused to answer question  1 = Yes, routinely  2 = Yes, but NOT routinely  3 = No</p>
389	2	812-813	<p>[REFIN] DO YOU SEE PATIENTS REFERRED TO YOU BY PROVIDERS OUTSIDE OF YOUR OFFICE OR GROUP?</p> <p>-9 = Blank  -8 = Don’t know  -6 = Refused to answer question  1 = Yes  2 = No</p>
390	2	814-815	<p>[REFINS] IF YES TO “DO YOU SEE PATIENTS REFERRED TO YOU BY PROVIDERS OUTSIDE OF YOUR OFFICE OR GROUP?”, DO YOU SEND A CONSULTATION REPORT WITH CLINICAL INFORMATION TO THE OTHER PROVIDERS?</p> <p>-9 = Blank  -8 = Don’t know  -7 = Not applicable  -6 = Refused to answer question  1 = Yes, routinely  2 = Yes, but NOT routinely  3 = No</p>



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
391	2	816-817	<p>[REFINSE] IF YES TO “DO YOU SEND A CONSULTATION REPORT WITH CLINICAL INFORMATION TO THE OTHER PROVIDERS?”, DO YOU SEND THE CONSULTATION REPORT ELECTRONICALLY (NOT FAX)?</p> <p>-9 = Blank  -8 = Don't know  -7 = Not applicable  -6 = Refused to answer question  1 = Yes, routinely  2 = Yes, but NOT routinely  3 = No</p>
392	2	818-819	<p>[INPTCARE] DO YOU TAKE CARE OF PATIENTS AFTER THEY ARE DISCHARGED FROM AN INPATIENT SETTING?</p> <p>-9 = Blank  -8 = Don't know  -6 = Refused to answer question  1 = Yes  2 = No</p>
393	2	820-821	<p>[DISSUM] IF YES TO “DO YOU TAKE CARE OF PATIENTS AFTER THEY ARE DISCHARGED FROM AN INPATIENT SETTING?”, DO YOU RECEIVE A DISCHARGE SUMMARY WITH CLINICAL INFORMATION FROM THE HOSPITAL?</p> <p>-9 = Blank  -8 = Don't know  -7 = Not applicable  -6 = Refused to answer question  1 = Yes, routinely  2 = Yes, but NOT routinely  3 = No</p>
394	2	822-823	<p>[DISSUME] IF YES TO “DO YOU RECEIVE A DISCHARGE SUMMARY WITH CLINICAL INFORMATION FROM THE HOSPITAL?”, DO YOU RECEIVE THE DISCHARGE SUMMARY WITH CLINICAL INFORMATION ELECTRONICALLY (NOT FAX)?</p> <p>-9 = Blank  -8 = Don't know  -7 = Not applicable  -6 = Refused to answer question  1 = Yes, routinely  2 = Yes, but NOT routinely  3 = No</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
395	2	824-825	<p>[INCORINFO] IF YES TO "DO YOU RECEIVE THE DISCHARGE SUMMARY WITH CLINICAL INFORMATION ELECTRONICALLY (NOT FAX)?", CAN YOU AUTOMATICALLY INCORPORATE THE DISCHARGE SUMMARY INFORMATION INTO YOUR EHR WITHOUT MANUALLY ENTERING THE DATA?</p> <p>-9 = Blank  -8 = Don't know  -7 = Not applicable  -6 = Refused to answer question  1 = Yes  2 = No  3 = Not applicable, I do not have an EHR system</p>
396	2	826-827	<p>[ESHARE] DO YOU SHARE ANY PATIENT HEALTH INFORMATION ELECTRONICALLY (NOT FAX) WITH OTHER PROVIDERS, INCLUDING HOSPITALS, AMBULATORY PROVIDERS, OR ELECTRONICALLY (NOT FAX) LABS?</p> <p>-9 = Blank  -8 = Don't know  -6 = Refused to answer question  1 = Yes  2 = No</p> <p>HOW DO YOU ELECTRONICALLY SHARE PATIENT HEALTH INFORMATION?</p>
397	2	828-829	[ESHAREEHR] EHR/EMR
398	2	830-831	[ESHAREWEB] Web portal (separate from EHR/EMR)
399	2	832-833	[ESHAREOTH] Other electronic method
400	2	834-835	[ESHAREUNK] Unknown
401	2	836-837	<p>[ESHAREREF] Refused to answer question</p> <p>-9 = Entire item (53.b on Physician Induction Interview) blank  -7 = Not applicable  0 = Box is not marked  1 = Box is marked</p>
402	2	838-839	<p>[EHRTOEHR] IF YES TO "DO YOU SHARE ANY PATIENT HEALTH INFORMATION ELECTRONICALLY (NOT FAX) WITH OTHER PROVIDERS, INCLUDING HOSPITALS, AMBULATORY PROVIDERS, OR ELECTRONICALLY (NOT FAX) LABS?", IS IT SENT DIRECTLY FROM YOUR EHR SYSTEM TO ANOTHER EHR SYSTEM?</p> <p>-9 = Blank  -8 = Don't know  -7 = Not applicable  -6 = Refused to answer question  1 = Yes, routinely  2 = Yes, but NOT routinely  3 = No</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
WITH WHAT TYPES OF PROVIDERS DO YOU ELECTRONICALLY SHARE PATIENT HEALTH INFORMATION?			
403	2	840-841	[ESHAREPROV1] Ambulatory providers inside your office/group
404	2	842-843	[ESHAREPROV2] Ambulatory providers outside your office/group
405	2	844-845	[ESHAREPROV3] Hospitals with which you are affiliated
406	2	846-847	[ESHAREPROV4] Hospitals with which you are not affiliated
407	2	848-849	[ESHAREPROV5] Behavioral health providers
408	2	850-851	[ESHAREPROV6] Long-term care providers
409	2	852-853	[ESHAREPROV7] Home health providers
410	2	854-855	[ESHAREPROVUNK] Unknown
411	2	856-857	[ESHAREPROVREF] Refused to answer question
-9 = Entire item (53.d on Physician Induction Interview) blank -7 = Not applicable 0 = Box is not marked 1 = Box is marked			
412	2	858-859	[EOUTINFO] Are you/your staff able to electronically find health information from sources outside of the office for your patients?
-9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes, routinely 2 = Yes, but NOT routinely 3 = No			
HOW DO YOU LOOK UP PATIENT HEALTH INFORMATION FROM SOURCES OUTSIDE OF THE OFFICE?			
413	2	860-861	[EOUTHOW1] Through your EHR/EMR
414	2	862-863	[EOUTHOW2] Web portal (separate from EHR/EMR)
415	2	864-865	[EOUTHOW3] View only or restricted access to other providers' EHR system
416	2	866-867	[EOUTHOW4] Other electronic method (not fax)
417	2	868-869	[EOUTHOWUNK] Unknown
418	2	870-871	[EOUTHOWREF] Refused to answer question
-9 = Entire item (53.f on Physician Induction Interview) blank -7 = Not applicable 0 = Box is not marked 1 = Box is marked			

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
WHAT TYPES OF INFORMATION DO YOU ROUTINELY LOOK UP?			
419	2	872-873	[EOUTYP1] Lab
420	2	874-875	[EOUTYP2] Imaging reports
421	2	876-877	[EOUTYP3] Patient problem lists
422	2	878-879	[EOUTYP4] Medication lists
423	2	880-881	[EOUTYP5] Other
424	2	882-883	[EOUTYPUNK] Unknown
425	2	884-885	[EOUTYPREF] Refused to answer question
-9 = Entire item (53.g on Physician Induction Interview) blank -7 = Not applicable 0 = Box is not marked 1 = Box is marked			
426	2	886-887	[EOUTINCORP] Do you or your staff routinely incorporate the information you look up into your EHR?
-9 = Blank -8 = Don't know -7 = Not applicable -6 = Refused to answer question 1 = Yes, manual entry or scanned copy 2 = Yes, automatically 3 = No			
427	2	888-889	[PRMCARER] Roughly, what percent of your patient care revenue comes from Medicare?
-9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent			
428	2	890-891	[PRMAIDR] Roughly, what percent of your patient care revenue comes from Medicaid?
-9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent			

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
429	2	892-893	[PRPRVTR] Roughly, what percent of your patient care revenue comes from private insurance? -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
430	2	894-895	[PRPATR] Roughly, what percent of your patient care revenue comes from patient payments? -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
431	2	896-897	[PROTHR] Roughly, what percent of your patient care revenue comes from other sources? (including charity, research, Champus, VA, etc.) -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
432	2	898-899	[PRMANR] Roughly, what percentage of the patient care revenue received by this practice comes from (these) managed care contracts? -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
433	2	900-901	[REVFFSR] Roughly, what percent of your patient care revenue comes from usual, customary, and reasonable fee-for-service? -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
434	2	902-903	[REVCAPR] Roughly, what percent of your patient care revenue comes from capitation? -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
435	2	904-905	[REVCASER] Roughly, what percent of your patient care revenue comes from case rates (e.g. package pricing/episode of care)? -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
436	2	906-907	[REVOTHR] Roughly, what percent of your patient care revenue comes from other sources? -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent
437	2	908-909	[ACEPTNEW] Are you currently accepting "new" patients into your practice? -9 = Blank -8 = Don't know -6 = Refused to answer question 1 = Yes 2 = No
438	2	910-911	[CAPITATE] From those "new" patients, which of the following types of payment do you accept? - Capitated private insurance -9 = Blank -8 = Don't know -7 = Not applicable -6 = Refused to answer question 1 = Yes 2 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
439	2	912-913	[NOCAP] From those “new” patients, which of the following types of payment do you accept? – Non-capitated private insurance -9 = Blank -8 = Don’t know -7 = Not applicable -6 = Refused to answer question 1 = Yes 2 = No
440	2	914-915	[PRIVATE] (Derived from responses to CAPITATE and NOCAP) From those “new” patients, which of the following types of payment do you accept? – Private insurance (capitated or non-capitated) -9 = Blank -8 = Don’t know -7 = Not applicable -6 = Refused to answer question 1 = Private insurance 2 = No private insurance
441	2	916-917	[NMEDCARE] From those “new” patients, which of the following types of payment do you accept? – Medicare -9 = Blank -8 = Don’t know -7 = Not applicable -6 = Refused to answer question 1 = Yes 2 = No
442	2	918-919	[NMEDCAID] From those “new” patients, which of the following types of payment do you accept? – Medicaid -9 = Blank -8 = Don’t know -7 = Not applicable -6 = Refused to answer question 1 = Yes 2 = No
443	2	920-921	[NWORKCMP] From those “new” patients, which of the following types of payment do you accept? – Workers compensation -9 = Blank -8 = Don’t know -7 = Not applicable -6 = Refused to answer question 1 = Yes 2 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
444	2	922-923	<p>[NSELFPAY] From those “new” patients, which of the following types of payment do you accept? – Self-pay</p> <p>-9 = Blank  -8 = Don’t know  -7 = Not applicable  -6 = Refused to answer question  1 = Yes  2 = No</p>
445	2	924-925	<p>[NNOCHARGE] From those “new” patients, which of the following types of payment do you accept? – No charge</p> <p>-9 = Blank  -8 = Don’t know  -7 = Not applicable  -6 = Refused to answer question  1 = Yes  2 = No</p>
446	2	926-927	<p>[PHYSCOMP] WHICH OF THE FOLLOWING METHODS BEST DESCRIBES YOUR BASIC COMPENSATION?</p> <p>-9 = Blank  -8 = Don’t know  -6 = Refused to answer question  1 = Fixed salary  2 = Share of practice billings or workload  3 = Mix of salary and share of billings or other measures of performance(e.g., your own billings, practice financial performance, quality measures, practice profiling)  4 = Shift, hourly or other time-based payment  5 = Other</p> <p>CLINICAL PRACTICES MAY TAKE VARIOUS FACTORS INTO ACCOUNT WHEN DETERMINING THE COMPENSATION (SALARY, BONUS, PAY RATE, ETC.) PAID TO THE PHYSICIANS IN THE PRACTICE. PLEASE INDICATE WHETHER THE PRACTICE EXPLICITLY CONSIDERS EACH OF THE FOLLOWING FACTORS IN DETERMINING YOUR COMPENSATION:</p>
447	2	928-929	<p>[COMPPROD] FACTORS THAT REFLECT YOUR OWN PRODUCTIVITY</p> <p>-9 = Entire item 59 on Physician Induction Interview blank  0 = Box is not marked  1 = Box is marked</p>
448	2	930-931	<p>[COMPSAT] RESULTS OF SATISFACTION SURVEYS FROM YOUR OWN PATIENTS</p> <p>-9 = Entire item 59 on Physician Induction Interview blank  0 = Box is not marked  1 = Box is marked</p>



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
449	2	932-933	[COMPQUAL] SPECIFIC MEASURES OF QUALITY, SUCH AS RATES OF PREVENTIVE SERVICES FOR YOUR PATIENTS -9 = Entire item 59 on Physician Induction Interview blank 0 = Box is not marked 1 = Box is marked
450	2	934-935	[COMPDROF] RESULTS OF PRACTICE PROFILING, THAT IS, COMPARING YOUR PATTERN OF USING MEDICAL RESOURCES WITH THAT OF OTHER PHYSICIANS -9 = Entire item 59 on Physician Induction Interview blank 0 = Box is not marked 1 = Box is marked
451	2	936-937	[COMPFIN] THE OVERALL FINANCIAL PERFORMANCE OF THE PRACTICE -9 = Entire item 59 on Physician Induction Interview blank 0 = Box is not marked 1 = Box is marked
452	2	938-939	[COMPUNK] UNKNOWN -9 = Entire item 59 on Physician Induction Interview blank 0 = Box is not marked 1 = Box is marked
453	2	940-941	[COMPREF] REFUSED TO ANSWER -9 = Entire item 59 on Physician Induction Interview blank 0 = Box is not marked 1 = Box is marked
454	2	942-943	[SASDAPPT] Does your practice set time aside for same day appointments?

NOTE: There has been a change for 2015 in how this question and the following question SDAPPTPCT were asked. In previous years, the order of these questions was reversed and they were asked independently, meaning that a practice that reported a percentage of visits as same day appointments could also answer "no" (did not set aside time for same day appointments). One might conjecture that the same day appointments reported in such cases might have been due to last minute cancellations or other factors, as opposed to having specific time set aside for same day appointments.

For 2015, the survey instrument underwent a change, such that SASDAPPT was asked first, and ONLY physicians who responded "yes" to that question (does your practice set aside time for same day appointments?) were asked about the percentage of visits that were same day appointments. For this reason the results from SDAPPTPCT will not be comparable with previous years of data, and, in fact, substantial differences can be seen when comparing the percentage variable across years. To further emphasize the differences, the item name has been changed from SDAPPT used in previous years to SDAPPTPCT in 2015.

-9 = Blank  
-8 = Unknown  
-6 = Refused to answer question  
1 = Yes  
2 = No

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
455	3	944-946	[SDAPPTPCT] If your practice sets aside time for same day appointments, what percent of your daily visits are same day appointments? -9 = Blank -7 = Not applicable (practice does not set aside time for same day appointments) -6 = Refused to answer question 0-100
456	2	947-948	[APPTTIME] On average, about how long does it take to get an appointment for a routine medical exam? -9 = Blank -8 = Unknown -6 = Refused to answer question 1 = Within 1 week 2 = 1-2 weeks 3 = 3-4 weeks 4 = 1-2 months 5 = 3 or more months 6 = Do not provide routine exams
457	1	949	[REGIONOFF] GEOGRAPHIC REGION (Based on location where majority of visit records were sampled) 1 = Northeast 2 = Midwest 3 = South 4 = West

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
458	2	950-951	<p>[FIPSSTOFF] STATE/REGION REMAINDER (Based on location where majority of visit records were sampled)</p> <p>NOTE: 16 states were targeted for sampling. The remaining states were grouped within their Census division and sampled as 'region remainders.' Records in region remainders should only be weighted using the PATWT variable; records in targeted states should only be weighted using the PATWTST variable.</p> <p>04 = Arizona 06 = California 12 = Florida 13 = Georgia 17 = Illinois 18 = Indiana 25 = Massachusetts 26 = Michigan 34 = New Jersey 36 = New York 37 = North Carolina 39 = Ohio 42 = Pennsylvania 48 = Texas 51 = Virginia 53 = Washington 71 = Northeast Region Remainder 72 = Midwest Region Remainder 73 = South Region Remainder 74 = West Region Remainder</p>
459	1	952	<p>[MSA] METROPOLITAN/NON-METROPOLITAN STATUS (Based on physician location in conjunction with the definition of the Bureau of the Census and the U.S. Office of Management and Budget.)</p> <p>1 = MSA (Metropolitan Statistical Area) 2 = Not MSA (includes micropolitan statistical areas)</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #1

NOTE: Starting with the 2006 data release, all drug codes based on entry name (using NCHS' standard classification system) were also assigned a unique generic drug code from Multum's Lexicon Drug Database, where possible. The structure of the Multum database is such that multiple ingredient drugs are assigned a single generic drug code encompassing all of a drug's ingredients rather than being assigned generic drug codes for each ingredient, as in past years of NAMCS drug data. All Multum codes start with the letter "d" but there were some drugs reported in NAMCS that could not be assigned a code in Multum. For 2006 and 2007, these received a prefix of either "a" (when ingredients could be determined) or "c" (when ingredients could not be determined). Beginning with 2008, the use of "a" and "c" codes was replaced with "n" codes. For more on the structure of the drug data (including information on therapeutic class and drug ingredients), please see page 28.

460	6	953-958	[DRUGID1] DRUG ID (See page 202 for more information.)  a07001-a92507 = NCHS code (for drugs not found in Multum but for which ingredients could be determined, for drugs added to the database for survey years 2006 and 2007) c00001-c00898, c00900-c92511 = NCHS code (for drugs not found in Multum and with undetermined ingredients) c00899 – Undetermined pharmaceutical aid d00001-d08524 = Multum code n00000-n13006 = NCHS code (for drugs not found in Multum that were added to the database beginning with survey year 2008)
461	1	959	[PRESCR1] PRESCRIPTION STATUS CODE 1 = Prescription Drug      4 = Illicit [not used in NAMCS] 2 = Nonprescription Drug      5 = Both Prescription and Over-the-Counter 3 = Undetermined
462	1	960	[CONTSUB1] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II      5 = Schedule V      8 = Multiple Schedules 3 = Schedule III      6 = No Control 4 = Schedule IV      7 = Undetermined
463	1	961	[COMSTAT1] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

464	3	962-964	[RX1CAT1] MULTUM DRUG CATEGORY # 1
-----	---	---------	------------------------------------

Reflects the most detailed therapeutic level to which the drug can be classified. For some drugs, Multum Level 1 (broadest level) is the most detailed, while others can be coded to Level 2, but the majority can be coded to Level 3 (most detailed level). For more on the Multum classification system, please see page 28. The complete Multum classification is shown in Appendix III.

“ “ = Blank/Not applicable  
001 - 899 = Drug category

465	3	965-967	[RX1CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
-----	---	---------	--

466	3	968-970	[RX1CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
-----	---	---------	--

467	3	971-973	[RX1CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.
-----	---	---------	--

#### DRUG CATEGORY LEVELS

See RX1CAT1 for general coding conventions that apply to all Multum drug categories. Complete Multum classification scheme is shown in Appendix III.

468	3	974-976	[RX1V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
469	3	977-979	[RX1V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
470	3	980-982	[RX1V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
471	3	983-985	[RX1V1C4] Level 1 of MULTUM DRUG CATEGORY # 4

472	3	986-988	[RX1V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
473	3	989-991	[RX1V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
474	3	992-994	[RX1V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
475	3	995-997	[RX1V2C4] Level 2 of MULTUM DRUG CATEGORY # 4

476	3	998-1000	[RX1V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
477	3	1001-1003	[RX1V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
478	3	1004-1006	[RX1V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
479	3	1007-1009	[RX1V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

#### DRUG-RELATED INFO FOR MEDICATION #2

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

480	6	1010-1015	[DRUGID2] DRUG ID
481	1	1016	[PRESCR2] PRESCRIPTION STATUS CODE
482	1	1017	[CONTSUB2] CONTROLLED SUBSTANCE STATUS CODE
483	1	1018	[COMSTAT2] COMPOSITION STATUS CODE
484	3	1019-1021	[RX2CAT1] MULTUM DRUG CATEGORY # 1
485	3	1022-1024	[RX2CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
486	3	1025-1027	[RX2CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
487	3	1028-1030	[RX2CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

#### DRUG CATEGORY LEVELS

488	3	1031-1033	[RX2V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
489	3	1034-1036	[RX2V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
490	3	1037-1039	[RX2V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
491	3	1040-1042	[RX2V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
492	3	1043-1045	[RX2V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
493	3	1046-1048	[RX2V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
494	3	1049-1051	[RX2V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
495	3	1052-1054	[RX2V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
496	3	1055-1057	[RX2V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
497	3	1058-1060	[RX2V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
498	3	1061-1063	[RX2V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
499	3	1064-1066	[RX2V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #3

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

500	6	1067-1072	[DRUGID3] DRUG ID
501	1	1073	[PRESCR3] PRESCRIPTION STATUS CODE
502	1	1074	[CONTSUB3] CONTROLLED SUBSTANCE STATUS CODE
503	1	1075	[COMSTAT3] COMPOSITION STATUS CODE
504	3	1076-1078	[RX3CAT1] MULTUM DRUG CATEGORY # 1
505	3	1079-1081	[RX3CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
506	3	1082-1084	[RX3CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
507	3	1085-1087	[RX3CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

508	3	1088-1090	[RX3V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
509	3	1091-1093	[RX3V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
510	3	1094-1096	[RX3V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
511	3	1097-1099	[RX3V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
512	3	1100-1102	[RX3V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
513	3	1103-1105	[RX3V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
514	3	1106-1108	[RX3V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
515	3	1109-1111	[RX3V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
516	3	1112-1114	[RX3V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
517	3	1115-1117	[RX3V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
518	3	1118-1120	[RX3V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
519	3	1121-1123	[RX3V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

#### DRUG-RELATED INFO FOR MEDICATION #4

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

520	6	1124-1129	[DRUGID4] DRUG ID
521	1	1130	[PRESCR4] PRESCRIPTION STATUS CODE
522	1	1131	[CONTSUB4] CONTROLLED SUBSTANCE STATUS CODE
523	1	1132	[COMSTAT4] COMPOSITION STATUS CODE
524	3	1133-1135	[RX4CAT1] MULTUM DRUG CATEGORY # 1
525	3	1136-1138	[RX4CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
526	3	1139-1141	[RX4CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
527	3	1142-1144	[RX4CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

#### DRUG CATEGORY LEVELS

528	3	1145-1147	[RX4V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
529	3	1148-1150	[RX4V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
530	3	1151-1153	[RX4V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
531	3	1154-1156	[RX4V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
532	3	1157-1159	[RX4V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
533	3	1160-1162	[RX4V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
534	3	1163-1165	[RX4V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
535	3	1166-1168	[RX4V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
536	3	1169-1171	[RX4V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
537	3	1172-1174	[RX4V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
538	3	1175-1177	[RX4V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
539	3	1178-1180	[RX4V3C4] Level 3 of MULTUM DRUG CATEGORY # 4



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #5

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

540	6	1181-1186	[DRUGID5] DRUG ID
541	1	1187	[PRESCR5] PRESCRIPTION STATUS CODE
542	1	1188	[CONTSUB5] CONTROLLED SUBSTANCE STATUS CODE
543	1	1189	[COMSTAT5] COMPOSITION STATUS CODE
544	3	1190-1192	[RX5CAT1] MULTUM DRUG CATEGORY # 1
545	3	1193-1195	[RX5CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
546	3	1196-1198	[RX5CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
547	3	1199-1201	[RX5CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

548	3	1202-1204	[RX5V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
549	3	1205-1207	[RX5V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
550	3	1208-1210	[RX5V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
551	3	1211-1213	[RX5V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
552	3	1214-1216	[RX5V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
553	3	1217-1219	[RX5V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
554	3	1220-1222	[RX5V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
555	3	1223-1225	[RX5V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
556	3	1226-1228	[RX5V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
557	3	1229-1231	[RX5V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
558	3	1232-1234	[RX5V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
559	3	1235-1237	[RX5V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

#### DRUG-RELATED INFO FOR MEDICATION #6

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

560	6	1238-1243	[DRUGID6] DRUG ID
561	1	1244	[PRESCR6] PRESCRIPTION STATUS CODE
562	1	1245	[CONTSUB6] CONTROLLED SUBSTANCE STATUS CODE
563	1	1246	[COMSTAT6] COMPOSITION STATUS CODE
564	3	1247-1249	[RX6CAT1] MULTUM DRUG CATEGORY # 1
565	3	1250-1252	[RX6CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
566	3	1253-1255	[RX6CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
567	3	1256-1258	[RX6CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

#### DRUG CATEGORY LEVELS

568	3	1259-1261	[RX6V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
569	3	1262-1264	[RX6V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
570	3	1265-1267	[RX6V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
571	3	1268-1270	[RX6V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
572	3	1271-1273	[RX6V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
573	3	1274-1276	[RX6V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
574	3	1277-1279	[RX6V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
575	3	1280-1282	[RX6V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
576	3	1283-1285	[RX6V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
577	3	1286-1288	[RX6V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
578	3	1289-1291	[RX6V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
579	3	1292-1294	[RX6V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #7

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

580	6	1295-1300	[DRUGID7] DRUG ID
581	1	1301	[PRESCR7] PRESCRIPTION STATUS CODE
582	1	1302	[CONTSUB7] CONTROLLED SUBSTANCE STATUS CODE
583	1	1303	[COMSTAT7] COMPOSITION STATUS CODE
584	3	1304-1306	[RX7CAT1] MULTUM DRUG CATEGORY # 1
585	3	1307-1309	[RX7CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
586	3	1310-1312	[RX7CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
587	3	1313-1315	[RX7CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

588	3	1316-1318	[RX7V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
589	3	1319-1321	[RX7V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
590	3	1322-1324	[RX7V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
591	3	1325-1327	[RX7V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
592	3	1328-1330	[RX7V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
593	3	1331-1333	[RX7V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
594	3	1334-1336	[RX7V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
595	3	1337-1339	[RX7V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
596	3	1340-1342	[RX7V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
597	3	1343-1345	[RX7V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
598	3	1346-1348	[RX7V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
599	3	1349-1351	[RX7V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #8

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

600	6	1352-1357	[DRUGID8] DRUG ID
601	1	1358	[PRESCR8] PRESCRIPTION STATUS CODE
602	1	1359	[CONTSUB8] CONTROLLED SUBSTANCE STATUS CODE
603	1	1360	[COMSTAT8] COMPOSITION STATUS CODE
604	3	1361-1363	[RX8CAT1] MULTUM DRUG CATEGORY # 1
605	3	1364-1366	[RX8CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
606	3	1367-1369	[RX8CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
607	3	1370-1372	[RX8CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

608	3	1373-1375	[RX8V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
609	3	1376-1378	[RX8V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
610	3	1379-1381	[RX8V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
611	3	1382-1384	[RX8V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
612	3	1385-1387	[RX8V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
613	3	1388-1390	[RX8V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
614	3	1391-1393	[RX8V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
615	3	1394-1396	[RX8V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
616	3	1397-1399	[RX8V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
617	3	1400-1402	[RX8V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
618	3	1403-1405	[RX8V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
619	3	1406-1408	[RX8V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #9

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

620	6	1409-1414	[DRUGID9] DRUG ID
621	1	1415	[PRESCR9] PRESCRIPTION STATUS CODE
622	1	1416	[CONTSUB9] CONTROLLED SUBSTANCE STATUS CODE
623	1	1417	[COMSTAT9] COMPOSITION STATUS CODE
624	3	1418-1420	[RX9CAT1] MULTUM DRUG CATEGORY # 1
625	3	1421-1423	[RX9CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
626	3	1424-1426	[RX9CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
627	3	1427-1429	[RX9CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

628	3	1430-1432	[RX9V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
629	3	1433-1435	[RX9V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
630	3	1436-1438	[RX9V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
631	3	1439-1441	[RX9V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
632	3	1442-1444	[RX9V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
633	3	1445-1447	[RX9V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
634	3	1448-1450	[RX9V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
635	3	1451-1453	[RX9V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
636	3	1454-1456	[RX9V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
637	3	1457-1459	[RX9V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
638	3	1460-1462	[RX9V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
639	3	1463-1465	[RX9V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #10

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

640	6	1466-1471	[DRUGID10] DRUG ID
641	1	1472	[PRESCR10] PRESCRIPTION STATUS CODE
642	1	1473	[CONTSUB10] CONTROLLED SUBSTANCE STATUS CODE
643	1	1474	[COMSTAT10] COMPOSITION STATUS CODE
644	3	1475-1477	[RX10CAT1] MULTUM DRUG CATEGORY # 1
645	3	1478-1480	[RX10CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
646	3	1481-1483	[RX10CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
647	3	1484-1486	[RX10CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

648	3	1487-1489	[RX10V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
649	3	1490-1492	[RX10V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
650	3	1493-1495	[RX10V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
651	3	1496-1498	[RX10V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
652	3	1499-1501	[RX10V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
653	3	1502-1504	[RX10V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
654	3	1505-1507	[RX10V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
655	3	1508-1510	[RX10V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
656	3	1511-1513	[RX10V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
657	3	1514-1516	[RX10V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
658	3	1517-1519	[RX10V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
659	3	1520-1522	[RX10V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #11

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

660	6	1523-1528	[DRUGID11] DRUG ID
661	1	1529	[PRESCR11] PRESCRIPTION STATUS CODE
662	1	1530	[CONTSUB11] CONTROLLED SUBSTANCE STATUS CODE
663	1	1531	[COMSTAT11] COMPOSITION STATUS CODE
664	3	1532-1534	[RX11CAT1] MULTUM DRUG CATEGORY # 1
665	3	1535-1537	[RX11CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
666	3	1538-1540	[RX11CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
667	3	1541-1543	[RX11CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

668	3	1544-1546	[RX11V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
669	3	1547-1549	[RX11V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
670	3	1550-1552	[RX11V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
671	3	1553-1555	[RX11V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
672	3	1556-1558	[RX11V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
673	3	1559-1561	[RX11V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
674	3	1562-1564	[RX11V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
675	3	1565-1567	[RX11V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
676	3	1568-1570	[RX11V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
677	3	1571-1573	[RX11V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
678	3	1574-1576	[RX11V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
679	3	1577-1579	[RX11V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #12

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

680	6	1580-1585	[DRUGID12] DRUG ID
681	1	1586	[PRESCR12] PRESCRIPTION STATUS CODE
682	1	1587	[CONTSUB12] CONTROLLED SUBSTANCE STATUS CODE
683	1	1588	[COMSTAT12] COMPOSITION STATUS CODE
684	3	1589-1591	[RX12CAT1] MULTUM DRUG CATEGORY # 1
685	3	1592-1594	[RX12CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
686	3	1595-1597	[RX12CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
687	3	1598-1600	[RX12CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

688	3	1601-1603	[RX12V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
689	3	1604-1606	[RX12V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
690	3	1607-1609	[RX12V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
691	3	1610-1612	[RX12V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
692	3	1613-1615	[RX12V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
693	3	1616-1618	[RX12V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
694	3	1619-1621	[RX12V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
695	3	1622-1624	[RX12V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
696	3	1625-1627	[RX12V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
697	3	1628-1630	[RX12V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
698	3	1631-1633	[RX12V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
699	3	1634-1636	[RX12V3C4] Level 3 of MULTUM DRUG CATEGORY # 4



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #13

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

700	6	1637-1642	[DRUGID13] DRUG ID
701	1	1643	[PRESCR13] PRESCRIPTION STATUS CODE
702	1	1644	[CONTSUB13] CONTROLLED SUBSTANCE STATUS CODE
703	1	1645	[COMSTAT13] COMPOSITION STATUS CODE
704	3	1646-1648	[RX13CAT1] MULTUM DRUG CATEGORY # 1
705	3	1649-1651	[RX13CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
706	3	1652-1654	[RX13CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
707	3	1655-1657	[RX13CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

708	3	1658-1660	[RX13V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
709	3	1661-1663	[RX13V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
710	3	1664-1666	[RX13V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
711	3	1667-1669	[RX13V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
712	3	1670-1672	[RX13V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
713	3	1673-1675	[RX13V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
714	3	1676-1678	[RX13V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
715	3	1679-1681	[RX13V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
716	3	1682-1684	[RX13V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
717	3	1685-1687	[RX13V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
718	3	1688-1690	[RX13V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
719	3	1691-1693	[RX13V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #14

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

720	6	1694-1699	[DRUGID14] DRUG ID
721	1	1700	[PRESCR14] PRESCRIPTION STATUS CODE
722	1	1701	[CONTSUB14] CONTROLLED SUBSTANCE STATUS CODE
723	1	1702	[COMSTAT14] COMPOSITION STATUS CODE
724	3	1703-1705	[RX14CAT1] MULTUM DRUG CATEGORY # 1
725	3	1706-1708	[RX14CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
726	3	1709-1711	[RX14CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
727	3	1712-1714	[RX14CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

728	3	1715-1717	[RX14V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
729	3	1718-1720	[RX14V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
730	3	1721-1723	[RX14V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
731	3	1724-1726	[RX14V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
732	3	1727-1729	[RX14V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
733	3	1730-1732	[RX14V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
734	3	1733-1735	[RX14V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
735	3	1736-1738	[RX14V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
736	3	1739-1741	[RX14V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
737	3	1742-1744	[RX14V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
738	3	1745-1747	[RX14V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
739	3	1748-1750	[RX14V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #15

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

740	6	1751-1756	[DRUGID15] DRUG ID
741	1	1757	[PRESCR15] PRESCRIPTION STATUS CODE
742	1	1758	[CONTSUB15] CONTROLLED SUBSTANCE STATUS CODE
743	1	1759	[COMSTAT15] COMPOSITION STATUS CODE
744	3	1760-1762	[RX15CAT1] MULTUM DRUG CATEGORY # 1
745	3	1763-1765	[RX15CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
746	3	1766-1768	[RX15CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
747	3	1769-1771	[RX15CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

748	3	1772-1774	[RX15V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
749	3	1775-1777	[RX15V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
750	3	1778-1780	[RX15V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
751	3	1781-1783	[RX15V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
752	3	1784-1786	[RX15V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
753	3	1787-1789	[RX15V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
754	3	1790-1792	[RX15V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
755	3	1793-1795	[RX15V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
756	3	1796-1798	[RX15V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
757	3	1799-1801	[RX15V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
758	3	1802-1804	[RX15V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
759	3	1805-1807	[RX15V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #16

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

760	6	1808-1813	[DRUGID16] DRUG ID
761	1	1814	[PRESCR16] PRESCRIPTION STATUS CODE
762	1	1815	[CONTSUB16] CONTROLLED SUBSTANCE STATUS CODE
763	1	1816	[COMSTAT16] COMPOSITION STATUS CODE
764	3	1817-1819	[RX16CAT1] MULTUM DRUG CATEGORY # 1
765	3	1820-1822	[RX16CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
766	3	1823-1825	[RX16CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
767	3	1826-1828	[RX16CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

768	3	1829-1831	[RX16V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
769	3	1832-1834	[RX16V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
770	3	1835-1837	[RX16V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
771	3	1838-1840	[RX16V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
772	3	1841-1843	[RX16V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
773	3	1844-1846	[RX16V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
774	3	1847-1849	[RX16V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
775	3	1850-1852	[RX16V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
776	3	1853-1855	[RX16V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
777	3	1856-1858	[RX16V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
778	3	1859-1861	[RX16V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
779	3	1862-1864	[RX16V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #17

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

780	6	1865-1870	[DRUGID17] DRUG ID
781	1	1871	[PRESCR17] PRESCRIPTION STATUS CODE
782	1	1872	[CONTSUB17] CONTROLLED SUBSTANCE STATUS CODE
783	1	1873	[COMSTAT17] COMPOSITION STATUS CODE
784	3	1874-1876	[RX17CAT1] MULTUM DRUG CATEGORY # 1
785	3	1877-1879	[RX17CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
786	3	1880-1882	[RX17CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
787	3	1883-1885	[RX17CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

788	3	1886-1888	[RX17V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
789	3	1889-1891	[RX17V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
790	3	1892-1894	[RX17V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
791	3	1895-1897	[RX17V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
792	3	1898-1900	[RX17V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
793	3	1901-1903	[RX17V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
794	3	1904-1906	[RX17V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
795	3	1907-1909	[RX17V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
796	3	1910-1912	[RX17V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
799	3	1911-1915	[RX17V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
798	3	1916-1918	[RX17V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
799	3	1919-1921	[RX17V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #18

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

800	6	1922-1927	[DRUGID18] DRUG ID
801	1	1928	[PRESCR18] PRESCRIPTION STATUS CODE
802	1	1929	[CONTSUB18] CONTROLLED SUBSTANCE STATUS CODE
803	1	1930	[COMSTAT18] COMPOSITION STATUS CODE
804	3	1931-1933	[RX18CAT1] MULTUM DRUG CATEGORY # 1
805	3	1934-1936	[RX18CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
806	3	1937-1939	[RX18CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
807	3	1940-1942	[RX18CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

808	3	1943-1945	[RX18V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
809	3	1946-1948	[RX18V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
810	3	1949-1951	[RX18V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
811	3	1952-1954	[RX18V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
812	3	1955-1957	[RX18V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
813	3	1958-1960	[RX18V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
814	3	1961-1963	[RX18V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
815	3	1964-1966	[RX18V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
816	3	1967-1969	[RX18V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
817	3	1970-1972	[RX18V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
818	3	1973-1975	[RX18V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
819	3	1976-1978	[RX18V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #19

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

820	6	1979-1984	[DRUGID19] DRUG ID
821	1	1985	[PRESCR19] PRESCRIPTION STATUS CODE
822	1	1986	[CONTSUB19] CONTROLLED SUBSTANCE STATUS CODE
823	1	1987	[COMSTAT19] COMPOSITION STATUS CODE
824	3	1988-1990	[RX19CAT1] MULTUM DRUG CATEGORY # 1
825	3	1991-1993	[RX19CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
826	3	1994-1996	[RX19CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
827	3	1997-1999	[RX19CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

828	3	2000-2002	[RX19V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
829	3	2003-2005	[RX19V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
830	3	2006-2008	[RX19V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
831	3	2009-2011	[RX19V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
832	3	2012-2014	[RX19V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
833	3	2015-2017	[RX19V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
834	3	2018-2020	[RX19V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
835	3	2021-2023	[RX19V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
836	3	2024-2026	[RX19V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
837	3	2027-2029	[RX19V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
838	3	2030-2032	[RX19V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
839	3	2033-2035	[RX19V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #20

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

840	6	2036-2041	[DRUGID20] DRUG ID
841	1	2042	[PRESCR20] PRESCRIPTION STATUS CODE
842	1	2043	[CONTSUB20] CONTROLLED SUBSTANCE STATUS CODE
843	1	2044	[COMSTAT20] COMPOSITION STATUS CODE
844	3	2045-2047	[RX20CAT1] MULTUM DRUG CATEGORY # 1
845	3	2048-2050	[RX20CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
846	3	2051-2053	[RX20CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
847	3	2054-2056	[RX20CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

848	3	2057-2059	[RX20V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
849	3	2060-2062	[RX20V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
850	3	2063-2065	[RX20V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
851	3	2066-2068	[RX20V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
852	3	2069-2071	[RX20V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
853	3	2072-2074	[RX20V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
854	3	2075-2077	[RX20V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
855	3	2078-2080	[RX20V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
856	3	2081-2083	[RX20V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
857	3	2084-2086	[RX20V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
858	3	2087-2089	[RX20V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
859	3	2090-2092	[RX20V3C4] Level 3 of MULTUM DRUG CATEGORY # 4



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #21

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

860	6	2093-2098	[DRUGID21] DRUG ID
861	1	2099	[PRESCR21] PRESCRIPTION STATUS CODE
862	1	2100	[CONTSUB21] CONTROLLED SUBSTANCE STATUS CODE
863	1	2101	[COMSTAT21] COMPOSITION STATUS CODE
864	3	2102-2104	[RX21CAT1] MULTUM DRUG CATEGORY # 1
865	3	2105-2107	[RX21CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
866	3	2108-2110	[RX21CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
867	3	2111-2113	[RX21CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

868	3	2114-2116	[RX21V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
869	3	2117-2119	[RX21V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
870	3	2120-2122	[RX21V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
871	3	2123-2125	[RX21V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
872	3	2126-2128	[RX21V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
873	3	2129-2131	[RX21V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
874	3	2132-2134	[RX21V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
875	3	2135-2137	[RX21V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
876	3	2138-2140	[RX21V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
877	3	2141-2143	[RX21V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
878	3	2144-2146	[RX21V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
879	3	2147-2149	[RX21V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #22

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

880	6	2150-2155	[DRUGID22] DRUG ID
881	1	2156	[PRESCR22] PRESCRIPTION STATUS CODE
882	1	2157	[CONTSUB22] CONTROLLED SUBSTANCE STATUS CODE
883	1	2158	[COMSTAT22] COMPOSITION STATUS CODE
884	3	2159-2161	[RX22CAT1] MULTUM DRUG CATEGORY # 1
885	3	2162-2164	[RX22CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
886	3	2165-2167	[RX22CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
887	3	2168-2170	[RX22CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

888	3	2171-2173	[RX22V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
889	3	2174-2176	[RX22V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
890	3	2177-2179	[RX22V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
891	3	2180-2182	[RX22V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
892	3	2183-2185	[RX22V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
893	3	2186-2188	[RX22V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
894	3	2189-2191	[RX22V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
895	3	2192-2194	[RX22V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
896	3	2195-2197	[RX22V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
897	3	2198-2200	[RX22V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
898	3	2201-2203	[RX22V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
899	3	2204-2206	[RX22V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #23

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

900	6	2207-2212	[DRUGID23] DRUG ID
901	1	2213	[PRESCR23] PRESCRIPTION STATUS CODE
902	1	2214	[CONTSUB23] CONTROLLED SUBSTANCE STATUS CODE
903	1	2215	[COMSTAT23] COMPOSITION STATUS CODE
904	3	2216-2218	[RX23CAT1] MULTUM DRUG CATEGORY # 1
905	3	2219-2221	[RX23CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
906	3	2222-2224	[RX23CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
907	3	2225-2227	[RX23CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

908	3	2228-2230	[RX23V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
909	3	2231-2233	[RX23V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
910	3	2234-2236	[RX23V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
911	3	2237-2239	[RX23V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
912	3	2240-2242	[RX23V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
913	3	2243-2245	[RX23V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
914	3	2246-2248	[RX23V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
915	3	2249-2251	[RX23V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
916	3	2252-2254	[RX23V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
917	3	2255-2257	[RX23V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
918	3	2258-2260	[RX23V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
919	3	2261-2263	[RX23V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #24

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

920	6	2264-2269	[DRUGID24] DRUG ID
921	1	2270	[PRESCR24] PRESCRIPTION STATUS CODE
922	1	2271	[CONTSUB24] CONTROLLED SUBSTANCE STATUS CODE
923	1	2272	[COMSTAT24] COMPOSITION STATUS CODE
924	3	2273-2275	[RX24CAT1] MULTUM DRUG CATEGORY # 1
925	3	2276-2278	[RX24CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
926	3	2279-2281	[RX24CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
927	3	2282-2284	[RX24CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

928	3	2285-2287	[RX24V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
929	3	2288-2290	[RX24V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
930	3	2291-2293	[RX24V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
931	3	2294-2296	[RX24V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
932	3	2297-2299	[RX24V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
933	3	2300-2302	[RX24V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
934	3	2303-2305	[RX24V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
935	3	2306-2308	[RX24V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
936	3	2309-2311	[RX24V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
937	3	2312-2314	[RX24V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
938	3	2315-2317	[RX24V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
939	3	2318-2320	[RX24V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #25

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

940	6	2321-2326	[DRUGID25] DRUG ID
941	1	2327	[PRESCR25] PRESCRIPTION STATUS CODE
942	1	2328	[CONTSUB25] CONTROLLED SUBSTANCE STATUS CODE
943	1	2329	[COMSTAT25] COMPOSITION STATUS CODE
944	3	2330-2332	[RX25CAT1] MULTUM DRUG CATEGORY # 1
945	3	2333-2335	[RX25CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
946	3	2336-2338	[RX25CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
947	3	2339-2341	[RX25CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

948	3	2342-2344	[RX25V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
949	3	2345-2347	[RX25V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
950	3	2348-2350	[RX25V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
951	3	2351-2353	[RX25V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
952	3	2354-2356	[RX25V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
953	3	2357-2359	[RX25V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
954	3	2360-2362	[RX25V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
955	3	2363-2365	[RX25V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
956	3	2366-2368	[RX25V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
957	3	2369-2371	[RX25V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
958	3	2372-2374	[RX25V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
959	3	2375-2377	[RX25V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #26

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

960	6	2378-2383	[DRUGID26] DRUG ID
961	1	2384	[PRESCR26] PRESCRIPTION STATUS CODE
962	1	2385	[CONTSUB26] CONTROLLED SUBSTANCE STATUS CODE
963	1	2386	[COMSTAT26] COMPOSITION STATUS CODE
964	3	2387-2389	[RX26CAT1] MULTUM DRUG CATEGORY # 1
965	3	2390-2392	[RX26CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
966	3	2393-2395	[RX26CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
967	3	2396-2398	[RX26CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

968	3	2399-2401	[RX26V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
969	3	2402-2404	[RX26V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
970	3	2405-2407	[RX26V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
971	3	2408-2410	[RX26V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
972	3	2411-2413	[RX26V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
973	3	2414-2416	[RX26V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
974	3	2417-2419	[RX26V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
975	3	2420-2422	[RX26V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
976	3	2423-2425	[RX26V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
977	3	2426-2428	[RX26V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
978	3	2429-2431	[RX26V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
979	3	2432-2434	[RX26V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #27

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

980	6	2435-2440	[DRUGID27] DRUG ID
981	1	2441	[PRESCR27] PRESCRIPTION STATUS CODE
982	1	2442	[CONTSUB27] CONTROLLED SUBSTANCE STATUS CODE
983	1	2443	[COMSTAT27] COMPOSITION STATUS CODE
984	3	2444-2446	[RX27CAT1] MULTUM DRUG CATEGORY # 1
985	3	2447-2449	[RX27CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
986	3	2450-2452	[RX27CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
987	3	2453-2455	[RX27CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

988	3	2456-2458	[RX27V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
989	3	2459-2461	[RX27V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
990	3	2462-2464	[RX27V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
991	3	2465-2467	[RX27V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
992	3	2468-2470	[RX27V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
993	3	2471-2473	[RX27V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
994	3	2474-2476	[RX27V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
995	3	2477-2479	[RX27V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
996	3	2480-2482	[RX27V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
997	3	2483-2485	[RX27V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
998	3	2486-2488	[RX27V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
999	3	2489-2491	[RX27V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #28

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

1000	6	2492-2497	[DRUGID28] DRUG ID
1001	1	2498	[PRESCR28] PRESCRIPTION STATUS CODE
1002	1	2499	[CONTSUB28] CONTROLLED SUBSTANCE STATUS CODE
1003	1	2500	[COMSTAT28] COMPOSITION STATUS CODE
1004	3	2501-2503	[RX28CAT1] MULTUM DRUG CATEGORY # 1
1005	3	2504-2506	[RX28CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
1006	3	2507-2509	[RX28CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
1007	3	2510-2512	[RX28CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

1008	3	2513-2515	[RX28V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
1009	3	2516-2518	[RX28V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
1010	3	2519-2521	[RX28V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
1011	3	2522-2524	[RX28V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
1012	3	2525-2527	[RX28V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
1013	3	2528-2530	[RX28V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
1014	3	2531-2533	[RX28V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
1015	3	2534-2536	[RX28V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
1016	3	2537-2539	[RX28V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
1017	3	2540-2542	[RX28V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
1018	3	2543-2545	[RX28V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
1019	3	2546-2548	[RX28V3C4] Level 3 of MULTUM DRUG CATEGORY # 4



ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #29

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 88) for coding information.

1020	6	2549-2554	[DRUGID29] DRUG ID
1021	1	2555	[PRESCR29] PRESCRIPTION STATUS CODE
1022	1	2556	[CONTSUB29] CONTROLLED SUBSTANCE STATUS CODE
1023	1	2557	[COMSTAT29] COMPOSITION STATUS CODE
1024	3	2558-2560	[RX29CAT1] MULTUM DRUG CATEGORY # 1
1025	3	2561-2563	[RX29CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
1026	3	2564-2566	[RX29CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
1027	3	2567-2569	[RX29CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

1028	3	2570-2572	[RX29V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
1029	3	2573-2575	[RX29V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
1030	3	2576-2578	[RX29V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
1031	3	2579-2581	[RX29V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
1032	3	2582-2584	[RX29V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
1033	3	2585-2587	[RX29V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
1034	3	2588-2590	[RX29V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
1035	3	2591-2593	[RX29V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
1036	3	2594-2596	[RX29V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
1037	3	2597-2599	[RX29V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
1038	3	2600-2602	[RX29V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
1039	3	2603-2605	[RX29V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### DRUG-RELATED INFO FOR MEDICATION #30

Please see "DRUG-RELATED INFO FOR MEDICATION #1" (page 100) for coding information.

1040	6	2606-2611	[DRUGID30] DRUG ID
1041	1	2612	[PRESCR30] PRESCRIPTION STATUS CODE
1042	1	2613	[CONTSUB30] CONTROLLED SUBSTANCE STATUS CODE
1043	1	2614	[COMSTAT30] COMPOSITION STATUS CODE
1044	3	2615-2617	[RX30CAT1] MULTUM DRUG CATEGORY # 1
1045	3	2618-2620	[RX30CAT2] MULTUM DRUG CATEGORY # 2 See RX1CAT1.
1046	3	2621-2623	[RX30CAT3] MULTUM DRUG CATEGORY # 3 See RX1CAT1.
1047	3	2624-2626	[RX30CAT4] MULTUM DRUG CATEGORY # 4 See RX1CAT1.

### DRUG CATEGORY LEVELS

1048	3	2627-2629	[RX30V1C1] Level 1 of MULTUM DRUG CATEGORY # 1
1049	3	2630-2632	[RX30V1C2] Level 1 of MULTUM DRUG CATEGORY # 2
1050	3	2633-2635	[RX30V1C3] Level 1 of MULTUM DRUG CATEGORY # 3
1051	3	2636-2638	[RX30V1C4] Level 1 of MULTUM DRUG CATEGORY # 4
1052	3	2639-2641	[RX30V2C1] Level 2 of MULTUM DRUG CATEGORY # 1
1053	3	2642-2644	[RX30V2C2] Level 2 of MULTUM DRUG CATEGORY # 2
1054	3	2645-2647	[RX30V2C3] Level 2 of MULTUM DRUG CATEGORY # 3
1055	3	2648-2650	[RX30V2C4] Level 2 of MULTUM DRUG CATEGORY # 4
1056	3	2651-2653	[RX30V3C1] Level 3 of MULTUM DRUG CATEGORY # 1
1057	3	2654-2656	[RX30V3C2] Level 3 of MULTUM DRUG CATEGORY # 2
1058	3	2657-2659	[RX30V3C3] Level 3 of MULTUM DRUG CATEGORY # 3
1059	3	2660-2662	[RX30V3C4] Level 3 of MULTUM DRUG CATEGORY # 4

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

### NAMCS SAMPLE DESIGN VARIABLES

NAMCS sampling design variables (in masked format) were first added to the 2000 public use file, and data years from 1993-1999 were re-released to include them. These variables were for use with statistical software such as SUDAAN that takes into account the complex sampling design of the survey. However, for those running versions of SAS, Stata, SPSS and other software that assumes a single stage of sampling, the multi-stage design variables provided on the public use files could not be used without modification. Therefore, in 2002, two new variables, CSTRATM and CPSUM, were developed, that could be used in such programs instead of the multi-stage variables. In 2003, the decision was made to include on the public use file just these two variables and not the multi-stage design variables that appeared in the past.

Until such time as the older public use files may be re-released to include these variables, data users wishing to combine data from 2003 and later years with data from earlier years will find it necessary to create CSTRATM and CPSUM for the earlier files. A technical paper, *Using Ultimate Cluster Models with NAMCS and NHAMCS Public Use Files*, is available for downloading at the Ambulatory Health Care Data website: [http://www.cdc.gov/nchs/ahcd/ahcd\\_questionnaires.htm](http://www.cdc.gov/nchs/ahcd/ahcd_questionnaires.htm). This paper gives instructions on how to configure data files prior to 2002 for variance estimation based on 1-stage sampling models, such as those used in SAS proc surveymeans, Stata, SPSS, and the SUDAAN with-replacement option, and how to handle instances of single-case strata in the data on the older files. Please also see the section on Relative Standard Errors in the current document for more information on these variables and how to use them. PSU is primary sampling unit.

In 2015, NAMCS utilized a list sample, as described in more detail on page 12. For consistency with previous years, the same names used in earlier years have been used for the two new sample design variables. For additional information on combining data across years with the old and new sample designs, please see p. 2.

1060	8	2663-2670	[CSTRATM] Masked clustered stratum marker 10115101-12015102
1061	6	2671-2676	[CPSUM] Sampled provider marker 100023-108080
1062	4	2677-2680	[YEAR] SURVEY YEAR 2015
1063	1	2681	[SETTYPE] SETTING TYPE This item is intended for use when combining data from NAMCS and NHAMCS.  1 = Physician office (NAMCS)
1064	11	2682-2692	[PATWT] PATIENT VISIT WEIGHT (NOT FOR STATE ESTIMATES) (See page 2 for more information.)  This variable has been produced as an unrounded integer in 2015, which will make estimates slightly more precise. It is ONLY for use in producing national, regional, and MSA-level estimates, NOT state estimates.  348.0238- 1087420.728

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

1065	12	2693-2694	[PATWTST] PATIENT VISIT WEIGHT FOR STATE ESTIMATES (See page 2 for more information.)
------	----	-----------	--

This variable has been produced as an unrounded integer which will make estimates slightly more precise. It is ONLY for use in producing state estimates, NOT national, regional, or MSA-level estimates.

NOTE: Records sampled in 'region remainders' (that is, not part of the 16 targeted states, but in states aggregated within their region) were given miniscule values for PATWTST (.00001). State estimates cannot be made for these records (a total of 7,567), but assigning some value for PATWTST was necessary to avoid the records being dropped from statistical software when calculating variances.

0.00001 – 1087420.7285

1066	9	2745-2753	[PHYSWT] PHYSICIAN WEIGHT
------	---	-----------	---------------------------

Physician weight enables data users to make physician-level estimates. See also "Description of the NAMCS," Marginal Data, and Appendix I.

7.63341-2044.5291