Performance metrics (classification)

Jacobo Robledo

2024-10-24

Here are definitions of the performance metrics I presented in Classification_Notebook.html when comparing machine learning (ML) models:

1. Accuracy

- **Definition**: The proportion of correctly classified instances (true positives and true negatives) out of the total instances.
- **Formula**:

$$\text{Accuracy} = \frac{\text{True Positives} + \text{True Negatives}}{\text{Total Instances}}$$

- **Purpose**: Measures the overall correctness of the model.

2. AUC (Area Under the Curve)

- **Definition**: The Area Under the Receiver Operating Characteristic (ROC) curve. It measures the ability of a model to distinguish between positive and negative classes.
- **Purpose**: AUC represents how well the model discriminates between the positive and negative class. A higher AUC indicates better performance.

3. Kappa (Cohen's Kappa)

- **Definition**: A statistical measure of inter-rater agreement or classification accuracy, adjusted for chance.
- **Formula**:

$$\kappa = \frac{\text{Observed Accuracy} - \text{Expected Accuracy}}{1 - \text{Expected Accuracy}}$$

- **Purpose**: Takes into account both the accuracy and the possibility that agreement could happen by chance.

4. LogLoss (Logarithmic Loss)

- **Definition**: Measures the performance of a classification model where the output is a probability value between 0 and 1. It penalizes false classifications with a focus on how confident the model was in making the wrong prediction.
- **Formula**:

$$\text{Log Loss} = -\frac{1}{n}\sum_{i=1}^{n}[y_i\log(p_i) + (1 - y_i)\log(1 - p_i)]$$

- **Purpose**: Lower log loss means better performance. It evaluates the uncertainty of predictions.

5. Mean Balanced Accuracy
- **Definition**: The average of recall obtained on each class, useful for imbalanced datasets.
- **Formula**:

$$\text{Balanced Accuracy} = \frac{1}{2}\left(\frac{\text{True Positives}}{\text{True Positives} + \text{False Negatives}} + \frac{\text{True Negatives}}{\text{True Negatives} + \text{False Positives}}\right)$$

- **Purpose**: Corrects the bias introduced by imbalanced datasets.

6. Mean Detection Rate
- **Definition**: The proportion of positive cases correctly detected by the model out of the total instances. It's typically equivalent to sensitivity or recall.
- **Formula**:

$$\text{Detection Rate} = \frac{\text{True Positives}}{\text{Total Instances}}$$

7. Mean F1 (F1 Score)
- **Definition**: The harmonic mean of precision and recall. It gives a balance between precision and recall.
- **Formula**:

$$F1 = 2 \times \frac{\text{Precision} \times \text{Recall}}{\text{Precision} + \text{Recall}}$$

- **Purpose**: Best used when you need a balance between precision and recall.

8. Mean Negative Predictive Value (Mean NPV)
- **Definition**: The proportion of negative cases correctly identified by the model out of all predicted negative cases.
- **Formula**:

$$\text{NPV} = \frac{\text{True Negatives}}{\text{True Negatives} + \text{False Negatives}}$$

- **Purpose**: Useful for assessing the ability of a model to correctly rule out negative cases.

9. Mean Positive Predictive Value (Mean PPV)
- **Definition**: The proportion of positive cases correctly identified by the model out of all predicted positive cases (i.e., **Precision**).
- **Formula**:

$$\text{PPV (Precision)} = \frac{\text{True Positives}}{\text{True Positives} + \text{False Positives}}$$

10. Mean Precision
- **Definition**: The average of precision scores across different classes. Precision is the proportion of true positives among all predicted positives.
- **Purpose**: Indicates how reliable the model is when it predicts a positive class.

11. Mean Recall
- **Definition**: The average recall (or sensitivity) across classes, representing the ability of the model to capture all true positives.
- **Formula**:

$$\text{Recall} = \frac{\text{True Positives}}{\text{True Positives} + \text{False Negatives}}$$

- **Purpose**: Reflects the model's ability to find all relevant instances.

12. Mean Sensitivity
- **Definition**: Another term for **Recall**, which measures the proportion of actual positives that are correctly identified by the model.
- **Purpose**: Sensitivity is important in detecting positive cases.

13. Mean Specificity
- **Definition**: The proportion of actual negatives that are correctly identified by the model.
- **Formula**:

$$\text{Specificity} = \frac{\text{True Negatives}}{\text{True Negatives} + \text{False Positives}}$$

- **Purpose**: Measures the model's ability to detect true negatives.

14. prAUC (Precision-Recall AUC)
- **Definition**: The area under the Precision-Recall curve. It focuses more on the performance of a model on the positive class and how well it balances precision and recall.
- **Purpose**: Useful for imbalanced datasets where focusing on the positive class is important, as it emphasizes how well the model captures true positives while avoiding false positives.