

Bankhead National Forest, AL, AMF3 (Main Site)  
Atmospheric Radiation Measurement User Facility



ARM Data Quality Report (DQR) Table

| Datastream            | DQR        | Quality   | Subject                                           | Start Date          | End Date            |
|-----------------------|------------|-----------|---------------------------------------------------|---------------------|---------------------|
| bnfaosacsmtofspecM1.a | D250506.1  | Missing   | Several Issues Caused Missing Data/Incorrect Data | 2025-03-05T01:44:19 | 2025-03-06T16:42:31 |
| bnfaosacsmtofspecM1.a | D251124.8  | Missing   | Missing Data                                      | 2025-11-07T14:38:10 | 2025-11-09T17:10:37 |
| bnfaosacsmtofspecM1.a | D260316.11 | Missing   | Missing Data                                      | 2026-01-22T20:57:23 | 2026-02-11T20:09:56 |
| bnfaosacsmtofspecM1.a | D250703.4  | Missing   | Missing/Incorrect Data                            | 2025-06-17T00:00:00 | 2025-06-23T23:59:59 |
| bnfaosacsmtofspecM1.a | D250307.10 | Missing   | No Data                                           | 2025-01-09T17:32:35 | 2025-02-26T19:45:08 |
| bnfaosacsmtofspecM1.a | D250214.6  | Missing   | Power Outage                                      | 2024-12-27T19:10:14 | 2024-12-30T19:45:24 |
| bnfaosacsmtofspecM1.a | D241203.8  | Missing   | Data Missing                                      | 2024-11-19T20:12:43 | 2024-11-22T20:03:15 |
| bnfaosacsmtofspecM1.a | D251003.6  | Missing   | Missing Data                                      | 2025-07-18T22:43:56 | 2025-07-21T17:08:07 |
| bnfaosacsmtofspecM1.a | D260403.4  | Missing   | Missing Data                                      | 2026-03-09T23:00:00 | 2026-03-12T20:00:00 |
| bnfaosacsmtofspecM1.a | D250606.4  | Missing   | Missing Data                                      | 2025-05-14T15:06:24 | 2025-05-15T17:33:04 |
| bnfaosacsmtofspecM1.a | D250602.6  | Incorrect | Incorrect Data                                    | 2025-05-23T00:00:00 | 2025-05-27T23:59:59 |
| bnfaosacsmtofspecM1.a | D251104.13 | Incorrect | Mentors on Site - No Valid Data                   | 2025-10-21T00:00:00 | 2025-10-22T23:59:59 |
| bnfaosacsmtofspecM1.a | D250714.6  | Incorrect | Mentors Performing Instrument Calibrations        | 2025-07-08T13:00:00 | 2025-07-12T00:00:00 |
| bnfaosacsmtofspecM1.a | D250506.3  | Incorrect | Incorrect Data                                    | 2025-03-29T00:00:00 | 2025-03-31T23:59:59 |
| bnfaosacsmtofspecM1.a | D250303.1  | Incorrect | Incorrect Data                                    | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaosacsmtofspecM1.a | D260415.2  | Incorrect | Incorrect Data                                    | 2026-03-11T23:59:24 | 2026-03-25T23:00:00 |
| bnfaosacsmtofspecM1.a | D260303.14 | Incorrect | AOS Mentors working in the AOS                    | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaosmetM1.a1        | D260225.3  | Missing   | Missing Data                                      | 2026-02-19T16:07:03 | 2026-02-20T14:39:46 |
| bnfaosmetM1.a1        | D250203.3  | Missing   | No Data                                           | 2024-12-29T04:36:25 | 2024-12-30T14:34:49 |
| bnfaosmetM1.a1        | D241031.1  | Missing   | Failed Power and Intermittent Communications      | 2024-10-01T00:00:00 | 2024-10-21T20:27:59 |
| bnfaosmetM1.a1        | D250508.1  | Missing   | Power Outage                                      | 2025-04-20T13:20:23 | 2025-04-21T17:49:12 |
| bnfaosmetM1.a1        | D250307.3  | Missing   | Power Outage                                      | 2025-02-16T05:48:20 | 2025-02-17T15:56:18 |
| bnfaosmetM1.a1        | D250303.1  | Incorrect | Incorrect Data                                    | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaosmetM1.a1        | D260303.14 | Incorrect | AOS Mentors working in the AOS                    | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaosmetM1.a1        | D250714.6  | Incorrect | Mentors Performing Instrument Calibrations        | 2025-07-08T13:00:00 | 2025-07-12T00:00:00 |
| bnfaosmetM1.a1        | D250819.9  | Suspect   | Relative Humidity Dry Bias                        | 2024-10-17T16:07:49 | 2025-07-23T16:12:00 |
| bnfaosapsM1.b1        | D260205.3  | Missing   | Missing Data                                      | 2026-01-08T17:35:55 | 2026-01-12T14:49:44 |
| bnfaosapsM1.b1        | D250130.4  | Missing   | Missing Data                                      | 2025-01-10T16:51:27 | 2025-01-13T14:49:39 |
| bnfaosapsM1.b1        | D250219.1  | Missing   | Missing data                                      | 2025-02-16T05:48:20 | 2025-02-18T15:21:25 |
| bnfaosapsM1.b1        | D250423.4  | Missing   | Missing Data                                      | 2025-04-20T13:20:22 | 2025-04-21T19:59:59 |

## ARM Data Quality Report (DQR) Table

| Datastream        | DQR        | Quality   | Subject                         | Start Date          | End Date            |
|-------------------|------------|-----------|---------------------------------|---------------------|---------------------|
| bnfaosapsM1.b1    | D250414.7  | Missing   | Missing Data                    | 2025-04-12T14:39:57 | 2025-04-14T15:20:00 |
| bnfaosapsM1.b1    | D250121.1  | Missing   | Missing Data                    | 2024-12-29T04:00:00 | 2025-01-02T22:48:14 |
| bnfaosapsM1.b1    | D250814.1  | Missing   | Missing Data                    | 2025-08-08T16:40:47 | 2025-08-09T21:36:18 |
| bnfaosapsM1.b1    | D241218.1  | Missing   | Missing Data                    | 2024-12-12T16:17:56 | 2024-12-17T19:59:54 |
| bnfaosapsM1.b1    | D241125.4  | Missing   | No Data                         | 2024-11-19T19:00:00 | 2024-11-25T16:00:00 |
| bnfaosapsM1.b1    | D260519.3  | Missing   | Missing Data                    | 2026-05-18T13:15:13 | 2026-05-19T19:45:00 |
| bnfaosapsM1.b1    | D250627.6  | Missing   | Missing Data                    | 2025-05-21T19:27:05 | 2025-07-24T15:55:45 |
| bnfaosapsM1.b1    | D250530.2  | Incorrect | Incorrect Data                  | 2025-05-21T12:00:00 | 2025-05-21T19:27:05 |
| bnfaosapsM1.b1    | D260430.3  | Incorrect | Incorrect Data                  | 2026-04-21T04:00:00 | 2026-04-22T20:00:00 |
| bnfaosapsM1.b1    | D250512.13 | Incorrect | Incorrect Data                  | 2025-05-06T10:00:00 | 2025-05-06T11:30:00 |
| bnfaosapsM1.b1    | D260422.8  | Incorrect | Incorrect Data                  | 2026-04-21T03:20:00 | 2026-04-22T19:45:00 |
| bnfaosapsM1.b1    | D260519.2  | Incorrect | Incorrect Data                  | 2026-05-18T02:00:00 | 2026-05-18T13:15:13 |
| bnfaosapsM1.b1    | D260219.2  | Incorrect | Incorrect Data                  | 2026-02-12T17:30:00 | 2026-02-12T18:30:00 |
| bnfaosapsM1.b1    | D260303.14 | Incorrect | AOS Mentors working in the AOS  | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaosapsM1.b1    | D250729.1  | Incorrect | Incorrect Data                  | 2025-07-24T15:00:00 | 2025-07-24T18:00:00 |
| bnfaosapsM1.b1    | D260205.4  | Incorrect | Incorrect Data                  | 2026-01-16T21:00:00 | 2026-01-20T15:07:22 |
| bnfaosapsM1.b1    | D260508.3  | Incorrect | Incorrect Data                  | 2026-04-28T00:00:00 | 2026-04-30T20:00:00 |
| bnfaosapsM1.b1    | D260120.2  | Incorrect | Incorrect Data                  | 2026-01-16T21:30:00 | 2026-01-20T14:59:59 |
| bnfaosapsM1.b1    | D250303.1  | Incorrect | Incorrect Data                  | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaosapsM1.b1    | D251104.13 | Incorrect | Mentors on Site - No Valid Data | 2025-10-21T00:00:00 | 2025-10-22T23:59:59 |
| bnfaosapsM1.b1    | D260508.2  | Suspect   | Suspect Data                    | 2026-04-22T19:45:00 | 2026-04-28T00:00:00 |
| bnfaoscaps3wM1.b1 | D250602.4  | Suspect   | Sample Flow not Actively Dried  | 2024-10-01T00:00:00 | 2025-05-29T00:00:00 |
| bnfaoscaps3wM1.b1 | D250731.8  | Suspect   | Suspect Data                    | 2025-05-08T00:00:00 | 2025-06-02T17:02:42 |
| bnfaoscaps3wM1.b1 | D250731.7  | Suspect   | Some Data Questionable          | 2025-04-02T00:00:00 | 2025-05-08T00:00:00 |
| bnfaoscaps3wM1.b1 | D250529.3  | Suspect   | Sample RH not Controlled        | 2024-10-01T00:00:00 | 2025-05-29T00:00:00 |
| bnfaoscaps3wM1.b1 | D250213.3  | Incorrect | Incorrect Data                  | 2025-01-21T18:01:16 | 2025-02-12T13:04:15 |
| bnfaoscaps3wM1.b1 | D250128.2  | Incorrect | Bad Data                        | 2025-02-05T14:00:00 | 2025-02-12T13:04:15 |
| bnfaoscaps3wM1.b1 | D250731.10 | Incorrect | All Data Unusable               | 2025-06-06T15:01:27 | 2025-06-16T13:43:00 |
| bnfaoscaps3wM1.b1 | D260303.14 | Incorrect | AOS Mentors working in the AOS  | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaoscaps3wM1.b1 | D250303.1  | Incorrect | Incorrect Data                  | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |

ARM Data Quality Report (DQR) Table

| Datastream            | DQR        | Quality   | Subject                                                    | Start Date          | End Date            |
|-----------------------|------------|-----------|------------------------------------------------------------|---------------------|---------------------|
| bnfaoscaps3wM1.b1     | D250522.9  | Missing   | Missing Data                                               | 2025-04-12T14:44:32 | 2025-04-14T12:31:59 |
| bnfaoscaps3wM1.b1     | D250522.7  | Missing   | No Data                                                    | 2025-02-10T23:59:00 | 2025-04-02T17:40:00 |
| bnfaoscaps3wM1.b1     | D250731.5  | Missing   | Missing Data                                               | 2025-06-02T17:02:42 | 2025-06-06T15:01:27 |
| bnfaoscaps3wM1.b1     | D250213.2  | Missing   | No Data                                                    | 2024-11-07T16:20:22 | 2025-01-21T18:01:16 |
| bnfaosccn2colaavgM1.b | D250502.2  | Missing   | CCN Offline Due to Power Outage at Site                    | 2025-04-23T21:09:25 | 2025-04-24T15:00:00 |
| bnfaosccn2colaavgM1.b | D260318.24 | Missing   | CCN Offline                                                | 2026-03-09T23:13:39 | 2026-03-10T14:00:00 |
| bnfaosccn2colaavgM1.b | D260528.11 | Missing   | CCN Offline                                                | 2026-05-26T03:28:00 | 2026-05-26T13:40:00 |
| bnfaosccn2colaavgM1.b | D250106.8  | Missing   | No Data due to Power Outage at BNF Site                    | 2024-12-29T04:37:08 | 2024-12-30T15:00:00 |
| bnfaosccn2colaavgM1.b | D251112.1  | Missing   | CCN Offline Due to Power Outage at Site                    | 2025-11-08T12:57:00 | 2025-11-08T19:05:00 |
| bnfaosccn2colaavgM1.b | D250317.6  | Missing   | CCN Offline                                                | 2025-03-14T20:00:00 | 2025-03-17T14:00:00 |
| bnfaosccn2colaavgM1.b | D241126.1  | Missing   | No Data                                                    | 2024-11-19T19:00:00 | 2024-11-20T22:00:00 |
| bnfaosccn2colaavgM1.b | D250414.1  | Missing   | CCN Offline Due to Power Outage at Site                    | 2025-04-12T14:44:00 | 2025-04-14T13:14:20 |
| bnfaosccn2colaavgM1.b | D251016.1  | Missing   | CCN VI Crash                                               | 2025-10-14T23:12:00 | 2025-10-15T15:19:00 |
| bnfaosccn2colaavgM1.b | D250410.9  | Missing   | CCN Offline Due to Power Outage at Site                    | 2025-04-09T13:17:35 | 2025-04-09T17:04:04 |
| bnfaosccn2colaavgM1.b | D250110.1  | Missing   | CCN Shutdown due to Cold Weather                           | 2025-01-10T12:31:07 | 2025-01-13T17:02:19 |
| bnfaosccn2colaavgM1.b | D250320.6  | Missing   | CCN Offline Due to Power Outage at Site                    | 2025-02-16T05:50:22 | 2025-02-18T15:17:36 |
| bnfaosccn2colaavgM1.b | D250423.8  | Missing   | CCN Offline Due to Power Outage at Site                    | 2025-04-20T13:20:00 | 2025-04-21T20:00:00 |
| bnfaosccn2colaavgM1.b | D260123.5  | Missing   | CCN Shutdown due to Cold Weather                           | 2026-01-23T13:15:00 | 2026-01-28T14:45:00 |
| bnfaosccn2colaavgM1.b | D250701.3  | Missing   | CCN Offline Due to Power Outage at Site                    | 2025-06-30T19:47:00 | 2025-06-30T21:00:00 |
| bnfaosccn2colaavgM1.b | D250310.5  | Missing   | CCN Offline Due to Power Outage at Site                    | 2025-03-05T01:00:00 | 2025-03-06T03:00:00 |
| bnfaosccn2colaavgM1.b | D250411.6  | Missing   | CCN Offline Due to Power Outage at Site                    | 2025-04-10T23:29:00 | 2025-04-11T13:10:00 |
| bnfaosccn2colaavgM1.b | D250717.6  | Incorrect | Restriction in CCN Sample Line                             | 2025-07-12T00:00:00 | 2025-07-16T21:00:00 |
| bnfaosccn2colaavgM1.b | D260123.3  | Incorrect | Dry Shutdown of CCN due to Winter Storm                    | 2026-01-22T15:30:00 | 2026-01-23T13:15:00 |
| bnfaosccn2colaavgM1.b | D250109.3  | Incorrect | Dry Shutdown of CCN due to Cold Weather Power Outage       | 2025-01-09T15:00:00 | 2025-01-10T13:00:00 |
| bnfaosccn2colaavgM1.b | D260302.4  | Incorrect | Undercounting of N_CCN by Col A                            | 2026-01-28T14:45:00 | 3001-01-01 00:00:00 |
| bnfaosccn2colaavgM1.b | D250114.4  | Incorrect | CCN Startup and Flow Calibration after Cold Weather Outage | 2025-01-13T14:50:00 | 2025-01-14T21:00:00 |
| bnfaosccn2colaavgM1.b | D250410.10 | Incorrect | Auto Startup of CCN Program                                | 2025-04-09T17:04:04 | 2025-04-10T19:00:00 |
| bnfaosccn2colaavgM1.b | D260303.14 | Incorrect | AOS Mentors working in the AOS                             | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaosccn2colaavgM1.b | D251104.13 | Incorrect | Mentors on Site - No Valid Data                            | 2025-10-21T00:00:00 | 2025-10-22T23:59:59 |
| bnfaosccn2colaavgM1.b | D250320.8  | Incorrect | Auto Startup of CCN Program                                | 2025-02-18T15:17:36 | 2025-02-18T16:40:00 |

## ARM Data Quality Report (DQR) Table

| Datastream            | DQR        | Quality   | Subject                                               | Start Date          | End Date            |
|-----------------------|------------|-----------|-------------------------------------------------------|---------------------|---------------------|
| bnfaosccn2colaavgM1.b | D250717.8  | Incorrect | CCN Undergoing Flow Calibration                       | 2025-05-21T16:00:00 | 2025-05-21T18:30:00 |
| bnfaosccn2colaavgM1.b | D250303.1  | Incorrect | Incorrect Data                                        | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaosccn2colaavgM1.b | D250521.6  | Incorrect | CCN Undergoing Flow Calibration                       | 2025-01-14T17:00:00 | 2025-01-14T20:00:00 |
| bnfaosccn2colaavgM1.b | D250722.2  | Incorrect | Condensation in Sample Bypass Line                    | 2025-07-22T14:30:00 | 2025-07-22T16:30:00 |
| bnfaosccn2colaavgM1.b | D250414.3  | Incorrect | Auto Startup of CCN Program                           | 2025-04-14T13:14:20 | 2025-04-14T14:00:00 |
| bnfaosccn2colaavgM1.b | D251203.3  | Incorrect | Flow Calibration                                      | 2025-12-02T15:50:00 | 2025-12-02T19:00:00 |
| bnfaosccn2colaavgM1.b | D250703.2  | Incorrect | CCN Column Temperature Stabilization                  | 2025-07-02T18:35:00 | 2025-07-02T19:35:00 |
| bnfaosccn2colaavgM1.b | D250502.3  | Incorrect | Auto Startup of CCN Program                           | 2025-04-25T14:40:00 | 2025-04-25T16:30:00 |
| bnfaosccn2colaavgM1.b | D260129.2  | Incorrect | CCN Startup and Rehydration after Cold Weather Outage | 2026-01-28T14:45:00 | 2026-01-29T15:15:00 |
| bnfaosccn2colaavgM1.b | D250714.6  | Incorrect | Mentors Performing Instrument Calibrations            | 2025-07-08T13:00:00 | 2025-07-12T00:00:00 |
| bnfaoscoM1.b1         | D251104.13 | Incorrect | Mentors on Site - No Valid Data                       | 2025-10-21T00:00:00 | 2025-10-22T23:59:59 |
| bnfaoscoM1.b1         | D251022.8  | Incorrect | Leak Test                                             | 2025-10-06T17:40:33 | 2025-10-06T19:43:48 |
| bnfaoscoM1.b1         | D260303.14 | Incorrect | AOS Mentors working in the AOS                        | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaoscoM1.b1         | D250303.1  | Incorrect | Incorrect Data                                        | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaoscoM1.b1         | D250714.6  | Incorrect | Mentors Performing Instrument Calibrations            | 2025-07-08T13:00:00 | 2025-07-12T00:00:00 |
| bnfaoscoM1.b1         | D251022.5  | Incorrect | Leak in Sample Line                                   | 2024-10-01T00:00:00 | 2025-10-03T18:00:00 |
| bnfaoscoM1.b1         | D241209.8  | Suspect   | Sample Line Disruption                                | 2024-10-01T03:00:00 | 2024-10-08T20:00:00 |
| bnfaoscoM1.b1         | D250204.1  | Missing   | Missing Data                                          | 2024-12-25T14:51:48 | 2024-12-26T15:28:18 |
| bnfaoscoM1.b1         | D250516.10 | Missing   | Missing Data                                          | 2025-04-12T14:44:32 | 2025-04-14T12:53:43 |
| bnfaoscoM1.b1         | D251028.2  | Missing   | Analyzer Data System Failure                          | 2025-10-23T14:42:50 | 2025-10-28T14:01:48 |
| bnfaoscoM1.b1         | D250603.5  | Missing   | Missing Data                                          | 2025-04-20T13:20:22 | 2025-04-21T18:02:41 |
| bnfaospcu1mM1.b1      | D250410.2  | Incorrect | Incorrect Data                                        | 2025-04-09T14:00:00 | 2025-04-09T19:59:59 |
| bnfaospcu1mM1.b1      | D251104.13 | Incorrect | Mentors on Site - No Valid Data                       | 2025-10-21T00:00:00 | 2025-10-22T23:59:59 |
| bnfaospcu1mM1.b1      | D250530.1  | Incorrect | Incorrect Data                                        | 2025-05-14T15:00:00 | 2025-05-14T22:59:59 |
| bnfaospcu1mM1.b1      | D250729.2  | Incorrect | Incorrect Data                                        | 2025-07-18T14:00:00 | 2025-07-18T21:00:00 |
| bnfaospcu1mM1.b1      | D250905.10 | Incorrect | Incorrect Data                                        | 2025-08-21T09:00:00 | 2025-08-21T19:00:00 |
| bnfaospcu1mM1.b1      | D251117.1  | Incorrect | Incorrect Data                                        | 2025-11-14T13:00:00 | 2025-11-15T16:59:59 |
| bnfaospcu1mM1.b1      | D250530.8  | Incorrect | Incorrect Data                                        | 2025-05-30T17:00:00 | 2025-05-30T18:50:00 |
| bnfaospcu1mM1.b1      | D250303.1  | Incorrect | Incorrect Data                                        | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaospcu1mM1.b1      | D250725.4  | Incorrect | Incorrect Data                                        | 2025-07-06T09:00:00 | 2025-07-07T22:00:00 |

ARM Data Quality Report (DQR) Table

| Datastream           | DQR        | Quality   | Subject                                    | Start Date          | End Date            |
|----------------------|------------|-----------|--------------------------------------------|---------------------|---------------------|
| bnfaospcpu1mM1.b1    | D241209.2  | Incorrect | Incorrect Data                             | 2024-12-07T03:00:00 | 2024-12-09T16:00:00 |
| bnfaospcpu1mM1.b1    | D250521.4  | Incorrect | Incorrect Data                             | 2025-05-19T07:00:00 | 2025-05-19T14:30:00 |
| bnfaospcpu1mM1.b1    | D250722.5  | Incorrect | Incorrect Data                             | 2025-07-22T14:30:00 | 2025-07-22T17:00:00 |
| bnfaospcpu1mM1.b1    | D260303.14 | Incorrect | AOS Mentors working in the AOS             | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaospcpu1mM1.b1    | D250423.6  | Incorrect | Incorrect Data                             | 2025-04-11T12:30:00 | 2025-04-11T18:59:59 |
| bnfaospcpu1mM1.b1    | D241125.5  | Incorrect | Incorrect Data                             | 2024-11-25T16:00:00 | 2024-11-25T19:00:00 |
| bnfaospcpu1mM1.b1    | D250808.13 | Incorrect | Incorrect Data                             | 2025-07-18T12:00:00 | 2025-07-18T21:00:00 |
| bnfaospcpu1mM1.b1    | D250714.6  | Incorrect | Mentors Performing Instrument Calibrations | 2025-07-08T13:00:00 | 2025-07-12T00:00:00 |
| bnfaospcpu1mM1.b1    | D250620.6  | Incorrect | Incorrect Data                             | 2025-06-16T07:30:00 | 2025-06-16T15:00:00 |
| bnfaospcpu1mM1.b1    | D250814.3  | Incorrect | Incorrect Data                             | 2025-08-08T09:00:00 | 2025-08-08T16:30:00 |
| bnfaospcpu1mM1.b1    | D260219.1  | Incorrect | Incorrect Data                             | 2026-02-12T16:50:00 | 2026-02-12T17:50:00 |
| bnfaospcpu1mM1.b1    | D250702.1  | Incorrect | Incorrect Data                             | 2025-07-02T14:00:00 | 2025-07-02T16:05:00 |
| bnfaospcpu1mM1.b1    | D250808.1  | Incorrect | Incorrect Data                             | 2025-08-08T09:00:00 | 2025-08-08T14:30:00 |
| bnfaospcpu1mM1.b1    | D250702.2  | Incorrect | Incorrect Data                             | 2025-07-02T05:00:00 | 2025-07-02T14:05:00 |
| bnfaospcpu1mM1.b1    | D250317.5  | Incorrect | Incorrect Data                             | 2025-03-05T20:26:47 | 2025-03-07T01:00:00 |
| bnfaospcpu1mM1.b1    | D260405.1  | Incorrect | Incorrect Data                             | 2026-04-05T11:45:00 | 2026-04-05T16:30:59 |
| bnfaospcpu1mM1.b1    | D250109.2  | Missing   | Missing Data                               | 2024-12-29T04:37:12 | 2024-12-30T15:18:27 |
| bnfaospcpu1mM1.b1    | D241125.3  | Missing   | No Data                                    | 2024-11-18T15:00:00 | 2024-11-25T16:00:00 |
| bnfaospcpu1mM1.b1    | D250423.4  | Missing   | Missing Data                               | 2025-04-20T13:20:22 | 2025-04-21T19:59:59 |
| bnfaospcpu1mM1.b1    | D250414.8  | Missing   | Missing Data                               | 2025-04-12T14:44:32 | 2025-04-14T12:23:12 |
| bnfaospcpu1mM1.b1    | D241116.3  | Missing   | Missing Data                               | 2024-10-29T14:23:32 | 2024-11-01T17:34:24 |
| bnfaospcpu1mM1.b1    | D250130.4  | Missing   | Missing Data                               | 2025-01-10T16:51:27 | 2025-01-13T14:49:39 |
| bnfaospcpu1mM1.b1    | D250219.2  | Missing   | Missing Data                               | 2025-02-16T05:39:59 | 2025-02-17T20:45:00 |
| bnfaospcpu1mM1.b1    | D250715.1  | Suspect   | Suspect Data                               | 2025-07-04T12:00:00 | 2025-07-06T09:00:00 |
| bnfaospcpu1mM1.b1    | D260520.1  | Suspect   | Suspect Data                               | 2026-05-18T03:00:00 | 2026-05-20T14:00:00 |
| bnfaospcpu1mM1.b1    | D241116.4  | Suspect   | Suspect                                    | 2024-11-01T06:00:00 | 2024-11-05T06:00:00 |
| bnfaosnephdry1mM1.b1 | D250325.1  | Incorrect | Bulb Burned Out                            | 2025-03-12T04:50:00 | 2025-03-12T15:00:00 |
| bnfaosnephdry1mM1.b1 | D250414.4  | Incorrect | No Valid Data                              | 2025-04-10T23:00:00 | 2025-04-11T13:00:00 |
| bnfaosnephdry1mM1.b1 | D251104.13 | Incorrect | Mentors on Site - No Valid Data            | 2025-10-21T00:00:00 | 2025-10-22T23:59:59 |
| bnfaosnephdry1mM1.b1 | D250714.6  | Incorrect | Mentors Performing Instrument Calibrations | 2025-07-08T13:00:00 | 2025-07-12T00:00:00 |

ARM Data Quality Report (DQR) Table

| Datastream           | DQR        | Quality   | Subject                                    | Start Date          | End Date            |
|----------------------|------------|-----------|--------------------------------------------|---------------------|---------------------|
| bnfaosnephdry1mM1.b1 | D241105.3  | Incorrect | Bulb Burned Out                            | 2024-10-01T04:14:41 | 2024-10-30T23:59:59 |
| bnfaosnephdry1mM1.b1 | D250303.1  | Incorrect | Incorrect Data                             | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaosnephdry1mM1.b1 | D260227.2  | Incorrect | Bad Data                                   | 2026-02-27T14:50:00 | 2026-02-27T15:00:00 |
| bnfaosnephdry1mM1.b1 | D260303.14 | Incorrect | AOS Mentors working in the AOS             | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaosnephdry1mM1.b1 | D241127.1  | Incorrect | Nephelometer Bulb Burned Out               | 2024-11-08T03:00:00 | 2024-11-12T18:00:00 |
| bnfaosnephdry1mM1.b1 | D250307.12 | Incorrect | Bulb Burned Out                            | 2025-02-11T19:00:00 | 2025-02-20T20:00:00 |
| bnfaosnephdry1mM1.b1 | D250501.1  | Missing   | Power Outage                               | 2025-04-20T13:20:27 | 2025-04-21T17:57:25 |
| bnfaosnephdry1mM1.b1 | D250107.6  | Missing   | Data Missing                               | 2024-12-29T04:37:11 | 2024-12-30T14:32:12 |
| bnfaosnephdry1mM1.b1 | D260317.19 | Missing   | Power Outage                               | 2026-03-16T04:00:00 | 2026-03-16T15:00:00 |
| bnfaosnephdry1mM1.b1 | D250121.5  | Missing   | Instrument Offline                         | 2025-01-10T16:51:23 | 2025-01-13T14:48:44 |
| bnfaosnephdry1mM1.b1 | D250106.6  | Missing   | Data Missing                               | 2024-12-25T14:51:48 | 2024-12-27T15:00:00 |
| bnfaosnephdry1mM1.b1 | D250602.4  | Suspect   | Sample Flow not Actively Dried             | 2024-10-01T00:00:00 | 2025-05-29T00:00:00 |
| bnfaosnephdry1mM1.b1 | D250529.3  | Suspect   | Sample RH not Controlled                   | 2024-10-01T00:00:00 | 2025-05-29T00:00:00 |
| bnfaoso3M1.b1        | D260303.14 | Incorrect | AOS Mentors working in the AOS             | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaoso3M1.b1        | D251022.5  | Incorrect | Leak in Sample Line                        | 2024-10-01T00:00:00 | 2025-10-03T18:00:00 |
| bnfaoso3M1.b1        | D251104.13 | Incorrect | Mentors on Site - No Valid Data            | 2025-10-21T00:00:00 | 2025-10-22T23:59:59 |
| bnfaoso3M1.b1        | D250714.6  | Incorrect | Mentors Performing Instrument Calibrations | 2025-07-08T13:00:00 | 2025-07-12T00:00:00 |
| bnfaoso3M1.b1        | D250303.1  | Incorrect | Incorrect Data                             | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaoso3M1.b1        | D250204.4  | Missing   | Missing Data                               | 2024-12-29T04:37:06 | 2024-12-30T14:59:10 |
| bnfaoso3M1.b1        | D250512.4  | Missing   | Missing Data                               | 2025-04-12T14:44:29 | 2025-04-14T12:44:01 |
| bnfaospsap3w1mM1.b1  | D260406.1  | Incorrect | Bad Data                                   | 2026-04-05T12:00:00 | 2026-04-05T15:40:00 |
| bnfaospsap3w1mM1.b1  | D250917.6  | Incorrect | Incorrect Data                             | 2025-08-08T09:10:00 | 2025-08-08T14:10:00 |
| bnfaospsap3w1mM1.b1  | D250303.1  | Incorrect | Incorrect Data                             | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaospsap3w1mM1.b1  | D251104.13 | Incorrect | Mentors on Site - No Valid Data            | 2025-10-21T00:00:00 | 2025-10-22T23:59:59 |
| bnfaospsap3w1mM1.b1  | D250917.2  | Incorrect | Incorrect Data                             | 2025-09-11T10:45:00 | 2025-09-11T13:52:00 |
| bnfaospsap3w1mM1.b1  | D260227.2  | Incorrect | Bad Data                                   | 2026-02-27T14:50:00 | 2026-02-27T15:00:00 |
| bnfaospsap3w1mM1.b1  | D250714.6  | Incorrect | Mentors Performing Instrument Calibrations | 2025-07-08T13:00:00 | 2025-07-12T00:00:00 |
| bnfaospsap3w1mM1.b1  | D260528.6  | Incorrect | Incorrect Data                             | 2026-05-20T13:00:00 | 2026-05-20T13:20:00 |
| bnfaospsap3w1mM1.b1  | D241029.1  | Incorrect | Bad Data                                   | 2024-10-01T00:00:00 | 2024-10-01T14:00:00 |
| bnfaospsap3w1mM1.b1  | D260309.18 | Incorrect | Missing Data                               | 2026-02-26T23:30:03 | 2026-02-27T14:43:00 |

ARM Data Quality Report (DQR) Table

| Datastream          | DQR        | Quality   | Subject                         | Start Date          | End Date            |
|---------------------|------------|-----------|---------------------------------|---------------------|---------------------|
| bnfaospsap3w1mM1.b1 | D251121.1  | Incorrect | Bad Data                        | 2025-11-14T13:07:28 | 2025-11-14T17:47:43 |
| bnfaospsap3w1mM1.b1 | D241025.1  | Incorrect | Incorrect PSAP Data             | 2024-10-22T13:43:00 | 2024-10-24T13:43:00 |
| bnfaospsap3w1mM1.b1 | D241125.1  | Incorrect | PSAP Leaking                    | 2024-10-22T13:51:00 | 2024-11-01T19:46:00 |
| bnfaospsap3w1mM1.b1 | D241125.2  | Incorrect | Flow Pump Failed                | 2024-11-12T23:00:00 | 2024-11-22T20:05:00 |
| bnfaospsap3w1mM1.b1 | D260303.14 | Incorrect | AOS Mentors working in the AOS  | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaospsap3w1mM1.b1 | D250214.9  | Missing   | Power Outage                    | 2025-01-10T16:51:26 | 2025-01-13T14:56:07 |
| bnfaospsap3w1mM1.b1 | D250409.10 | Missing   | Missing Data                    | 2025-03-14T02:32:25 | 2025-03-17T15:32:19 |
| bnfaospsap3w1mM1.b1 | D250408.3  | Missing   | Missing Data                    | 2025-02-16T05:48:19 | 2025-02-17T15:56:12 |
| bnfaospsap3w1mM1.b1 | D250512.11 | Missing   | Missing Data                    | 2025-04-20T13:20:22 | 2025-04-21T17:39:15 |
| bnfaospsap3w1mM1.b1 | D250522.10 | Missing   | Missing Data                    | 2025-04-12T14:44:32 | 2025-04-14T13:15:26 |
| bnfaospsap3w1mM1.b1 | D250529.3  | Suspect   | Sample RH not Controlled        | 2024-10-01T00:00:00 | 2025-05-29T00:00:00 |
| bnfaospsap3w1mM1.b1 | D250602.4  | Suspect   | Sample Flow not Actively Dried  | 2024-10-01T00:00:00 | 2025-05-29T00:00:00 |
| bnfaossmpsM1.b1     | D250620.6  | Incorrect | Incorrect Data                  | 2025-06-16T07:30:00 | 2025-06-16T15:00:00 |
| bnfaossmpsM1.b1     | D260303.14 | Incorrect | AOS Mentors working in the AOS  | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaossmpsM1.b1     | D250530.1  | Incorrect | Incorrect Data                  | 2025-05-14T15:00:00 | 2025-05-14T22:59:59 |
| bnfaossmpsM1.b1     | D260219.1  | Incorrect | Incorrect Data                  | 2026-02-13T17:50:00 | 2026-02-13T18:30:00 |
| bnfaossmpsM1.b1     | D241125.5  | Incorrect | Incorrect Data                  | 2024-11-16T00:30:00 | 2024-11-18T15:00:00 |
| bnfaossmpsM1.b1     | D241105.1  | Incorrect | Incorrect Data                  | 2024-10-28T20:00:00 | 2024-10-29T18:00:00 |
| bnfaossmpsM1.b1     | D260405.1  | Incorrect | Incorrect Data                  | 2026-04-05T11:45:00 | 2026-04-05T16:30:59 |
| bnfaossmpsM1.b1     | D260123.2  | Incorrect | Incorrect Data                  | 2026-01-15T08:30:00 | 2026-01-22T16:30:00 |
| bnfaossmpsM1.b1     | D250725.5  | Incorrect | Incorrect Data                  | 2025-07-22T14:30:00 | 2025-07-22T16:59:59 |
| bnfaossmpsM1.b1     | D250808.1  | Incorrect | Incorrect Data                  | 2025-08-08T09:00:00 | 2025-08-08T14:30:00 |
| bnfaossmpsM1.b1     | D250814.3  | Incorrect | Incorrect Data                  | 2025-08-08T09:00:00 | 2025-08-08T16:30:00 |
| bnfaossmpsM1.b1     | D250722.5  | Incorrect | Incorrect Data                  | 2025-07-22T14:30:00 | 2025-07-22T17:00:00 |
| bnfaossmpsM1.b1     | D250513.4  | Incorrect | Incorrect Data                  | 2025-05-04T19:00:00 | 2025-05-06T06:59:59 |
| bnfaossmpsM1.b1     | D250530.8  | Incorrect | Incorrect Data                  | 2025-05-30T17:00:00 | 2025-05-30T18:50:00 |
| bnfaossmpsM1.b1     | D250521.4  | Incorrect | Incorrect Data                  | 2025-05-19T07:00:00 | 2025-05-19T14:30:00 |
| bnfaossmpsM1.b1     | D250702.1  | Incorrect | Incorrect Data                  | 2025-07-02T14:00:00 | 2025-07-02T16:05:00 |
| bnfaossmpsM1.b1     | D251104.13 | Incorrect | Mentors on Site - No Valid Data | 2025-10-21T00:00:00 | 2025-10-22T23:59:59 |
| bnfaossmpsM1.b1     | D250512.8  | Incorrect | Incorrect Data                  | 2025-04-23T14:30:00 | 2025-04-24T17:50:00 |



ARM Data Quality Report (DQR) Table

| Datastream       | DQR        | Quality   | Subject                                    | Start Date          | End Date            |
|------------------|------------|-----------|--------------------------------------------|---------------------|---------------------|
| bnfaossmmpsM1.b1 | D250714.6  | Incorrect | Mentors Performing Instrument Calibrations | 2025-07-08T13:00:00 | 2025-07-12T00:00:00 |
| bnfaossmmpsM1.b1 | D250303.1  | Incorrect | Incorrect Data                             | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaossmmpsM1.b1 | D250410.2  | Incorrect | Incorrect Data                             | 2025-04-09T14:00:00 | 2025-04-09T19:59:59 |
| bnfaossmmpsM1.b1 | D250219.2  | Missing   | Missing Data                               | 2025-02-16T05:39:59 | 2025-02-17T20:45:00 |
| bnfaossmmpsM1.b1 | D250127.5  | Missing   | Missing Data                               | 2025-01-22T16:45:02 | 2025-01-23T14:50:00 |
| bnfaossmmpsM1.b1 | D241209.1  | Missing   | Missing Data                               | 2024-12-07T13:54:57 | 2024-12-09T15:00:00 |
| bnfaossmmpsM1.b1 | D250423.5  | Missing   | Missing Data                               | 2025-04-20T02:00:00 | 2025-04-21T19:59:59 |
| bnfaossmmpsM1.b1 | D250109.1  | Missing   | No Data                                    | 2024-12-29T04:30:01 | 2025-01-02T22:45:00 |
| bnfaossmmpsM1.b1 | D241029.12 | Missing   | Missing Data                               | 2024-10-14T20:20:01 | 2024-10-16T16:15:00 |
| bnfaossmmpsM1.b1 | D250313.2  | Missing   | Missing Data                               | 2025-03-05T00:55:00 | 2025-03-06T01:35:00 |
| bnfaossmmpsM1.b1 | D250620.1  | Missing   | Missing Data                               | 2025-06-07T08:19:57 | 2025-06-09T19:20:00 |
| bnfaossmmpsM1.b1 | D241125.3  | Missing   | No Data                                    | 2024-11-18T15:00:00 | 2024-11-25T16:00:00 |
| bnfaossmmpsM1.b1 | D251110.4  | Missing   | Missing Data                               | 2025-10-31T01:10:00 | 2025-11-03T15:30:33 |
| bnfaossmmpsM1.b1 | D250414.7  | Missing   | Missing Data                               | 2025-04-12T14:39:57 | 2025-04-14T15:20:00 |
| bnfaossmmpsM1.b1 | D250127.4  | Missing   | Missing Data                               | 2025-01-10T16:45:02 | 2025-01-13T16:00:05 |
| bnfaossmmpsM1.b1 | D250808.8  | Missing   | Missing Data                               | 2025-06-27T23:30:00 | 2025-06-29T01:45:00 |
| bnfaossmmpsM1.b1 | D250606.7  | Missing   | Missing Data                               | 2025-05-31T23:40:01 | 2025-06-02T12:35:01 |
| bnfaosso2M1.b1   | D260303.14 | Incorrect | AOS Mentors working in the AOS             | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaosso2M1.b1   | D251104.13 | Incorrect | Mentors on Site - No Valid Data            | 2025-10-21T00:00:00 | 2025-10-22T23:59:59 |
| bnfaosso2M1.b1   | D250307.13 | Incorrect | Incorrect Data                             | 2025-02-03T03:55:00 | 2025-02-03T05:00:00 |
| bnfaosso2M1.b1   | D251022.4  | Incorrect | Leak in Sample Line                        | 2024-10-01T00:00:00 | 2025-10-03T18:00:00 |
| bnfaosso2M1.b1   | D250303.1  | Incorrect | Incorrect Data                             | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaosso2M1.b1   | D250714.6  | Incorrect | Mentors Performing Instrument Calibrations | 2025-07-08T13:00:00 | 2025-07-12T00:00:00 |
| bnfaosso2M1.b1   | D250516.7  | Missing   | No Data Available - Power Outage           | 2025-04-20T13:20:22 | 2025-04-21T18:07:32 |
| bnfaosso2M1.b1   | D250408.2  | Missing   | Data Unavailable                           | 2025-02-16T05:48:19 | 2025-02-17T15:57:51 |
| bnfaosso2M1.b1   | D250129.2  | Missing   | Data Unavailable                           | 2024-11-04T19:29:03 | 2024-11-07T21:36:39 |
| bnfaossp2xrM1.b1 | D250918.2  | Missing   | Missing Data                               | 2024-12-29T04:37:09 | 2024-12-30T15:24:53 |
| bnfaossp2xrM1.b1 | D250711.5  | Missing   | Missing Data                               | 2025-04-12T14:44:26 | 2025-04-14T12:40:14 |
| bnfaossp2xrM1.b1 | D250714.6  | Incorrect | Mentors Performing Instrument Calibrations | 2025-07-08T13:00:00 | 2025-07-12T00:00:00 |
| bnfaossp2xrM1.b1 | D251104.13 | Incorrect | Mentors on Site - No Valid Data            | 2025-10-21T00:00:00 | 2025-10-22T23:59:59 |

ARM Data Quality Report (DQR) Table

| Datastream       | DQR        | Quality   | Subject                                    | Start Date          | End Date            |
|------------------|------------|-----------|--------------------------------------------|---------------------|---------------------|
| bnfaossp2xrM1.b1 | D250722.2  | Incorrect | Condensation in Sample Bypass Line         | 2025-07-21T15:15:00 | 2025-07-21T19:30:00 |
| bnfaossp2xrM1.b1 | D250303.1  | Incorrect | Incorrect Data                             | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaossp2xrM1.b1 | D260303.14 | Incorrect | AOS Mentors working in the AOS             | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaosuhsasM1.b1 | D250702.1  | Incorrect | Incorrect Data                             | 2025-07-02T14:00:00 | 2025-07-02T16:05:00 |
| bnfaosuhsasM1.b1 | D250714.6  | Incorrect | Mentors Performing Instrument Calibrations | 2025-07-08T13:00:00 | 2025-07-12T00:00:00 |
| bnfaosuhsasM1.b1 | D260303.14 | Incorrect | AOS Mentors working in the AOS             | 2026-02-23T00:00:00 | 2026-02-26T23:59:59 |
| bnfaosuhsasM1.b1 | D260219.1  | Incorrect | Incorrect Data                             | 2026-02-15T16:45:00 | 2026-02-15T18:45:00 |
| bnfaosuhsasM1.b1 | D251104.13 | Incorrect | Mentors on Site - No Valid Data            | 2025-10-21T00:00:00 | 2025-10-22T23:59:59 |
| bnfaosuhsasM1.b1 | D250303.1  | Incorrect | Incorrect Data                             | 2025-02-24T00:00:00 | 2025-02-28T23:59:59 |
| bnfaosuhsasM1.b1 | D260504.1  | Suspect   | Possible Internal Contamination            | 2026-04-01T00:00:00 | 3001-01-01 00:00:00 |
| bnfaosuhsasM1.b1 | D250311.4  | Missing   | Power Outage                               | 2025-02-16T04:59:56 | 2025-02-18T16:32:32 |
| bnfaosuhsasM1.b1 | D250414.2  | Missing   | Power Outage                               | 2025-04-20T13:00:00 | 2025-04-24T14:00:00 |
| bnfaosuhsasM1.b1 | D260317.19 | Missing   | Power Outage                               | 2026-03-09T22:30:00 | 2026-03-10T12:00:00 |
| bnfaosuhsasM1.b1 | D250604.2  | Missing   | Instrument Software Offline                | 2025-05-17T02:59:59 | 2025-05-23T18:00:03 |
| bnfaosuhsasM1.b1 | D251104.7  | Missing   | Instrument Offline                         | 2025-01-10T15:59:59 | 2025-01-28T17:00:03 |
| bnfaosuhsasM1.b1 | D241205.1  | Missing   | Gaps in the Data                           | 2024-10-17T01:00:00 | 2024-12-03T18:00:00 |
| bnfaosuhsasM1.b1 | D250107.5  | Missing   | Missing Data                               | 2024-12-25T13:59:51 | 2025-01-02T16:17:03 |

## ARM Data Object Identifier (DOI) Table

| Instrument   | DOI                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ACSM         | Shilling, J., Anna, M., Shippert, T., Hayes, C., Allain, M., Salwen, C., & Behrens, B. Aerosol Chemical Speciation Monitor (AOSACSMTOFSPEC), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1822138">https://doi.org/10.5439/1822138</a>                        |
| AOSMET       | Kyrouac, J., & Tuftedal, M. Meteorological Measurements associated with the Aerosol Observing System (AOSMET), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1984920">https://doi.org/10.5439/1984920</a>                                                      |
| APS          | Singh, A., Oliveira, D., Koontz, A., Sedlacek, A., & Kuang, C. Aerodynamic Particle Sizer (AOSAPS), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1407135">https://doi.org/10.5439/1407135</a>                                                                 |
| CAPS-PMEX    | Koontz, A., Sedlacek, A., & Smith, S. Cavity Attenuated Phase Shift Extinction Monitor (AOSCAPS3W), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1406888">https://doi.org/10.5439/1406888</a>                                                                 |
| CCN          | Koontz, A., Uin, J., Andrews, E., Enekwizu, O., Hayes, C., & Salwen, C. Cloud Condensation Nuclei Particle Counter (AOSCCN2COLA), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1323892">https://doi.org/10.5439/1323892</a>                                   |
| CO-ANALYZER  | Sedlacek, A., Hayes, C., Koontz, A., Springston, S., & Trojanowski, R. Carbon Monoxide Analyzer (AOSCO), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1250819">https://doi.org/10.5439/1250819</a>                                                            |
| CPC          | Singh, A., Flynn, C., Ermold, B., Andrews, E., Kuang, C., Hayes, C., & Salwen, C. Condensation Particle Counter (AOSPCCF1M), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1398277">https://doi.org/10.5439/1398277</a>                                        |
| NEPHELOMETER | Uin, J., Hayes, C., & Mayol Bracero, O. Nephelometer (AOSNEPHDRY1M), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1984586">https://doi.org/10.5439/1984586</a>                                                                                                |
| OZONE        | Sedlacek, A., Hayes, C., Springston, S., Koontz, A., & Trojanowski, R. Ozone Monitor (AOSO3), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1346692">https://doi.org/10.5439/1346692</a>                                                                       |
| PSAP         | Sedlacek, A., Smith, S., Ermold, B., Flynn, C., Trojanowski, R., Andrews, E., Hayes, C., Salwen, C., & Flynn, C. Particle Soot Absorption Photometer (AOSPSAP3W1M), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1225037">https://doi.org/10.5439/1225037</a> |
| SMPS         | Singh, A., Kuang, C., Howie, J., Salwen, C., & Hayes, C. Scanning mobility particle sizer (AOSSMPS), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1476898">https://doi.org/10.5439/1476898</a>                                                                |
| SO2          | Sedlacek, A., Hayes, C., & Trojanowski, R. Sulfur Dioxide Monitor (AOSSO2), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1250820">https://doi.org/10.5439/1250820</a>                                                                                         |
| SP2          | Sedlacek, A., & Ermold, B. Single Particle Soot Photometer (AOSSP2XR), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/2507427">https://doi.org/10.5439/2507427</a>                                                                                              |

ARM Data Object Identifier (DOI) Table

| Instrument | DOI                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UHSAS      | <p>Uin, J., Senum, G., Koontz, A., Flynn, C., Salwen, C., &amp; Hayes, C. Ultra-High Sensitivity Aerosol Spectrometer (AOSUHSAS), 2025-01-01 to 2025-12-31, Bankhead National Forest, AL, USA; Long-term Mobile Facility (BNF), Bankhead National Forest, AL, AMF3 (Main Site) (M1). Atmospheric Radiation Measurement (ARM) User Facility. <a href="https://doi.org/10.5439/1409033">https://doi.org/10.5439/1409033</a></p> |