

Version: 16.6

Comment: Date/Time : February 14 2025 06:43:40 AM

Comment: #####

Comment: Do not edit the following "States:" and "Columns:" lines.

Comment: They are required for re-import into the spreadsheet.

Comment: It is permitted to swap columns in this sheet as long as

Comment: 1. the columns stay intact so that the ! and

Comment: 2. the column and state names themselves aren't changed.

Comment:

States: ELECTRICRELATIVE PIN_DELAY PIN_DELAY RELATIVE_P RELATIVE_PROPAGATION RELATIVE_P RELATIVE_P RELATIVE_P RELATIVE_P

Comment: Groupings:

Columns:	Objects	Reference	Pin Pairs	Pin 1	Pin 2	Scope	Delta:Tolerance	Actual	Margin	+/-	Length	Delay
Comment:	Units:			mil	mil		ns				mil	ns
Comment:	#####											
Design:	Xilinx Artix-7 FPGA A704 V10_20241218								2.74 MIL			
Match Group	CLS1_POWER_PH											
Match Group	MG_BANK14		All Drivers/All Receivers			Global	0.00 MIL:5.00 MIL		3.25 MIL			
Pin Pair:	J1.68:U5.AA18 [AA18_L17P_14]					Global	0.00 MIL:5.00 MIL	1.40 MIL	3.6 MIL	-	1605.4	0.2502
Pin Pair:	J1.44:U5.AA19 [AA19_L15P_14]					Global	0.00 MIL:5.00 MIL	1.09 MIL	3.91 MIL	-	1605.71	0.2503
Pin Pair:	J1.34:U5.AA20 [AA20_L8P_14]					Global	0.00 MIL:5.00 MIL	0.93 MIL	4.07 MIL	-	1605.87	0.2503
Pin Pair:	J1.33:U5.AA21 [AA21_L8N_14]					Global	0.00 MIL:5.00 MIL	1.75 MIL	3.25 MIL	-	1605.06	0.2502
Pin Pair:	J1.67:U5.AB18 [AB18_L17N_14]					Global	0.00 MIL:5.00 MIL	1.54 MIL	3.46 MIL	-	1605.26	0.2502
Pin Pair:	J1.43:U5.AB20 [AB20_L15N_14]					Global	0.00 MIL:5.00 MIL	0.67 MIL	4.33 MIL	-	1606.13	0.2503
Pin Pair:	J1.38:U5.AB21 [AB21_L10P_14]					Global	0.00 MIL:5.00 MIL	0.88 MIL	4.12 MIL	-	1605.93	0.2503
Pin Pair:	J1.37:U5.AB22 [AB22_L10N_14]					Global	0.00 MIL:5.00 MIL	0.89 MIL	4.11 MIL	-	1605.91	0.2503
Pin Pair:	J1.64:U5.N13 [N13_L23P_14]					Global	TARGET	TARGET			1606.8	0.2818
Pin Pair:	J1.63:U5.N14 [N14_L23N_14]					Global	0.00 MIL:5.00 MIL	0.83 MIL	4.17 MIL	-	1605.97	0.2816
Pin Pair:	J1.50:U5.N17 [N17_L21P_14]					Global	0.00 MIL:5.00 MIL	0.14 MIL	4.86 MIL	-	1606.66	0.2818
Pin Pair:	J1.58:U5.P14 [P14_L19P_14]					Global	0.00 MIL:5.00 MIL	0.23 MIL	4.77 MIL	-	1606.58	0.2817
Pin Pair:	J1.56:U5.P15 [P15_L22P_14]					Global	0.00 MIL:5.00 MIL	0.65 MIL	4.35 MIL	-	1606.15	0.2817
Pin Pair:	J1.52:U5.P16 [P16_L24P_14]					Global	0.00 MIL:5.00 MIL	0.61 MIL	4.39 MIL	-	1606.19	0.2817
Pin Pair:	J1.49:U5.P17 [P17_L21N_14]					Global	0.00 MIL:5.00 MIL	0.90 MIL	4.1 MIL	-	1605.9	0.2816
Pin Pair:	J1.36:U5.P19 [P19_L5P_14]					Global	0.00 MIL:5.00 MIL	0.59 MIL	4.41 MIL	-	1606.21	0.2817
Pin Pair:	J1.57:U5.R14 [R14_L19N_14]					Global	0.00 MIL:5.00 MIL	0.82 MIL	4.18 MIL	-	1605.99	0.2816
Pin Pair:	J1.55:U5.R16 [R16_L22N_14]					Global	0.00 MIL:5.00 MIL	0.69 MIL	4.31 MIL	-	1606.12	0.2817
Pin Pair:	J1.51:U5.R17 [R17_L24N_14]					Global	0.00 MIL:5.00 MIL	0.14 MIL	4.86 MIL	-	1606.66	0.2818
Pin Pair:	J1.46:U5.R18 [R18_L20P_14]					Global	0.00 MIL:5.00 MIL	0.47 MIL	4.53 MIL	-	1606.33	0.2817
Pin Pair:	J1.35:U5.R19 [R19_L5N_14]					Global	0.00 MIL:5.00 MIL	0.75 MIL	4.25 MIL	-	1606.06	0.2817
Pin Pair:	J1.45:U5.T18 [T18_L20N_14]					Global	0.00 MIL:5.00 MIL	0.60 MIL	4.4 MIL	-	1606.2	0.2817

Pin Pair:	J1.30:U5.T21 [T21_L4P_14]					Global	0.00 MIL:5.00 MIL	0.89 MIL	4.11 MIL	-	1605.91	0.2816
Pin Pair:	J1.66:U5.U17 [U17_L18P_14]					Global	0.00 MIL:5.00 MIL	0.63 MIL	4.37 MIL	-	1606.17	0.2504
Pin Pair:	J1.65:U5.U18 [U18_L18N_14]					Global	0.00 MIL:5.00 MIL	0.27 MIL	4.73 MIL	-	1606.54	0.2504
Pin Pair:	J1.28:U5.U20 [U20_L11P_SRCC_14]					Global	0.00 MIL:5.00 MIL	0.58 MIL	4.42 MIL	-	1606.22	0.2504
Pin Pair:	J1.29:U5.U21 [U21_L4N_14]					Global	0.00 MIL:5.00 MIL	0.81 MIL	4.19 MIL	-	1605.99	0.2816
Pin Pair:	J1.62:U5.V17 [V17_L16P_14]					Global	0.00 MIL:5.00 MIL	0.55 MIL	4.45 MIL	-	1606.25	0.2504
Pin Pair:	J1.54:U5.V18 [V18_L14P_SRCC_14]					Global	0.00 MIL:5.00 MIL	1.34 MIL	3.66 MIL	-	1605.46	0.2503
Pin Pair:	J1.53:U5.V19 [V19_L14N_SRCC_14]					Global	0.00 MIL:5.00 MIL	0.75 MIL	4.25 MIL	-	1606.05	0.2504
Pin Pair:	J1.27:U5.V20 [V20_L11N_SRCC_14]					Global	0.00 MIL:5.00 MIL	0.80 MIL	4.2 MIL	-	1606	0.2504
Pin Pair:	J1.61:U5.W17 [W17_L16N_14]					Global	0.00 MIL:5.00 MIL	1.12 MIL	3.88 MIL	-	1605.68	0.2503
Pin Pair:	J1.42:U5.W19 [W19_L12P_MRCC_14]					Global	0.00 MIL:5.00 MIL	0.36 MIL	4.64 MIL	-	1606.45	0.2504
Pin Pair:	J1.41:U5.W20 [W20_L12N_MRCC_14]					Global	0.00 MIL:5.00 MIL	0.57 MIL	4.43 MIL	-	1606.23	0.2504
Pin Pair:	J1.26:U5.W21 [W21_L7P_14]					Global	0.00 MIL:5.00 MIL	0.16 MIL	4.84 MIL	-	1606.64	0.2504
Pin Pair:	J1.25:U5.W22 [W22_L7N_14]					Global	0.00 MIL:5.00 MIL	0.53 MIL	4.47 MIL	-	1606.28	0.2504
Pin Pair:	J1.48:U5.Y18 [Y18_L13P_MRCC_14]					Global	0.00 MIL:5.00 MIL	0.51 MIL	4.49 MIL	-	1606.29	0.2504
Pin Pair:	J1.47:U5.Y19 [Y19_L13N_MRCC_14]					Global	0.00 MIL:5.00 MIL	1.53 MIL	3.47 MIL	-	1605.28	0.2502
Pin Pair:	J1.32:U5.Y21 [Y21_L9P_14]					Global	0.00 MIL:5.00 MIL	1.33 MIL	3.67 MIL	-	1605.48	0.2502
Pin Pair:	J1.31:U5.Y22 [Y22_L9N_14]					Global	0.00 MIL:5.00 MIL	0.93 MIL	4.07 MIL	-	1605.87	0.2503
Match Group	MG_BANK15		All Drivers/All Receivers			Global	0.00 MIL:5.00 MIL		3.77 MIL			
Pin Pair:	J5.27:U5.G13 [G13_L1N_15]					Global	0.00 MIL:5.00 MIL	0.91 MIL	4.09 MIL	-	1403.57	0.2461
Pin Pair:	J5.22:U5.G15 [G15_L2P_15]					Global	0.00 MIL:5.00 MIL	0.29 MIL	4.71 MIL	-	1404.19	0.2462
Pin Pair:	J5.21:U5.G16 [G16_L2N_15]					Global	0.00 MIL:5.00 MIL	0.75 MIL	4.25 MIL	-	1403.73	0.2461
Pin Pair:	J5.18:U5.G17 [G17_L4P_15]					Global	0.00 MIL:5.00 MIL	0.87 MIL	4.13 MIL	-	1403.61	0.2461
Pin Pair:	J5.17:U5.G18 [G18_L4N_15]					Global	0.00 MIL:5.00 MIL	0.36 MIL	4.64 MIL	-	1404.12	0.2462
Pin Pair:	J5.11:U5.G20 [G20_L8N_15]					Global	0.00 MIL:5.00 MIL	0.67 MIL	4.33 MIL	-	1403.81	0.2188
Pin Pair:	J5.28:U5.H13 [H13_L1P_15]					Global	0.00 MIL:5.00 MIL	0.78 MIL	4.22 MIL	-	1403.7	0.2461
Pin Pair:	J5.25:U5.H14 [H14_L3N_15]					Global	0.00 MIL:5.00 MIL	0.95 MIL	4.05 MIL	-	1403.53	0.2461
Pin Pair:	J5.23:U5.H15 [H15_L5N_15]					Global	0.00 MIL:5.00 MIL	1.23 MIL	3.77 MIL	-	1403.25	0.246
Pin Pair:	J5.16:U5.H17 [H17_L6P_15]					Global	0.00 MIL:5.00 MIL	0.63 MIL	4.37 MIL	-	1403.85	0.2461
Pin Pair:	J5.15:U5.H18 [H18_L6N_15]					Global	0.00 MIL:5.00 MIL	0.94 MIL	4.06 MIL	-	1403.54	0.2461
Pin Pair:	J5.13:U5.H19 [H19_L12N_MRCC_15]					Global	0.00 MIL:5.00 MIL	0.58 MIL	4.42 MIL	-	1403.9	0.2188
Pin Pair:	J5.12:U5.H20 [H20_L8P_15]					Global	0.00 MIL:5.00 MIL	0.84 MIL	4.16 MIL	-	1403.64	0.2188
Pin Pair:	J5.26:U5.J14 [J14_L3P_15]					Global	0.00 MIL:5.00 MIL	0.82 MIL	4.18 MIL	-	1403.66	0.2461
Pin Pair:	J5.24:U5.J15 [J15_L5P_15]					Global	0.00 MIL:5.00 MIL	1.15 MIL	3.85 MIL	-	1403.33	0.246
Pin Pair:	J5.14:U5.J19 [J19_L12P_MRCC_15]					Global	0.00 MIL:5.00 MIL	0.76 MIL	4.24 MIL	-	1403.72	0.2188
Pin Pair:	J5.10:U5.J20 [J20_L11P_SRCC_15]					Global	0.00 MIL:5.00 MIL	0.37 MIL	4.63 MIL	-	1404.11	0.2462
Pin Pair:	J5.9:U5.J21 [J21_L11N_SRCC_15]					Global	TARGET	TARGET			1404.48	0.2462
Pin Pair:	J1.18:U5.K18 [K18_L13P_MRCC_15]					Global	0.00 MIL:5.00 MIL	0.25 MIL	4.75 MIL	-	1404.23	0.2189
Pin Pair:	J1.17:U5.K19 [K19_L13N_MRCC_15]					Global	0.00 MIL:5.00 MIL	0.30 MIL	4.7 MIL	-	1404.18	0.2189

Pin Pair:	J1.21:U5.L18 [L18_L16N_15]					Global	0.00 MIL:5.00 MIL	0.81 MIL	4.19 MIL	-	1403.67	0.2461
Pin Pair:	J1.14:U5.L19 [L19_L14P_SRCC_15]					Global	0.00 MIL:5.00 MIL	0.40 MIL	4.6 MIL	-	1404.08	0.2462
Pin Pair:	J1.13:U5.L20 [L20_L14N_SRCC_15]					Global	0.00 MIL:5.00 MIL	0.34 MIL	4.66 MIL	-	1404.14	0.2462
Pin Pair:	J1.24:U5.M15 [M15_L24P_15]					Global	0.00 MIL:5.00 MIL	0.19 MIL	4.81 MIL	-	1404.29	0.2462
Pin Pair:	J1.23:U5.M16 [M16_L24N_15]					Global	0.00 MIL:5.00 MIL	0.22 MIL	4.78 MIL	-	1404.26	0.2462
Pin Pair:	J1.22:U5.M18 [M18_L16P_15]					Global	0.00 MIL:5.00 MIL	0.71 MIL	4.29 MIL	-	1403.77	0.2461
Pin Pair:	J1.11:U5.M20 [M20_L18N_15]					Global	0.00 MIL:5.00 MIL	0.90 MIL	4.1 MIL	-	1403.58	0.2461
Pin Pair:	J1.9:U5.M22 [M22_L15N_15]					Global	0.00 MIL:5.00 MIL	0.47 MIL	4.53 MIL	-	1404.01	0.2188
Pin Pair:	J1.16:U5.N18 [N18_L17P_15]					Global	0.00 MIL:5.00 MIL	0.26 MIL	4.74 MIL	-	1404.22	0.2462
Pin Pair:	J1.15:U5.N19 [N19_L17N_15]					Global	0.00 MIL:5.00 MIL	0.56 MIL	4.44 MIL	-	1403.92	0.2461
Pin Pair:	J1.12:U5.N20 [N20_L18P_15]					Global	0.00 MIL:5.00 MIL	1.03 MIL	3.97 MIL	-	1403.45	0.246
Pin Pair:	J1.10:U5.N22 [N22_L15P_15]					Global	0.00 MIL:5.00 MIL	0.47 MIL	4.53 MIL	-	1404.01	0.2188
Match Group	MG_BANK16			All Drivers/All Receivers		Global	0.00 MIL:5.00 MIL		3.25 MIL			
Pin Pair:	J5.78:U5.A13 [A13_L10P_16]					Global	0.00 MIL:5.00 MIL	0.53 MIL	4.47 MIL	-	1733.31	0.2702
Pin Pair:	J5.77:U5.A14 [A14_L10N_16]					Global	0.00 MIL:5.00 MIL	0.51 MIL	4.49 MIL	-	1733.34	0.2702
Pin Pair:	J5.76:U5.A15 [A15_L9P_16]					Global	0.00 MIL:5.00 MIL	1.69 MIL	3.31 MIL	-	1732.15	0.27
Pin Pair:	J5.75:U5.A16 [A16_L9N_16]					Global	0.00 MIL:5.00 MIL	1.71 MIL	3.29 MIL	-	1732.14	0.27
Pin Pair:	J5.74:U5.A18 [A18_L17P_16]					Global	0.00 MIL:5.00 MIL	0.64 MIL	4.36 MIL	-	1733.21	0.2701
Pin Pair:	J5.73:U5.A19 [A19_L17N_16]					Global	0.00 MIL:5.00 MIL	0.43 MIL	4.57 MIL	-	1733.41	0.2702
Pin Pair:	J5.61:U5.A20 [A20_L16N_16]					Global	0.00 MIL:5.00 MIL	0.35 MIL	4.65 MIL	-	1733.49	0.2702
Pin Pair:	J5.47:U5.A21 [A21_L21N_16]					Global	0.00 MIL:5.00 MIL	0.33 MIL	4.67 MIL	-	1733.52	0.2702
Pin Pair:	J5.69:U5.B13 [B13_L8N_16]					Global	0.00 MIL:5.00 MIL	0.97 MIL	4.03 MIL	-	1732.88	0.2701
Pin Pair:	J5.66:U5.B15 [B15_L7P_16]					Global	0.00 MIL:5.00 MIL	0.33 MIL	4.67 MIL	-	1733.52	0.2702
Pin Pair:	J5.65:U5.B16 [B16_L7N_16]					Global	0.00 MIL:5.00 MIL	0.26 MIL	4.74 MIL	-	1733.59	0.2702
Pin Pair:	J5.54:U5.B17 [B17_L11P_SRCC_16]					Global	0.00 MIL:5.00 MIL	1.12 MIL	3.88 MIL	-	1732.72	0.2701
Pin Pair:	J5.53:U5.B18 [B18_L11N_SRCC_16]					Global	0.00 MIL:5.00 MIL	0.92 MIL	4.08 MIL	-	1732.92	0.2701
Pin Pair:	J5.62:U5.B20 [B20_L16P_16]					Global	0.00 MIL:5.00 MIL	1.02 MIL	3.98 MIL	-	1732.82	0.2701
Pin Pair:	J5.48:U5.B21 [B21_L21P_16]					Global	0.00 MIL:5.00 MIL	0.95 MIL	4.05 MIL	-	1732.9	0.2701
Pin Pair:	J5.41:U5.B22 [B22_L20N_16]					Global	0.00 MIL:5.00 MIL	1.07 MIL	3.93 MIL	-	1732.78	0.2701
Pin Pair:	J5.70:U5.C13 [C13_L8P_16]					Global	0.00 MIL:5.00 MIL	0.99 MIL	4.01 MIL	-	1732.85	0.2701
Pin Pair:	J5.56:U5.C14 [C14_L3P_16]					Global	0.00 MIL:5.00 MIL	0.64 MIL	4.36 MIL	-	1733.2	0.304
Pin Pair:	J5.55:U5.C15 [C15_L3N_16]					Global	0.00 MIL:5.00 MIL	1.52 MIL	3.48 MIL	-	1732.32	0.3038
Pin Pair:	J5.49:U5.C17 [C17_L12N_MRCC_16]					Global	0.00 MIL:5.00 MIL	0.80 MIL	4.2 MIL	-	1733.04	0.304
Pin Pair:	J5.37:U5.C20 [C20_L19N_16]					Global	0.00 MIL:5.00 MIL	0.84 MIL	4.16 MIL	-	1733	0.2701
Pin Pair:	J5.42:U5.C22 [C22_L20P_16]					Global	0.00 MIL:5.00 MIL	1.07 MIL	3.93 MIL	-	1732.78	0.2701
Pin Pair:	J5.72:U5.D14 [D14_L6P_16]					Global	0.00 MIL:5.00 MIL	0.80 MIL	4.2 MIL	-	1733.04	0.2702
Pin Pair:	J5.71:U5.D15 [D15_L6N_16]					Global	0.00 MIL:5.00 MIL	1.75 MIL	3.25 MIL	-	1732.09	0.27
Pin Pair:	J5.51:U5.D16 [D16_L5N_16]					Global	0.00 MIL:5.00 MIL	0.78 MIL	4.22 MIL	-	1733.07	0.304
Pin Pair:	J5.50:U5.D17 [D17_L12P_MRCC_16]					Global	0.00 MIL:5.00 MIL	1.13 MIL	3.87 MIL	-	1732.71	0.3039

Pin Pair:	J5.43:U5.D19 [D19_L14N_SRCC_16]					Global	0.00 MIL:5.00 MIL	0.29 MIL	4.71 MIL	-	1733.55	0.304
Pin Pair:	J5.38:U5.D20 [D20_L19P_16]					Global	0.00 MIL:5.00 MIL	0.67 MIL	4.33 MIL	-	1733.17	0.2702
Pin Pair:	J5.31:U5.D21 [D21_L23N_16]					Global	0.00 MIL:5.00 MIL	0.69 MIL	4.31 MIL	-	1733.16	0.304
Pin Pair:	J5.33:U5.D22 [D22_L22N_16]					Global	0.00 MIL:5.00 MIL	0.46 MIL	4.54 MIL	-	1733.38	0.2702
Pin Pair:	J5.58:U5.E13 [E13_L4P_16]					Global	0.00 MIL:5.00 MIL	1.07 MIL	3.93 MIL	-	1732.77	0.3039
Pin Pair:	J5.57:U5.E14 [E14_L4N_16]					Global	0.00 MIL:5.00 MIL	1.03 MIL	3.97 MIL	-	1732.82	0.3039
Pin Pair:	J5.52:U5.E16 [E16_L5P_16]					Global	0.00 MIL:5.00 MIL	1.10 MIL	3.9 MIL	-	1732.74	0.3039
Pin Pair:	J5.63:U5.E17 [E17_L2N_16]					Global	0.00 MIL:5.00 MIL	0.92 MIL	4.08 MIL	-	1732.92	0.3039
Pin Pair:	J5.45:U5.E18 [E18_L15N_16]					Global	0.00 MIL:5.00 MIL	0.44 MIL	4.56 MIL	-	1733.4	0.304
Pin Pair:	J5.44:U5.E19 [E19_L14P_SRCC_16]					Global	0.00 MIL:5.00 MIL	0.62 MIL	4.38 MIL	-	1733.22	0.304
Pin Pair:	J5.32:U5.E21 [E21_L23P_16]					Global	0.00 MIL:5.00 MIL	1.02 MIL	3.98 MIL	-	1732.83	0.3039
Pin Pair:	J5.34:U5.E22 [E22_L22P_16]					Global	0.00 MIL:5.00 MIL	0.46 MIL	4.54 MIL	-	1733.38	0.2702
Pin Pair:	J5.68:U5.F13 [F13_L1P_16]					Global	0.00 MIL:5.00 MIL	0.80 MIL	4.2 MIL	-	1733.04	0.304
Pin Pair:	J5.67:U5.F14 [F14_L1N_16]					Global	TARGET	TARGET			1733.84	0.3041
Pin Pair:	J5.64:U5.F16 [F16_L2P_16]					Global	0.00 MIL:5.00 MIL	0.75 MIL	4.25 MIL	-	1733.09	0.304
Pin Pair:	J5.46:U5.F18 [F18_L15P_16]					Global	0.00 MIL:5.00 MIL	0.77 MIL	4.23 MIL	-	1733.07	0.304
Pin Pair:	J5.36:U5.F19 [F19_L18P_16]					Global	0.00 MIL:5.00 MIL	0.69 MIL	4.31 MIL	-	1733.15	0.304
Pin Pair:	J5.35:U5.F20 [F20_L18N_16]					Global	0.00 MIL:5.00 MIL	0.53 MIL	4.47 MIL	-	1733.31	0.304
Pin Pair:	J5.30:U5.G21 [G21_L24P_16]					Global	0.00 MIL:5.00 MIL	1.17 MIL	3.83 MIL	-	1732.68	0.2701
Pin Pair:	J5.29:U5.G22 [G22_L24N_16]					Global	0.00 MIL:5.00 MIL	0.79 MIL	4.21 MIL	-	1733.06	0.2701
Match Group	MG_BANK34				All Drivers/All Receivers	Global	0.00 MIL:5.00 MIL		2.74 MIL			
Pin Pair:	J3.24:U5.AA1 [AA1_L7P_34]					Global	0.00 MIL:5.00 MIL	1.78 MIL	3.22 MIL	-	1712.85	0.267
Pin Pair:	J3.17:U5.AA3 [AA3_L9N_34]					Global	0.00 MIL:5.00 MIL	0.63 MIL	4.37 MIL	-	1713.99	0.2672
Pin Pair:	J3.15:U5.AA4 [AA4_L11N_SRCC_34]					Global	0.00 MIL:5.00 MIL	1.18 MIL	3.82 MIL	-	1713.45	0.3005
Pin Pair:	J3.6:U5.AA5 [AA5_L10P_34]					Global	0.00 MIL:5.00 MIL	0.85 MIL	4.15 MIL	-	1713.78	0.2671
Pin Pair:	J3.7:U5.AA6 [AA6_L18N_34]					Global	0.00 MIL:5.00 MIL	0.68 MIL	4.32 MIL	-	1713.95	0.3006
Pin Pair:	J1.76:U5.AA8 [AA8_L22P_34]					Global	0.00 MIL:5.00 MIL	1.93 MIL	3.07 MIL	-	1712.69	0.2669
Pin Pair:	J3.23:U5.AB1 [AB1_L7N_34]					Global	0.00 MIL:5.00 MIL	1.96 MIL	3.04 MIL	-	1712.67	0.2669
Pin Pair:	J3.13:U5.AB2 [AB2_L8N_34]					Global	0.00 MIL:5.00 MIL	0.59 MIL	4.41 MIL	-	1714.03	0.2672
Pin Pair:	J3.14:U5.AB3 [AB3_L8P_34]					Global	0.00 MIL:5.00 MIL	1.05 MIL	3.95 MIL	-	1713.57	0.2671
Pin Pair:	J3.5:U5.AB5 [AB5_L10N_34]					Global	0.00 MIL:5.00 MIL	1.14 MIL	3.86 MIL	-	1713.49	0.2671
Pin Pair:	J1.77:U5.AB6 [AB6_L20N_34]					Global	0.00 MIL:5.00 MIL	1.14 MIL	3.86 MIL	-	1713.49	0.2671
Pin Pair:	J1.78:U5.AB7 [AB7_L20P_34]					Global	0.00 MIL:5.00 MIL	0.91 MIL	4.09 MIL	-	1713.72	0.2671
Pin Pair:	J1.75:U5.AB8 [AB8_L22N_34]					Global	0.00 MIL:5.00 MIL	1.24 MIL	3.76 MIL	-	1713.39	0.2671
Pin Pair:	J3.37:U5.R2 [R2_L3N_34]					Global	0.00 MIL:5.00 MIL	0.80 MIL	4.2 MIL	-	1713.82	0.3006
Pin Pair:	J3.38:U5.R3 [R3_L3P_34]					Global	0.00 MIL:5.00 MIL	0.39 MIL	4.61 MIL	-	1714.23	0.3006
Pin Pair:	J3.32:U5.R6 [R6_L17P_34]					Global	TARGET	TARGET			1714.63	0.3007
Pin Pair:	J3.34:U5.T5 [T5_L14P_SRCC_34]					Global	0.00 MIL:5.00 MIL	1.59 MIL	3.41 MIL	-	1713.04	0.3004
Pin Pair:	J3.31:U5.T6 [T6_L17N_34]					Global	0.00 MIL:5.00 MIL	0.48 MIL	4.52 MIL	-	1714.14	0.3006

Pin Pair:	J3.36:U5.U2 [U2_L2P_34]					Global	0.00 MIL:5.00 MIL	0.94 MIL	4.06 MIL	-	1713.69	0.2671
Pin Pair:	J3.26:U5.U3 [U3_L6P_34]					Global	0.00 MIL:5.00 MIL	1.42 MIL	3.58 MIL	-	1713.2	0.3005
Pin Pair:	J3.33:U5.U5 [U5_L14N_SRCC_34]					Global	0.00 MIL:5.00 MIL	0.69 MIL	4.31 MIL	-	1713.93	0.3006
Pin Pair:	J3.12:U5.U6 [U6_L16P_34]					Global	0.00 MIL:5.00 MIL	0.87 MIL	4.13 MIL	-	1713.75	0.3006
Pin Pair:	J3.35:U5.V2 [V2_L2N_34]					Global	0.00 MIL:5.00 MIL	1.43 MIL	3.57 MIL	-	1713.19	0.2671
Pin Pair:	J3.25:U5.V3 [V3_L6N_34]					Global	0.00 MIL:5.00 MIL	0.64 MIL	4.36 MIL	-	1713.99	0.3006
Pin Pair:	J3.28:U5.V4 [V4_L12P_MRCC_34]					Global	0.00 MIL:5.00 MIL	0.87 MIL	4.13 MIL	-	1713.76	0.3006
Pin Pair:	J3.11:U5.V5 [V5_L16N_34]					Global	0.00 MIL:5.00 MIL	0.82 MIL	4.18 MIL	-	1713.81	0.3006
Pin Pair:	J3.4:U5.V7 [V7_L19P_34]					Global	0.00 MIL:5.00 MIL	0.46 MIL	4.54 MIL	-	1714.16	0.3006
Pin Pair:	J1.69:U5.V8 [V8_L21N_34]					Global	0.00 MIL:5.00 MIL	0.54 MIL	4.46 MIL	-	1714.08	0.3006
Pin Pair:	J1.70:U5.V9 [V9_L21P_34]					Global	0.00 MIL:5.00 MIL	0.28 MIL	4.72 MIL	-	1714.35	0.3007
Pin Pair:	J3.22:U5.W1 [W1_L5P_34]					Global	0.00 MIL:5.00 MIL	1.27 MIL	3.73 MIL	-	1713.35	0.3005
Pin Pair:	J3.30:U5.W2 [W2_L4P_34]					Global	0.00 MIL:5.00 MIL	0.05 MIL	4.95 MIL	-	1714.58	0.2673
Pin Pair:	J3.27:U5.W4 [W4_L12N_MRCC_34]					Global	0.00 MIL:5.00 MIL	0.79 MIL	4.21 MIL	-	1713.84	0.3006
Pin Pair:	J3.9:U5.W5 [W5_L15N_34]					Global	0.00 MIL:5.00 MIL	1.18 MIL	3.82 MIL	-	1713.44	0.3005
Pin Pair:	J3.10:U5.W6 [W6_L15P_34]					Global	0.00 MIL:5.00 MIL	1.78 MIL	3.22 MIL	-	1712.85	0.3004
Pin Pair:	J3.3:U5.W7 [W7_L19N_34]					Global	0.00 MIL:5.00 MIL	0.60 MIL	4.4 MIL	-	1714.03	0.3006
Pin Pair:	J1.72:U5.W9 [W9_L24P_34]					Global	0.00 MIL:5.00 MIL	0.31 MIL	4.69 MIL	-	1714.31	0.3007
Pin Pair:	J3.21:U5.Y1 [Y1_L5N_34]					Global	0.00 MIL:5.00 MIL	1.20 MIL	3.8 MIL	-	1713.43	0.3005
Pin Pair:	J3.29:U5.Y2 [Y2_L4N_34]					Global	0.00 MIL:5.00 MIL	0.25 MIL	4.75 MIL	-	1714.38	0.2672
Pin Pair:	J3.18:U5.Y3 [Y3_L9P_34]					Global	0.00 MIL:5.00 MIL	0.23 MIL	4.77 MIL	-	1714.4	0.2672
Pin Pair:	J3.16:U5.Y4 [Y4_L11P_SRCC_34]					Global	0.00 MIL:5.00 MIL	2.26 MIL	2.74 MIL	-	1712.37	0.3003
Pin Pair:	J3.8:U5.Y6 [Y6_L18P_34]					Global	0.00 MIL:5.00 MIL	0.67 MIL	4.33 MIL	-	1713.96	0.3006
Pin Pair:	J1.73:U5.Y7 [Y7_L23N_34]					Global	0.00 MIL:5.00 MIL	1.73 MIL	3.27 MIL	-	1712.9	0.3004
Pin Pair:	J1.74:U5.Y8 [Y8_L23P_34]					Global	0.00 MIL:5.00 MIL	2.01 MIL	2.99 MIL	-	1712.62	0.3004
Pin Pair:	J1.71:U5.Y9 [Y9_L24N_34]					Global	0.00 MIL:5.00 MIL	0.83 MIL	4.17 MIL	-	1713.8	0.3006
Match Group	MG_DDR3_CLK_ADD_CTL		All Drivers/All Receivers			Global	0.00 MIL:150.00 MIL		3.46 MIL			
Pin Pair:	U5.M3:U6.N3 [DDR3_A0]					Global	0.00 MIL:150.00 MIL	0.54 MIL	149.46 MIL	-	595.51	0.1037
Pin Pair:	U5.P6:U6.P7 [DDR3_A1]					Global	0.00 MIL:150.00 MIL	0.44 MIL	149.56 MIL	-	595.61	0.1037
Pin Pair:	U5.N3:U6.P3 [DDR3_A2]					Global	0.00 MIL:150.00 MIL	0.88 MIL	149.12 MIL	-	595.17	0.1036
Pin Pair:	U5.L4:U6.N2 [DDR3_A3]					Global	0.00 MIL:150.00 MIL	0.64 MIL	149.36 MIL	-	595.41	0.1037
Pin Pair:	U6.P8:U5.P1 [DDR3_A4]					Global	0.00 MIL:150.00 MIL	0.60 MIL	149.4 MIL	-	595.45	0.09315
Pin Pair:	U5.M2:U6.P2 [DDR3_A5]					Global	0.00 MIL:150.00 MIL	0.67 MIL	149.33 MIL	-	595.38	0.1037
Pin Pair:	U5.M6:U6.R8 [DDR3_A6]					Global	0.00 MIL:150.00 MIL	0.59 MIL	149.41 MIL	-	595.46	0.1037
Pin Pair:	U6.R2:U5.N2 [DDR3_A7]					Global	0.00 MIL:150.00 MIL	0.52 MIL	149.48 MIL	-	595.53	0.1037
Pin Pair:	U6.T8:U5.R1 [DDR3_A8]					Global	0.00 MIL:150.00 MIL	0.53 MIL	149.47 MIL	-	595.52	0.09316
Pin Pair:	U5.P2:U6.R3 [DDR3_A9]					Global	0.00 MIL:150.00 MIL	0.38 MIL	149.62 MIL	-	595.67	0.1037
Pin Pair:	U6.L7:U5.L5 [DDR3_A10]					Global	0.00 MIL:150.00 MIL	0.27 MIL	149.73 MIL	-	595.78	0.1037
Pin Pair:	U6.R7:U5.N5 [DDR3_A11]					Global	0.00 MIL:150.00 MIL	0.49 MIL	149.51 MIL	-	595.56	0.1037

Pin Pair:	U5.M5:U6.N7 [DDR3_A12]					Global	0.00 MIL:150.00 MIL	0.36 MIL	149.64 MIL	-	595.69	0.1037
Pin Pair:	U5.N4:U6.T3 [DDR3_A13]					Global	0.00 MIL:150.00 MIL	0.61 MIL	149.39 MIL	-	595.44	0.1037
Pin Pair:	U6.T7:U5.L6 [DDR3_A14]					Global	0.00 MIL:150.00 MIL	0.42 MIL	149.58 MIL	-	595.63	0.1037
Pin Pair:	U6.M2:U5.L3 [DDR3_BA0]					Global	0.00 MIL:150.00 MIL	0.31 MIL	149.69 MIL	-	595.74	0.1037
Pin Pair:	U5.M1:U6.N8 [DDR3_BA1]					Global	0.00 MIL:150.00 MIL	0.90 MIL	149.1 MIL	-	595.15	0.0931
Pin Pair:	U5.K6:U6.M3 [DDR3_BA2]					Global	0.00 MIL:150.00 MIL	0.18 MIL	149.82 MIL	-	595.87	0.1038
Pin Pair:	U6.K3:U5.K3 [DDR3_CAS]					Global	0.00 MIL:150.00 MIL	0.63 MIL	149.37 MIL	-	595.42	0.1034
Pin Pair:	U6.K9:U5.L1 [DDR3_CKE]					Global	0.00 MIL:150.00 MIL	0.76 MIL	149.24 MIL	-	595.29	0.09312
Pin Pair:	U5.P4:U6.K7 [DDR3_CK_N]					Global	0.00 MIL:150.00 MIL	0.15 MIL	149.85 MIL	-	595.91	0.09293
Pin Pair:	U5.P5:U6.J7 [DDR3_CK_P]					Global	TARGET	TARGET			596.05	0.09295
Pin Pair:	U5.J4:U6.K1 [DDR3_ODT]					Global	0.00 MIL:150.00 MIL	0.45 MIL	149.55 MIL	-	595.6	0.1037
Pin Pair:	U5.J6:U6.J3 [DDR3_RAS]					Global	0.00 MIL:150.00 MIL	0.56 MIL	149.44 MIL	-	595.49	0.1034
Pin Pair:	U6.T2:U5.G1 [DDR3_RESETB]					Global	0.00 MIL:150.00 MIL	146.54 MIL	3.46 MIL	+	742.59	0.1295
Pin Pair:	U5.K4:U6.L3 [DDR3_WE]					Global	0.00 MIL:150.00 MIL	0.33 MIL	149.67 MIL	-	595.72	0.1034
Match Group	MG_DDR3_DQ0-7				All Drivers/All Receivers	Global	0.00 MIL:10.00 MIL		9.3 MIL			
Pin Pair:	U6.E7:U5.H5 [DDR3_DM0]					Global	0.00 MIL:10.00 MIL	0.35 MIL	9.65 MIL	-	558.94	0.09726
Pin Pair:	U6.G3:U5.J2 [DDR3_DQS0_N]					Global	0.00 MIL:10.00 MIL	0.12 MIL	9.88 MIL	-	559.17	0.0872
Pin Pair:	U6.F3:U5.K2 [DDR3_DQS0_P]					Global	TARGET	TARGET			559.29	0.08722
Pin Pair:	U6.E3:U5.G3 [DDR3_DQ0]					Global	0.00 MIL:10.00 MIL	0.39 MIL	9.61 MIL	-	558.9	0.09725
Pin Pair:	U5.H4:U6.F7 [DDR3_DQ1]					Global	0.00 MIL:10.00 MIL	0.48 MIL	9.52 MIL	-	558.81	0.09723
Pin Pair:	U5.G2:U6.F2 [DDR3_DQ2]					Global	0.00 MIL:10.00 MIL	0.51 MIL	9.49 MIL	-	558.78	0.09723
Pin Pair:	U5.J1:U6.F8 [DDR3_DQ3]					Global	0.00 MIL:10.00 MIL	0.70 MIL	9.3 MIL	-	558.59	0.08738
Pin Pair:	U5.H3:U6.H3 [DDR3_DQ4]					Global	0.00 MIL:10.00 MIL	0.46 MIL	9.54 MIL	-	558.83	0.09724
Pin Pair:	U6.H8:U5.K1 [DDR3_DQ5]					Global	0.00 MIL:10.00 MIL	0.40 MIL	9.6 MIL	-	558.89	0.08743
Pin Pair:	U5.H2:U6.G2 [DDR3_DQ6]					Global	0.00 MIL:10.00 MIL	0.11 MIL	9.89 MIL	-	559.18	0.0973
Pin Pair:	U5.J5:U6.H7 [DDR3_DQ7]					Global	0.00 MIL:10.00 MIL	0.68 MIL	9.32 MIL	-	558.61	0.0972
Match Group	MG_DDR3_DQ8-15				All Drivers/All Receivers	Global	0.00 MIL:10.00 MIL		8.68 MIL			
Pin Pair:	U5.F3:U6.D3 [DDR3_DM1]					Global	0.00 MIL:10.00 MIL	0.42 MIL	9.58 MIL	-	463.42	0.08047
Pin Pair:	U5.D1:U6.B7 [DDR3_DQS1_N]					Global	0.00 MIL:10.00 MIL	0.39 MIL	9.61 MIL	-	463.44	0.07223
Pin Pair:	U5.E1:U6.C7 [DDR3_DQS1_P]					Global	TARGET	TARGET			463.84	0.07229
Pin Pair:	U5.E3:U6.D7 [DDR3_DQ8]					Global	0.00 MIL:10.00 MIL	0.48 MIL	9.52 MIL	-	463.36	0.08046
Pin Pair:	U6.C3:U5.C2 [DDR3_DQ9]					Global	0.00 MIL:10.00 MIL	0.26 MIL	9.74 MIL	-	463.58	0.0805
Pin Pair:	U5.F1:U6.C8 [DDR3_DQ10]					Global	0.00 MIL:10.00 MIL	0.58 MIL	9.42 MIL	-	463.26	0.07247
Pin Pair:	U5.D2:U6.C2 [DDR3_DQ11]					Global	0.00 MIL:10.00 MIL	1.32 MIL	8.68 MIL	-	462.52	0.08032
Pin Pair:	U6.A7:U5.B2 [DDR3_DQ12]					Global	0.00 MIL:10.00 MIL	0.30 MIL	9.7 MIL	-	463.54	0.0805
Pin Pair:	U5.A1:U6.A2 [DDR3_DQ13]					Global	0.00 MIL:10.00 MIL	0.17 MIL	9.83 MIL	-	463.66	0.08052
Pin Pair:	U5.E2:U6.B8 [DDR3_DQ14]					Global	0.00 MIL:10.00 MIL	0.70 MIL	9.3 MIL	-	463.14	0.08043
Pin Pair:	U5.B1:U6.A3 [DDR3_DQ15]					Global	0.00 MIL:10.00 MIL	0.45 MIL	9.55 MIL	-	463.39	0.07249

黑鹰版权所有, 保留一切权利。

非经黑鹰书面许可, 任何单位和个人不得擅自摘抄、复制本文档内容的部分或全部, 并不得以任何形式传播。

相关参阅文档:

黑鹰A701逻辑开发应用手册

黑鹰A704用户手册

其余板载元件及连接器文档信息请从相应官网下载

联系我们:

www.easyconnect.cn

成都市黑鹰电子科技有限公司

成都高新区(西区)合作路89号

18602876097