

Visualizing Collections of Internet Archives

John Berlin, Joel Rodriguez, Slobodan Milanko

Problem

- Quickly convey small to medium collection of archives
- Inability to efficiently visualize collections
 - Lack of resource evolution
 - Lack of contextual comparison
 - Lack of statistics surrounding a collection

Goal

- Create a simple way to view collections of archives
 - Tags - words providing contextual meaning
 - Mementos - archive records
 - Time/date - timestamps of archive records
 - Domains - dominant resources of archiving
- User driven, clutter free, easy to use
and efficient in processing moderate collections

Dataset Description

- We're abstracting the archive collection as a table
- Mementos map to categorical or ordered values
 - Tags - Categorical
 - Number of archives and domains - Quantitative
 - Domains of use - Categorical
 - Time/date of archive - Ordered
- The table approach
 - Facilitates ordering
 - Filtering of data

What-Why-How Framework

| Idiom | Web Archive Visualizer |
|-----------------|---|
| What: Data | Web archive collection |
| What: Derived | Table, attributes |
| Why: Tasks | Lookup, browse, explore and locate |
| How: Encode | Separate, Order, Align, Color Categories, Size, Area for Quantity |
| How: Manipulate | Navigate, Pan Zoom |
| How: Facet | Juxtapose view |
| How: Reduce | Zooming, filtering, aggregate |
| Scale | Attributes: half a dozen, Total items: several hundred |

System Description

- Node JS and HTML 5 Application
- Google Sheets - Collaborative location for archives
- Extensive use of many javascript frameworks
 - D3 - Custom charts
 - D3 plus - Great bar chart support
 - C3 - Great bubble chart support
 - JQuery - Google Sheet parsing, slideshow view, navigation
 - Express, Jade

Problems

- Understanding what data is worth keeping
 - Archiver focus removed
- Deciding what framework to use for what chart
 - Some frameworks take away functionality
 - Some frameworks add too much complexity
- Predicting how the users will enter data for parsing
 - i.e. Comma delimited, one record per row vs many

Things Learned

- Use of too many idioms at once can create an overwhelming visualization
 - Split into multiple views; some hidden others visible
- Performance is an important factor to consider for any visualization
- Navigation should be powerful enough to allow transitions between views, but not too distracting

Demo

<https://www.youtube.com/watch?v=yPe1t2ktT-Q>