```
R version 4.1.1 (2021-08-10) -- "Kick Things"
Copyright (C) 2021 The R Foundation for Statistical Computing
Platform: x86 64-w64-mingw32/x64 (64-bit)
R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.
  Natural language support but running in an English locale
R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.
Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.
> #File name: JRodoni_HW07 script.R
> #Path: "C:/Users/jackr/OneDrive/Desktop/Graduate School Courses/STAT 604 - STAT Computation/Ho
meworks/JRodoni HW07 script"
> #Created by Jack Rodoni
> #Creation Date: 10/10/2021
> #Purpose: creating a function
> #Last executed:
> Sys.time()
[1] "2021-10-12 13:04:27 CDT"
> #housekeeping functions
> ls()
character (0)
> library()
> search()
                                            "package:graphics"
[1] ".GlobalEnv"
                        "package:stats"
[4] "package:grDevices" "package:utils"
                                            "package:datasets"
                      "Autoloads"
                                            "package:base"
[7] "package:methods"
> #1 load workspace
> load("C:/Users/jackr/OneDrive/Desktop/Graduate School Courses/STAT 604 - STAT Computation/RData
/HW05.RData")
> ls()
[1] "CovidTexas" "Sep12"
> str(CovidTexas)
'data.frame': 153255 obs. of 12 variables:
 $ COUNTY NAME : chr "Anderson" "Anderson" "Anderson" "Anderson"
 $ REPORT_DATE : chr "2021-02-06" "2021-03-17" "2021-03-16" "2020-11-10" ...
 $ NEW CASES
                : int 2 0 0 7 17 -12 7 4 9 40 ...
 $ TOTAL CASES : int 5968 6089 6089 3028 4236 6077 3035 6089 6085 4276 ...
 $ NEW DEATHS
                : int 1 0 0 1 0 0 0 0 1 0
 $ TOTAL DEATHS : int 93 112 112 42 57 112 42 112 112 57 ...
 $ POPULATION : int 57735 57735 57735 57735 57735 57735 57735 57735 57735 57735 ...
 $ Date
               : Date, format: "2021-02-06" "2021-03-17" ...
 $ CASE PCT
                : num 0.1034 0.1055 0.1055 0.0524 0.0734 ...
 $ NEW CASE PCT : num 3.46e-05 0.00 0.00 1.21e-04 2.94e-04 ..
 $ DEATH PCT
              : num 0.001611 0.00194 0.00194 0.000727 0.000987 ...
$ NEW DEATH PCT: num 1.73e-05 0.00 0.00 1.73e-05 0.00 ...
> #2(a) creating a new data frame from Texas data
> Bexar data <- CovidTexas[which(CovidTexas$COUNTY NAME == "Bexar"),c(2,3)]
> str(Bexar_data)
'data.frame': 601 obs. of 2 variables:
 $ REPORT DATE: chr "2020-02-19" "2021-06-12" "2020-02-18" "2021-06-11" ...
 $ NEW CASES : int 0 0 0 0 0 0 0 0 2544 ...
> #2(b) ordering data frame by date, finding first case
> Bexar data <- Bexar data[order(Bexar data$REPORT DATE, decreasing = FALSE),]
> first case <- match(TRUE, Bexar data$NEW CASES > 0)
> first case
```

R Console

```
[1] 23
> #2(c) assigning a value for alpha component
> a < - 2/31
> #2(d) creating a vector of zeros
> ema <- rep.int(0,length(Bexar data$NEW CASES))</pre>
> #2(e) averaging first 30 days
> first_30 <- Bexar_data[1:30,]</pre>
> \text{ema}[3\overline{0}] < - \text{mean}(\overline{\text{first }} 30\$\text{NEW CASES})
> ema[30]
[1] 0.06666667
> #2(f) using a loop to run ema formula
> count <- 0
> for (i in Bexar data$NEW CASES[31:length(Bexar data$NEW CASES)]) {
    ema[31+count] <- i*a+ema[31+count-1]*(1-a)
    count <- count + 1</pre>
+ }
> #2(g) creating a plot for new cases
> par(bg="grey90")
> Bexar data$REPORT DATE<- as.Date(Bexar data$REPORT DATE)
> plot(Bexar data$REPORT DATE[first case:601], Bexar data$NEW CASES[first case:601],
       type = "l", xlab = "Date", ylab = "New Cases", col = "blue",
       main = "Bexar County 30 Day EMA and Daily Cases")
> #2(h) adding a red line for ema values
> lines(Bexar data$REPORT DATE,ema,col = "red")
> #2(i) adding ema formula to graph
> text(Bexar data[23,], .95*max(Bexar data$NEW CASES),
       expression (EMA['i'] == (P['i']^{\frac{1}{8}}*alpha)+(EMA['i-1']^{\frac{1}{8}}*(1-alpha))^{-}"where"~
                  alpha == frac(2, 1+30)),
       adj = 0, cex = 0.8)
> #3 removing all objects except the two data frames
> ls()
[1] "a"
                  "Bexar data" "count"
                                             "CovidTexas" "ema"
[6] "first 30"
                "first case" "i"
                                             "Sep12"
> rm(a,Bexar_data,count,ema,first 30,first case,i)
> ls()
[1] "CovidTexas" "Sep12"
> #4 using the function for texas covid data
> func <- function(county name, n=30, df=CovidTexas) {</pre>
    county data <- CovidTexas[which(CovidTexas$COUNTY NAME == county name),c(2,3)]</pre>
    county data <- county data[order(county data$REPORT DATE, decreasing = FALSE),]</pre>
   first case <- match (TRUE, county data$NEW CASES > 0)
   a < -\overline{2} / (1+n)
   1 <- length(county data$NEW CASES)</pre>
   ema <- rep(0,times=1)</pre>
   ema[1:n] <- sum(county data$NEW CASES[c(1:n)])/n</pre>
   count <- 0
   for (i in county data$NEW CASES[n+1:1]) {
     ema[n+1+count] <- i*a+ema[n+count]*(1-a)</pre>
     count <- count + 1
    par(bg="grey90")
    county data$REPORT DATE<- as.Date(county data$REPORT DATE)</pre>
    plot(county data$REPORT DATE[first case:1],
         county data$NEW CASES[first case:1],
         type = "1", xlab = "Date", ylab = "New Cases", col = "blue",
         main = paste(county name, n, "Day EMA and Daily Cases"))
    lines(county data$REPORT DATE[first case:1],ema[first case:1],col = "red")
    text(county data[first case,], .95*max(county data$NEW CASES),
         alpha == frac(2, 1+30)),
```

```
adj = 0, cex = 0.8)
+ }
> #5 sending graphics to pdf file
> pdf("C:/Users/jackr/OneDrive/Desktop/Graduate School Courses/STAT 604 - STAT Computation/Homewo
rks/JRodoni_HW07_graphics.pdf",11,8.5)
> #6 setting up 2 rows for graphics
> par(mfrow=c(2,1))
> par(mar=c(4,4,4,0))
> par(omi=c(0,1,.5,0))
> #7 calling the function twice
> func("Bexar")
> func("Bexar",7)
> ls()
[1] "CovidTexas" "func"
                               "Sep12"
> #8 writing system time in plot
> mtext(Sys.time(),1,adj = 0)
> #9 creating a vector of random samples
> set.seed(20210911)
> samp data <- sample(Sep12[,1],2)</pre>
> #10 creating a loop to call function
> for (i in samp_data) {
   func(i)
> #12a 601
> #12b as N increases, the peaks on red line become smoother
> #12c we created another object in our workspace
> #12d Bexar had the most covid cases, followed by Brazos then Eastland
> graphics.off()
```