

Farmingham Study Generated Insights

Farmingham Study

DEATH (YES) BY AGE

age explains 15% of the variation in death (Yes).


🔗 Here are some cases where death (Yes) was better than average:

- age: 62 to 69 is 42.25% above average. This result may have been improved by [bpmeds is No](#).
- age: 58 to 61 is 21.09% above average. This result may have been improved by [bpmeds is No](#).
- age: 55 to 57 is 9.438% above average. This result may have been improved by [hyperten is Yes](#).

🔗 Here are some cases where death (Yes) was worse than average:

- age: 32 to 38 is 19.01% below average. This result may have been worsened by [hospmi is No](#).
- age: 39 to 41 is 15.82% below average. This result may have been worsened by [cvd is No](#).
- age: 42 to 43 is 13.22% below average. This result may have been worsened by [prevhyp is No](#).

■ Significant ■ Insignificant




DEATH (YES) BY AGE WHEN SYSBP IS 144.9 TO 157

When sysbp is 144.9 to 157, age: 52 to 54 does better

🔗 Cases where 144.9 to 157 did better than others:

- age: 52 to 54 is 24.43% higher. This result may have been improved by [hyperten is Yes](#).

■ sysbp is 144.8 to 157 ■ All Other ■ Insignificant




DEATH (YES) BY AGE WHEN MI_FCHD IS YES

When mi_fchd is Yes, age: 52 to 54 and 49 to 51 do better

🔗 Cases where Yes did better than others:

- age: 52 to 54 is 54.98% higher. This result may have been improved by [hyperten is Yes](#).
- age: 49 to 51 is 52.41% higher. This result may have been improved by [hyperten is Yes](#).
- age: 58 to 61 is 51.25% higher. This result may have been improved by [bpmeds is No](#).
- age: 46 to 48 is 46.77% higher. This result may have been worsened by [hyperten is Yes](#).
- age: 39 to 41 is 46.08% higher. This result may have been worsened by [cvd is No](#).
- age: 55 to 57 is 44.07% higher. This result may have been improved by [hyperten is Yes](#).

■ Yes ■ All Other mi_fchd



DEATH (YES) BY AGE WHEN TOTCHOL IS 113 TO 182


When **totchol is 113 to 182**, age: **58 to 61** does better

🔗 Cases where **113 to 182** did better than others:

- age: **58 to 61** is 45.86% higher. This result may have been improved by **bpmeds is No**.

Note: Data is statistically insignificant when **totchol is 113 to 182**

■ **totchol is 113 to 182** ■ All Other ■ Insignificant



DEATH (YES) BY CVD

cvd explains 9.6% of the variation in death (Yes).


🔗 Here are some cases where death (Yes) was better than average:

- **cvd: Yes** is 32.28% above average. This result may have been improved by **mi_fchd** is Yes.

🔗 Here are some cases where death (Yes) was worse than average:

- **cvd: No** is 6.053% below average. This result may have been worsened by **cigpday** is 0 to 9.

Significant



DEATH (YES) BY CVD WHEN AGE IS 62 TO 69

When age is 62 to 69, cvd: No and Yes do better

🔗 Cases where 62 to 69 did better than others:

- cvd: No is 46.93% higher. This result may have been worsened by [cigpday is 0 to 9](#).
- cvd: Yes is 28.43% higher. This result may have been improved by [mi_fchd is Yes](#).

■ age is 61 to 69 ■ All Other

