

The title

First Author¹ & Ernst-August Doelle^{1,2}

¹ Wilhelm-Wundt-University

² Konstanz Business School

Author Note

Add complete departmental affiliations for each author here. Each new line herein must be indented, like this line.

Enter author note here.

Correspondence concerning this article should be addressed to First Author, Postal address. E-mail: my@email.com

11

Abstract

12 Enter abstract here. Each new line herein must be indented, like this line.

13 *Keywords:* keywords

14 Word count: X

The title

Methods

We report how we determined our sample size, all data exclusions (if any), all manipulations, and all measures in the study.

Participants

Material

Procedure

Data analysis

We used R (Version 3.5.1; R Core Team, 2017) and the R-packages *bindrcpp* (Version 0.2.2; Müller, 2018), *caret* (Version 6.0.80; Jed Wing et al., 2018), *colorspace* (Stauffer, Mayr, Dabernig, & Zeileis, 2009; Version 1.3.2; Zeileis, Hornik, & Murrell, 2009), *data.table* (Version 1.11.4; Dowle & Srinivasan, 2018), *dplyr* (Version 0.7.6; Wickham, François, Henry, & Müller, 2018), *forcats* (Version 0.3.0; Wickham, 2018a), *ggplot2* (Version 3.0.0; Wickham, 2016), *here* (Version 0.1; Müller, 2017), *lattice* (Version 0.20.35; Sarkar, 2008), *mice* (Version 3.3.0; van Buuren & Groothuis-Oudshoorn, 2011), *papaja* (Version 0.1.0.9709; Aust & Barth, 2018), *purrr* (Version 0.2.5; Henry & Wickham, 2018), *randomForest* (Version 4.6.14; Liaw & Wiener, 2002), *RANN* (Version 2.6; Arya, Mount, Kemp, & Jefferis, 2018), *readr* (Version 1.1.1; Wickham, Hester, & Francois, 2017), *skimr* (Version 1.0.3; McNamara, Arino de la Rubia, Zhu, Ellis, & Quinn, 2018), *stringr* (Version 1.3.1; Wickham, 2018b), *tibble* (Version 1.4.2; Müller & Wickham, 2018), *tidyr* (Version 0.8.1; Wickham & Henry, 2018), *tidyverse* (Version 1.2.1; Wickham, 2017), and *VIM* (Version 4.7.0; Kowarik & Templ, 2016) for all our analyses.

Results

Discussion

References

- Arya, S., Mount, D., Kemp, S. E., & Jefferis, G. (2018). *RANN: Fast nearest neighbour search (wraps ann library) using l2 metric*. Retrieved from <https://CRAN.R-project.org/package=RANN>
- Aust, F., & Barth, M. (2018). *papaja: Create APA manuscripts with R Markdown*. Retrieved from <https://github.com/crsh/papaja>
- Dowle, M., & Srinivasan, A. (2018). *Data.table: Extension of 'data.frame'*. Retrieved from <https://CRAN.R-project.org/package=data.table>
- Henry, L., & Wickham, H. (2018). *Purrr: Functional programming tools*. Retrieved from <https://CRAN.R-project.org/package=purrr>
- Jed Wing, M. K. C. from, Weston, S., Williams, A., Keefer, C., Engelhardt, A., Cooper, T., ... Hunt, T. (2018). *Caret: Classification and regression training*. Retrieved from <https://CRAN.R-project.org/package=caret>
- Kowarik, A., & Templ, M. (2016). Imputation with the R package VIM. *Journal of Statistical Software*, 74(7), 1–16. doi:10.18637/jss.v074.i07
- Liaw, A., & Wiener, M. (2002). Classification and regression by randomForest. *R News*, 2(3), 18–22. Retrieved from <https://CRAN.R-project.org/doc/Rnews/>
- McNamara, A., Arino de la Rubia, E., Zhu, H., Ellis, S., & Quinn, M. (2018). *Skimr: Compact and flexible summaries of data*. Retrieved from <https://CRAN.R-project.org/package=skimr>
- Müller, K. (2017). *Here: A simpler way to find your files*. Retrieved from <https://CRAN.R-project.org/package=here>
- Müller, K. (2018). *Bindrcpp: An 'rcpp' interface to active bindings*. Retrieved from <https://CRAN.R-project.org/package=bindrcpp>
- Müller, K., & Wickham, H. (2018). *Tibble: Simple data frames*. Retrieved from <https://CRAN.R-project.org/package=tibble>
- R Core Team. (2017). *R: A language and environment for statistical computing*. Vienna,

- Austria: R Foundation for Statistical Computing. Retrieved from
<https://www.R-project.org/>
- Sarkar, D. (2008). *Lattice: Multivariate data visualization with r*. New York: Springer.
Retrieved from <http://lmdvr.r-forge.r-project.org>
- Stauffer, R., Mayr, G. J., Dabernig, M., & Zeileis, A. (2009). Somewhere over the rainbow:
How to make effective use of colors in meteorological visualizations. *Bulletin of the
American Meteorological Society*, 96(2), 203–216. doi:[10.1175/BAMS-D-13-00155.1](https://doi.org/10.1175/BAMS-D-13-00155.1)
- van Buuren, S., & Groothuis-Oudshoorn, K. (2011). mice: Multivariate imputation by
chained equations in r. *Journal of Statistical Software*, 45(3), 1–67. Retrieved from
<https://www.jstatsoft.org/v45/i03/>
- Wickham, H. (2016). *Ggplot2: Elegant graphics for data analysis*. Springer-Verlag New
York. Retrieved from <http://ggplot2.org>
- Wickham, H. (2017). *Tidyverse: Easily install and load the 'tidyverse'*. Retrieved from
<https://CRAN.R-project.org/package=tidyverse>
- Wickham, H. (2018a). *Forcats: Tools for working with categorical variables (factors)*.
Retrieved from <https://CRAN.R-project.org/package=forcats>
- Wickham, H. (2018b). *Stringr: Simple, consistent wrappers for common string operations*.
Retrieved from <https://CRAN.R-project.org/package=stringr>
- Wickham, H., & Henry, L. (2018). *Tidyr: Easily tidy data with 'spread()' and 'gather()'*
functions. Retrieved from <https://CRAN.R-project.org/package=tidyr>
- Wickham, H., François, R., Henry, L., & Müller, K. (2018). *Dplyr: A grammar of data
manipulation*. Retrieved from <https://CRAN.R-project.org/package=dplyr>
- Wickham, H., Hester, J., & François, R. (2017). *Readr: Read rectangular text data*.
Retrieved from <https://CRAN.R-project.org/package=readr>
- Zeileis, A., Hornik, K., & Murrell, P. (2009). Escaping RGBland: Selecting colors for
statistical graphics. *Computational Statistics & Data Analysis*, 53(9), 3259–3270.
doi:[10.1016/j.csda.2008.11.033](https://doi.org/10.1016/j.csda.2008.11.033)