SQL Code

```sql
show databases;

create database RetailDB_1 ;

use RetailDB_1 ;

show tables;
CREATE TABLE Customers (
customer_id INT AUTO_INCREMENT PRIMARY KEY,
name VARCHAR(100),
email VARCHAR(150) UNIQUE,
city VARCHAR(50),
signup_date DATETIME);

insert into Customers(customer_id, name, email, city, signup_date)values
(1,"Rohit Kumar",  "rohit.kumar@gmail.com",   "Delhi",      '2023-01-12'),
(2,"Sneha Sharma", "sneha.sharma@yahoo.com",  "Mumbai",     '2023-02-05'),
(3,"Amit Patel",   "amit.patel@gmail.com",    "Ahmedabad",      '2023-02-18'),
(4,"Priya Reddy",  "priya.reddy@gmail.com",   "Hyderabad",      '2023-03-02'),
(5,"Karan Singh",  "karan.singh@outlook.com", "Chennai",    '2023-03-15'),
(6,"Neha Verma",   "neha.verma@gmail.com",    "Pune",       '2023-04-01'),
(7,"Arjun Mehta",  "arjun.mehta@gmail.com",   "Bengaluru",      '2023-04-20'),
(8,"Ritika Gupta", "ritika.gupta@yahoo.com",  "Kolkata",        '2023-05-12'),
(9,"Vikram Joshi", "vikram.joshi@gmail.com",  "Lucknow",        '2023-05-25'),
(10,"Ananya Das",  "ananya.das@gmail.com",        "Bhubaneswar",'2023-06-08'),
(11,"Suresh Iyer", "suresh.iyer@gmail.com",   "Chennai",        '2023-06-20'),
(12,"Megha Kapoor","megha.kapoor@yahoo.com",  "Jaipur",     '2023-07-03'),
(13,"Ravi Shankar","ravi.shankar@gmail.com",  "Delhi",      '2023-07-15'),
(14,"Tanya Mishra","tanya.mishra@gmail.com",  "Noida",      '2023-08-01'),
(15,"Aditya Jain", "aditya.jain@gmail.com",       "Indore",     '2023-08-14');


CREATE TABLE Products (
product_id INT AUTO_INCREMENT PRIMARY KEY,
product_name VARCHAR(100),
category VARCHAR(50),
price DECIMAL(10,2)
);

select *from  Products;

insert into products(product_id, product_name, category, price)values
(1,     "iPhone 15",              "Electronics",        "79999"),
(2,     "Samsung Galaxy S24",     "Electronics",    "74999"),
(3, "Noise Smartwatch",       "Wearables",          "4999"),
(4, "Boat Earbuds",               "Wearables",      "2499"),
(5,     "Kurta Set",              "Fashion",        "1999"),
(6,     "Running Shoes",              "Fashion",            "2999"),
(7,     "Prestige Mixer Grinder", "Home Appliances","6499"),
(8,     "Sony Bravia 55” TV",     "Electronics",        "59999"),
```

```sql
(9,     "Lenovo Laptop",          "Electronics",    "55999"),
(10,"Philips Trimmer",        "Personal Care",  "1499");

  CREATE TABLE Orders (
order_id INT AUTO_INCREMENT PRIMARY KEY,
customer_id INT,
product_id INT,
order_date DATE,
quantity INT,
total_amount DECIMAL(10,2),
payment_mode VARCHAR(50),
FOREIGN KEY (customer_id) REFERENCES Customers(customer_id),
FOREIGN KEY (product_id) REFERENCES Products(product_id)
);

  select * from orders;

  insert into orders(order_id, customer_id, product_id, order_date, quantity,
total_amount,
payment_mode)values
(1,     1,      1,      "2024-01-05",   1,      "79999",        "UPI"),
(2      ,2      ,2      ,"2024-01-10    ",1,    "74999" ,"credit Card"),
(3,     3, 3,   "2024-01-15"    ,2,     "9998"  ,"Debit Card"),
(4      ,4      ,4      ,"2024-01-18"   ,1      ,"2499",        "UPI"),
(5      ,5,     5       ,"2024-01-20"   ,3      ,"5997",        "Cash"),
(6,     6,      6,      "2024-01-22"    ,1,     "2999"  ,"UPI"),
(7      ,7      ,7      ,"2024-01-25"   ,1,     "6499", "Credit Card"),
(8,     8,      8,      "2024-02-01"    ,1,     "59999",        "Net Banking"),
(9,     9,      9,      "2024-02-05"    ,1      ,"55999",       "UPI"),
(10,    10,     10,     "2024-02-07"    ,2,     "2998"  ,"Debit Card"),
(11,    11,     1,      "2024-02-10"    ,1      ,"79999",       "Credit Card"),
(12,    12,     2,      "2024-02-12"    ,1      ,"74999",       "Net Banking"),
(13,    13,     3,      "2024-02-14"    ,1,     "4999"  ,"UPI"),
(14,    14,     4,      "2024-02-16"    ,2,     "4998", "Cash"),
(15,    15,     5,      "2024-02-20"    ,1      ,"1999",        "UPI"),
(16,    6,      6,      "2024-02-25"    ,2,     "5998"  ,"Credit Card"),
(17,    7,      7,      "2024-03-01"    ,1,     "6499", "UPI"),
(18,    8,      8,      "2024-03-05"    ,1,     "59999",        "Debit Card"),
(19,    9,      9,      "2024-03-07"    ,2,     "111998",       "Credit Card"),
(20,    10,     10,     "2024-03-10"    ,1,     "1499"  ,"Cash"),
(21,    11,     5,      "2024-03-12"    ,2,     "3998", "UPI"),
(22,    12,     3,      "2024-03-15"    ,1,     "4999", "Net Banking"),
(23,    13,     4,      "2024-03-18"    ,3,     "7497"  ,"Credit Card"),
(24,    14      ,6,     "2024-03-20"    ,1,     "2999", "UPI"),
(25,    15,     1,      "2024-03-25",   1,      "79999" ,"Debit Card"),
(26,    2,      7,      "2024-03-28,",  1,      "6499", "Credit Card"),
(27,    5,      8,      "2024-04-01"    ,1,     "59999",        "UPI"),
(28,    9,      2,      "2024-04-03"    ,1,     "74999" ,"Cash"),
(29,    13,     9,      "2024-04-05",   1,      "55999" ,"Net Banking"),
(30,    14,     10,     "2024-04-07",   2,      "2998"  ,"UPI");

### Q1 Fetch all customers from the database.
select * from Customers;

```

```
### Q2 Show only the customer names and their cities.
select name as Customer_Name,City from Customers;

### Q3 Find customers who live in Mumbai.
select name,city from Customers where city="Mumbai";

### Q4 . Get all orders placed after 1st August 2024.
select * from orders;
Select * from orders where order_date > "2024-08-01";

### here is no data mention in table after april

###5. List all products price greater than ₹5000.

select * from Products where price>5000;

### Q6  Count how many customers exist in the system

select * from Customers;
select count(Customer_id) from Customers;

### Q7 Update a customer’s city (e.g., change Rohit Kumar’s city to Hyderabad).

update Customers
set city="Hyderabad"
where customer_id=1;
select * from Customers;

### Q8 . Delete an order (e.g., remove order with ID = 5).

select * from orders;
delete from orders where order_id=1;

### Q9  Display product names with their original price and price increased by 10%.

select product_name,price,(price * 10/100) + price as new_price from products;

###  Q10. Show only the unique cities where customers live.

select * from customers;
select city from customers group by city;

### Q11. Get the first 3 customers who signed up.

select name,signup_date from customers order by signup_date asc limit 3;

### Q12. Skip the first 2 customers and fetch the next 3 customers.

select * from customers  limit 2,3;

### Q13. Find products with prices between ₹2000 and ₹6000.

select * from products;
select * from products where price  between 2000 and 6000;
```

```

### Q14. Find customers who are from Mumbai OR Chennai.

select * from customers where city in ("Mumbai","Chennai");

### Q15. Find customers who are NOT from Delhi.

select * from customers where city not in ("Delhi");

### Q16. Find orders that are NOT paid by UPI.

select * from orders;
select * from orders where payment_mode not in ("UPI");

### Q17. Get the average order amount across all orders.

select avg(total_amount) from orders;

### Q18. Show the highest order amount.

select max(total_amount) from orders;

### Q19. Show the lowest product price.

select min(total_amount) from orders;

### Q20. Find the total money spent across all orders.

select sum(total_amount) from orders;
```