

Evidencias

- Creando Persona

The screenshot shows a REST client interface with a POST request to `http://localhost:8080/api/person`. The request body is a JSON object representing a person. The response status is 200 OK, and the response body is a JSON object indicating successful creation.

```
POST http://localhost:8080/api/person

{
  "nombre": "Julio",
  "apellido": "Rodriguez",
  "fechaNacimiento": "1990-08-04",
  "puesto": "prueba",
  "sueldo": 100.0
}
```

```
{
  "status": true,
  "msg": "Persona creada exitosamente",
  "data": [
    {
      "id": 3,
      "nombre": "Julio",
      "apellido": "Rodriguez",
      "fechaNacimiento": "1990-08-04",
      "puesto": "prueba",
      "sueldo": 100.0
    }
  ]
}
```

- Actualizando persona


The screenshot shows a REST client interface with a PUT request to `http://localhost:8080/api/person/3`. The request body is a JSON object representing the updated person. The response status is 200 OK, and the response body is a JSON object indicating successful update.

```
PUT http://localhost:8080/api/person/3

{
  "nombre": "Julio",
  "apellido": "Osorto Rodriguez",
  "fechaNacimiento": "1990-08-04",
  "puesto": "prueba",
  "sueldo": 200.0
}
```


```
{
  "status": true,
  "msg": "Persona actualizada exitosamente",
  "data": [
    {
      "id": 3,
      "nombre": "Julio",
      "apellido": "Osorto Rodriguez",
      "fechaNacimiento": "1990-08-04",
      "puesto": "prueba",
      "sueldo": 200.0
    }
  ]
}
```

- Listando personas



Eliminando persona

Caso no encontrada



Caso exitoso

DELETE

http://localhost:8080/api/person/2

ParamsAuthorizationHeaders (6)BodyPre-request ScriptTestsSettings

none

form-data

x-www-form-urlencoded

raw

binary

JSON

1

BodyCookiesHeaders (8)Test Results

Status: 200 OKTime: 32 msSize: 317 B

PrettyRawPreviewVisualizeJSON

1

2

3

4

5

"status": true,

"msg": "Persona eliminada exitosamente",

"data": []