

Compiled by the Custodian of the Rothschild Collection
Siphonaptera, Department of Entomology, British Museum
(Natural History), South Kensington, London SW7 5BD

LIBRARY
IOWA STATE UNIVERSITY

MAR 23 1982

of Science and Technology

Please find herewith:

- lists of additional literature for 1973 (list 9), 1974 (list 9), 1975 (list 10), 1976 (list 7), 1977 (list 4) and the first two lists for 1978
- corrected and additional sheets for the List of Code Numbers
- a Catalogue of Primary Type-specimens in the Brit. Mus. (Nat. Hist.)

* * *

PERSONALIA - We were much saddened by the news, earlier this year, of the death of Professor Valentina Aleksandrovna Bibikova, who was in the prime of her life and possibly at the zenith of her work on the biological interrelationships between host-insect and pathogens. Those of us who had the privilege of meeting her during the First Conference on Fleas at Lund, Sweden, in 1975, will remember her as a very friendly and charming lady, full of zest. - During those few days she acquired several genuine friends; their great concern about her subsequent ill-health and their regular contact by correspondence must have been a soothing comfort to Valentina Aleksandrovna during the time of her illness. In a way, such chance developments of real friendship are perhaps of greater, if different, value than all lectures of a conference put together.

* * *

Our congratulations to Dr Jiří Ryba who, on 18.XI.1977, successfully defended his thesis - at the Charles University of Prague - on the flea fauna of the Tatra Mountains.

* * *

REQUEST FOR FLEA LARVAE - Professor R. L. C. Pilgrim will be spending about 8 months (January - August 1979) at the British Museum (Natural History) to study the comparative morphology of flea larvae. His aim is to examine the present status of the higher classification of the Order from the larval standpoint and he would therefore much appreciate receiving specimens of larvae for use in this study. He has a fair representation of species from New Zealand but as the native flea fauna there is very limited, he would like to obtain specimens of genera and families not occurring in his own country. Especially valuable will be identified larvae obtained from laboratory cultures. However, as relatively few species have been reared, material taken from nests, lairs, etc. of known hosts will be gladly accepted. Please send specimens - to reach London before July 1979 - with appropriate data and an indication of the nature of their identification (whether bred from identified adults or derived from named hosts) to: Prof. R. L. C. Pilgrim, c/o Mr F. G. A. M. Smit, British Museum (Natural History), South Kensington, London SW7 5BD, England.

* * *

FLEAS IN 'FINE' ART - Perhaps the earliest example is: Lucas van Leyden (1494-1533) - "Vrouwtje dat een hond vlooit" [A woman de-fleaing a dog], dated 1510 (Rijksprentenkabinet, Rijksmuseum, Amsterdam).

* * *

In view of the rather restricted number of workers on flea taxonomy and taking into account the considerable cost of formal printing of enclosed CATALOGUE OF PRIMARY TYPE-SPECIMENS IN THE B.M.N.H. (if published in the museum's Bulletin the price per copy might well have been at least £10), it was decided to produce the list as cheaply as possible while ensuring that technically it does constitute a publication (by having been mechanically reproduced in a number sufficient to satisfy present and future demand). - Of course, we are not at all in favour of producing a publication in that way but in this particular instance we felt that the cost of publishing this intrinsically dull kind of article (useful as it may be) in the museum's Bulletin (the only possible outlet) could not really be justified. Moreover, distribution of the Catalogue with Flea News provides everyone who may need it with a copy.

* * *

LIST OF CODE NUMBERS [distributed with Flea News 6] - please find enclosed:
 - a new, definitive, title sheet to replace the provisional one of 1975
 - replacements for pp. 1, 2, 3, 4, 43, 44, 45, 46
 - additional pp. 47, 48
 - addenda & corrigenda

* * *

Yet another unwelcome price increase of Volumes I - V of the Catalogue of the Rothschild Collection of Fleas, by Hopkins & Rothschild - the newly revised prices are: Vol. I: £12.00 Vol. II: £15.00 Vol. III: £18.00 Vol. IV: £28.00 Vol. V: 32.50. - Please note that henceforth visiting scientists will be allowed 30% discount on British Museum (Natural History) publications, provided they have been vouched for by a member of the scientific staff. This concession is granted only to research workers who have been given access to the study collections or who have benefited the Museum in some way.

* * *

NON-JUMPERS - Many ridiculous fleas are known to have reduced powers of jumping correlated with a reduction in the jumping mechanism. Now, for the first time, the statement has been made that certain fleas are non-jumpers: "Anomiopsyllus is not a weak jumper. It does not jump at all." (1977, Barnes, Tipton & Wildie: 146).

* * *

FOSSIL 'FLEAS' - Ponomarenko, A.G., 1976. A new insect from the Cretaceous of Transbaykalia, a possible parasite of Pterosaurians. Paleont. Zh. 10(3): 102-106, pl. VIII fig. 1a-j. (English translation: 1977, Paleont. J. 10(3): 339-343). - In the abstract of this paper we read: "A new apterous insect Saurophthirus longipes n. gen. and n. sp. is described on the basis of a single fossil from the known Baysa site (Neocomian of Transbaykalia). It is assumed from the structural similarity to the parasites of bats that this insect was a parasite of pterosaurians. It was not possible to study the structural details of the laciniae, but it is proposed on the basis of similarity with the primitive fleas recorded from the Early Cretaceous of Australia (E.F. Riek, 1970, Nature, Lond. 227(5259): 746-747, fig. 1) that this insect should be placed in the order Siphonaptera, despite its lack of adaptation for leaping." - Whatever this fossil imprint represents, it just does not fit the definition of the order Siphonaptera and it would not seem advisable to enter the name in our indices of genera and species. My own views on the fossil insects recorded by Riek are given in 1972, Folia parasit. 19(1): 6; I might add that his long-legged fossil insect rather resembles the Mecopterans Apteropanorpa tasmanica Carpenter and Apterobittacus apterus McLachlan.

* * *

TWO EXAMPLES OF PROBLEMS ENCOUNTERED IN CATALOGUING TYPE-MATERIAL OF

SIPHONAPTERA

Pulex australis (now known as Rhopalopsyllus australis australis) was described by Rothschild in 1904 (Novit. zool. 11: 613) on the basis of 23 specimens with the following data:

- 3 ♂ 13 ♀ Santa Andrea, Tabasco, May 30th, 1897, Dicotyles labiatus;
- 2 ♂ Perene, Tatusia novemcincta, P. O. Simons;
- 2 ♂ 1 ♀ Charuplaya, Bolivia, June 27th, 1901, Speothos venaticus, P. O. Simons;
- 2 ♂ Minas Geraes, A. Kennedy.

On checking this type material in the Rothschild collection the following observations were made:

(a) In the cabinet drawer with australis australis are 3 ♂ 4 ♀ syntypes from Santa Andrea (one of the ♂ with red [type] labels) mounted on slides while in the alcohol collection another 5 ♀ of the same batch were found (these have now been mounted). The slide and tube labels add Mexico to Tabasco [State] and give Buller [presumably A. C. Buller] as name of the collector. Four ♀ from this batch are missing.

(b) None of the syntypes from the three other localities is in the collection as australis australis, but:

(c) the 2 ♂ syntypes from Perene [800 m., on the Perené river (according to modern atlases there is no accent on the final letter of the name denoting the locality), Junin Dept., central Peru] were redescribed by Jordan & Rothschild in 1908 (Parasitology 1: 73) as Rhopalopsyllus cacicus and the two specimens (again syntypes, constituting the entire type-series of R. cacicus) are in the Rothschild collection; as far as we have been able to find out, P. O. Simons collected at Perene only in April, 1900 (1900, Ann. Mag. nat. Hist. (7) 6: 299, 300) -- altitude, Junin Dept and IV.1900 have now been added in parentheses to the labels of the two specimens;

(d) the 2 ♂ syntypes from Minas Geraes [Minas Gerais, a State in Brazil] had also been misdetermined and are now in the collection as Rhopalopsyllus lugubris Jordan & Rothschild, 1908;

(e) the 2 ♂ 1 ♀ syntypes from Charuplaya (a locality not to be found in any atlas), Bolivia, are in the collection as:

1 ♂ "type" australis tupinus Jordan & Rothschild, 1923, 23.VI.1917, Speothus [error for Speothos] venaticus;

1 ♂ "type" lugubris Jordan & Rothschild, 1908, 27.I.1897, Speothos venaticus;

1 ♀ lugubris with same data but without a date;

(the type data for lugubris are: "one ♂ from Charuplaya, Bolivia, found by P. O. Simons on Speothos vinaticus [sic], together with a ♂ of R. australis [i.e., australis tupinus], January 1897").

All three slides have Charuplaya, Bolivia, as locality and P. O. Simons as collector. However, as can be seen, there is a remarkable discrepancy in dates: as published the date is 27.VI.1901 while the slides give either 27.I.1897, 23.VI.1917 or no date at all. In order to find out which of the three dates is the correct one we had to discover evidence of P. O. Simons's South American itinerary (most of the Rothschild flea correspondence was destroyed after his death and no correspondence with Simons is in the files). This evidence we found by reading through Oldfield Thomas's numerous mammalogical papers in the Ann. Mag. nat. Hist., beginning with the 1897 volume. From a statement made in 1899 ((7) 4: 287, 288) it is clear that Simons began to collect in South America towards the end of 1898, having worked in Mexico before that time -- this shows that 27.I.1897 is an incorrect date. In the 1902 volume ((7) 9: 126) we read that Charuplaya, 1300 m., is situated on the Rio Securé (which flows northward to join the Rio Mamoré and ultimately the Amazon; the Times Atlas and maps of the National Geographic Society give the name as Rio Sécure), just north of 16°S. and that P. O. Simons collected there, i.e. on the "Rio Blanco,

Charuplaya, 1300 m., 27th June, 1901, 1 ♂ 1 ♀ Speothos venaticus (these are the only specimens of this bush dog collected during that particular trip); according to Simons "Four of them came trotting by my camp at Rio Blanco about 9 a.m.". Apart from the more precise location "Rio Blanco" these data correspond perfectly with the published type data for australis s.l. Further on in the same volume of the Ann. Mag. nat. Hist. we read in a footnote on p. 237 that P. O. Simons was murdered by a guide whilst crossing the Andes, which tragedy must have taken place before April 1902 -- consequently the date 23.VI.1917 as published in the type data for R. australis tupinus is incorrect;

(f) there is now no doubt that the correct data for the 2 ♂ 1 ♀ syntypes of the composite species australis [nec] Rothschild, 1904, from Charuplaya are: Rio Blanco, Charuplaya, 1300 m., [Beni Dept.], Bolivia, 27.VI.1901, Speothos venaticus, P. O. Simons. The data on the labels of the three slides concerned have now been amended and/or corrected to comply with the correct type data.

(g) The ♂ of australis proper from Santa Andrea with the red type labels has been selected by us as lectotype and labelled as such; the remaining syntypes from Santa Andrea are designated as paralectotypes apart from one female which is a lectallotype;

(h) to one of the slides of the 2 ♂ syntypes of "australis" from Perene (which up till now had been syntypes of R. cacticus) a label has been added with: australis Rothschild, 1904, syntype = cacticus Jordan & Rothschild, 1908, lectotype, (err. det.); the additional label on the slide of the second syntype gives: australis Rothschild, 1904, syntype = cacticus Jordan & Rothschild, 1908, paralectotype, (err. det.);

(i) to the slides of the 2 syntypes of "australis" from Minas Gerais a label has been added with: australis Rothschild, 1904, syntype = lugubris Jordan & Rothschild, 1908, (err. det.);

(j) to the slide of the "type" of australis tupinus a label has been added with: australis Rothschild, 1904, syntype = australis tupinus Jordan & Rothschild, 1923, holotype, (err. det.) [in the type data for a. tupinus this specimen is referred to as "type ♂"];

(k) to the slide of the "type" of lugubris a label has been added with: australis Rothschild, 1904, syntype = lugubris Jordan & Rothschild, 1908, holotype, (err. det.);

(l) to the slide of the ♀ syntype of "australis" from Charuplaya a label has been added with: australis Rothschild, 1904, syntype = lugubris Jordan & Rothschild, 1908, topotype, (err. det.).

* * *

A peculiar puzzle is that of Rhopalopsyllus (now: Polygenis) atopus Jordan & Rothschild, 1922, described from ♂ holotype and 2 ♀ paratypes. The holotype and one paratype were destroyed in the Hamburg Zoological Museum in 1944, the remaining paratype is in the Rothschild collection. That particular paratype can unfortunately not be designated as lectotype (which should be one of several syntypes designated after the original publication of a species-group name as being the type-specimen of the taxon bearing that name) because it is not a syntype, nor as neotype (which is a single specimen designated as the type-specimen of a nominal species-group taxon of which the holotype or lectotype, and all paratypes, or all syntypes, are lost or destroyed) because it is an extant paratype. - Because the late Harry Hopkins was so keenly interested in matters concerning nomenclature, we asked for his advice at the time but he too had no idea what to do in these circumstances. He wrote about this case to the International Commission on Zoological Nomenclature but this led to no satisfactory result. An application will have to be made for the designation of a male neotype under the plenary powers of the Int. Comm. Zool. Nomencl. - For the time being the primary type of atopus is still represented by the published figure of part of the male genitalia of the destroyed holotype.

F. G. A. M. Smit & A. M. Wright

LITERATURE ON SIPHONAPTERA PUBLISHED IN 1973 (list 9)

- Lidicker, W.Z. - Regulation of numbers in an island population of the California vole, a problem in community dynamics. Ecol. Monogr. 43(3): 271-302.
- Lustova, E. de S., Carneiro, J.R., Carvalho, M.E.S.D. & Jardim, J.H.da V. - Ectoparasitos de cães vadios de Goiânia. Rev. Patol. trop., Goiânia 2(4): 397-399.
- Reisen, W.K. & Best, T.L. - An ectoparasite survey of *Dipodomys ordii* (Rodentia: Heteromyidae) from central Oklahoma. Ann. ent. Soc. Amer. 66(3): 599-601.
- Timm, R.M. - Comments on ectoparasites of two species of *Microtus* in Nebraska. Trans. Kansas Acad. Sci. 75(1): 41-46.

LITERATURE ON SIPHONAPTERA PUBLISHED IN 1974 (list 9)

- Akiyev, A.K., Varshavsky, S.N. & Golub'yev, P.D. - Basic tasks of studies on the factors of natural plague focality in the central Caucasus. Probl. osobo opasn. Infektsii (Saratov) 2(36): 5-12, 1 fig.
- Arambulo III, P.V. - The natural nidality of zoonoses in the Philippines. Int. J. Zoonoses (Taipei) 1(2): 58-74.
- Avery, R.A. - Identification of animal parasites. Amersham (Hulton Educational Publ., Ltd). 182 pp, 86 figs.
- Bishop, C.A. & Threlfall, W. - Helminth parasites of the common eider duck *Somateria mollissima* (L.) in Newfoundland and Labrador. Proc. helminth. Soc. Wash. 41(1): 25-35.
- Buckner, R.L. & Gleason, L.N. - Arthropod ectoparasites and their seasonal occurrences on *Microtus ochrogaster* and *Peromyscus leucopus* from Warren County, Kentucky. Trans. Kentucky Acad. Sci. 35(3-4): 70-75.
- Clark, P.H. & Cole, M.M. - Oriental rat fleas: evaluation of three systemic insecticides in baits for control on cotton rats in outdoor pens. J. econ. Ent. 67(2): 235-236.
- Cordero del Campillo, M. - Parasitic zoonoses in Spain. Int. J. Zoonoses (Taipei) 1(2): 43-57.
- Graham, J.M. - Canine filariasis in northeastern Kansas. J. Parasit. 60(2): 322-325.
- Gressitt, J.L. & Yoshimoto, C.M. - Insect dispersal studies in northern Alaska. Pacific Ins. 16(1): 11-30.
- Harlan, H.J. & Palmer, D.B. - Ectoparasites of mammals and birds from Fort Bragg, North Carolina. J. Elisha Mitchell Sci. Soc. 90(4): 141-144.
- Lampe, R.P., Jones, J.K., Hoffman, R.S. & Birney, E.C. - The mammals of Carter County, southeastern Montana. Occas. Papers Mus. nat. Hist. Univ. Kansas 25: 1-39.
- Timm, R.M. - Rediscovery of the rock vole (*Microtus chrotorrhinus*) in Minnesota. Canad. Field Nat. 88(1): 82.
- Vakhrusheva, Z.P. & Zhovtyi, I.F. - On the connection of the numerosity of fleas of the Daurian suslik and Brandt's vole with the numerosity of their hosts. In: A.I.Cherepanov (ed.) - Vopr. Ent. Sibiri (Novosibirsk): 160-162.
- Whitaker, J.O. & Schmeltz, L.L. - Food and external parasites of the eastern mole, *Scalopus aquaticus*, from Indiana. Proc. Indiana Acad. Sci. 83: 478-481.
- Zhovtyi, I.F. - The study of fleas (Siphonaptera) of Siberia and the Far East (results and perspectives). In: A.I.Cherepanov (ed.) - Vopr. Ent. Sibiri (Novosibirsk): 142-143.

LITERATURE ON SIPHONAPTERA PUBLISHED IN 1975 (list 10)

- Baessler, L.G. - North Dakota fleas. VI. Seasonal variation of fleas on Richardson's ground squirrels. Proc. North Dakota Acad. Sci. 29(1): 2.
- Ferrar, P., Standfast, H.A. & Dyce, A.L. - A survey of blood-sucking and synanthropic Diptera and dung insects on Norfolk Island, South Pacific. J. Aust. ent. Soc. 14(1): 7-13, fig. 1 (Siph.: 11).
- Whitaker, J.O., Jones, G.S. & Pascal, D.D. - Notes on mammals of the Fires Creek Area, Nantahala mountains, North Carolina, including their ectoparasites. J. Elisha Mitchell Sci. Soc. 91(1): 13-17.
- Whitaker, J.O., Spicka, E.J. & Schmeltz, L.L. - Ectoparasites of squirrels of the genus *Sciurus* from Indiana. Proc. Indiana Acad. Sci. 85: 431-436.

LITERATURE ON SIPHONAPTERA PUBLISHED IN 1976 (list 7)

- Anonymous - Controlling fleas (Siphonaptera). Home Gard. Bull., U.S. Dept Agric. 121: 1-6.
- Conn, D.B. & Fleming, M.M. - Parasites of *Sciurus carolinensis* in Bradley County, Tennessee. J. Tennessee Acad. Sci. 51(2): 60.
- Dooley, T.J., Bristol, J.R. & Canaris, A.G. - Ectoparasites from bats in extreme west Texas and southcentral New Mexico. J. Mammal. 57(1): 189-191.
- Rajasekharaiyah, G.R., Hegde, K.S., Rahaman, H., Krishnamoorthy, R.V. & Srihari, K. Occurrence of *Ctenocephalides felis felis* (Bouché) (Pulicidae: Siphonaptera) in monkey, *Macaca radiata* (Geoffroy). Ind. J. Ent. 36(3): 230-231.
- Singh, K.N. & Rai, K. - On a new record of *Synosternus cleopatrae cleopatrae* (Rothschild, 1903) (Siphonaptera: Pulicidae) from India. Zool. Survey India News Letter 2(4): 172.
- Smit, F.G.A.M. - [Annotations to Brief nr. 126 [76] of 15.X.1693.] In: Alle de brieven van Antoni van Leeuwenhoek. (Amsterdam, Swets & Zeitlinger, B.V.): 204-259 (Siph.: 210-259, pl. XXI fig. 22, pl. XXII fig. 23, pl. XXIII fig. 24, pl. XXV fig. 25).
- Starozhitskaya, G.S., Zagniborodova, Ye.N., Sageyev, M.T., Avakov S.M., Novokreshchenova, N.S., Dyemin, Ye.P. & Rusakova, L.V. - The feeding activity of fleas of the large and redtailed gerbils and the yellow suslik on the Krasnovodsky peninsula. Profilaktika osobo opasn. Infektsii (Saratov) 1: 73-78.

LITERATURE ON SIPHONAPTERA PUBLISHED IN 1977 (list 4)

- Anonymous - Årsberetning Statens Skadedyrlaboratorium. Annual report Danish pest infestation laboratory. 1976. 87 pp. (Siph.: 14).
- Anonymous - Human plague in 1976. Wkly epidemiol. Rec. 52(28): 229-231.
- Arap Siongok, T.K., Njagi, A.M. & Masaba, S. - Another focus of sylvatic plague in Kenya. E. afr. med. J. 54(12): 694-699, fig. 1.
- Ashford, R.W., Bray, R.S. & Bray, M.A. - Blood parasites of Ethiopian birds. 2. Trypanosomes of the African sand martin *Riparia paludicola*. Ann. trop. Med. Parasit. 71(3): 385-386, 1 fig.
- Baker, K.P. - The hypersensitive response of the skin to fleas with observations on treatment and control. Irish Vet. J. 31(10): 141-147.
- Barnes, A.M., Tipton, V.J. & Wildie, J.A. - The subfamily Anomiopsyllinae (Hystrihopsyllidae: Siphonaptera). I. A revision of the genus *Anomiopsyllus* Baker. Great Basin Nat. 37(2): 138-206, figs. 1-95.
- Bartkowska, K. - Z badań nad Siphonaptera w Beskidach zachodnich. [Some investigations on Siphonaptera in the western Beskid mts]. Wiadom. Parazyt. 23(1-3): 219-220.

- Beaucournu, J.C. & Costantini, R. - Deux additions à la faune des Siphonaptères de l'Italie continentale. Parassitologia 18(1-3): 79-83, maps 1, 2.
- Beaucournu, J.C. & Launay, H. - Le lapin de garenne et les zoonoses. Méd. Malad. infect., Paris 7(11): 495-501.
- Bennett, G.W. & Lund, R.D. - Evaluation of encapsulated pyrethrins (Sectrol TM) for German cockroach and cat flea control. Pest Control 45(9): 44, 46, 48-50.
- Broek, E. van den, & Laar, V. van - Vlooien, Siphonaptera, van zoogdieren uit de noordelijke Gelderse Vallei. Te Velde 13: 42-48, fig. 1.
- Brooks, J.E., Naing, U.H., Walton, D.W., Myint, D.S., Tun, U M.M., Thauung, U & Kyi, D.O. - Plague in small mammals and humans in Rangoon, Burma. S.E.Asian J. trop. Med. publ. Hyg. 8(3): 335-344, figs. 1-2.
- Cyprich, D., Kiefer, M. & Cendsuren, A. - A contribution to the knowledge of fleas (Siphonaptera) of Mongolia. Trudy Sovyetsko-Mongolskoi kompl. Khubsugul Eksped. (5): 47-63, figs. 1-8.
- Czerwińska, A. - Influence of soil cultivation on the occurrence of fleas in a *Microtus arvalis* population. Wiadom. parazyt. 23(1-3): 63-64.
- Dardanoni, L. & Lavagnino, A. - Spunti di entomologia regionale in riferimento alle rickettsiosi. Minerva med. 68(34): 2385-2386.
- Egoscue, H.J. - The sagebrush vole flea, *Megabothris clantoni princei*, in western Utah, with comments on the distribution of *Megabothris* in the Bonneville Basin. Great Basin Nat. 37(1): 75-76.
- Fuller, O.S. & Kennedy, M.L. - Geographic variation in *Orchopeas leucopus*. J. Tennessee Acad. Sci. 52(2): 71-72.
- Gärtner, S. & Gärtner, C. - Kasuistische Bemerkungen über Flöhe. Z. gesamte Hyg. 23(2): 116-118.
- Georghiou, G.P. - The insects and mites of Cyprus. (Kiphissia, Athens). 347 pp. (Siph.: 226).
- Girard, G. - L'incidence des pestes dans l'histoire du monde. C.R. trim. Acad. Sci. Outre-Mer (Paris) 37(2): 249-263.
- Haitlinger, R. - External parasites of the Lower Silesian bats. I. Siphonaptera. Wiadom. Parazyt. 23(4): 441-451.
- Haitlinger, R. - Contribution to the knowledge of Siphonaptera and Anoplura fauna of small mammals in Bulgaria. Polskie Pismo ent. 47(4): 711-718.
- Haitlinger, R. - Siphonaptera drobných ssaků polnocnej Polski. Siphonaptera of small mammals of northern Poland. Przegl. zool. 21(3): 218-226.
- Haitlinger, R. & Ruprecht, A.L. - Przyczynek do fauny pasożytów zewnętrznych nietoperzy Puszczy Białowieskiej. Contribution to the ectoparasite fauna of bats from the Białowieża Primeval Forest. Przegl. zool. 21(4): 332-334.
- Harman, D.M. & Chapman, J.A. - A seasonal study of the ectoparasites of *Sylvilagus transitionalis*. Proc. Pennsylv. Acad. Sci. 51(1): 40-42.
- Jameson, E.W. & Fulk, G.W. - Notes on some fleas (Siphonaptera) from Chile. J. med. Ent. 14(4): 401-406, figs. 1-3.
- Joseph, S.A. - A preliminary study of dermatitis produced by *Ctenocephalides felis orientis* in human beings. Ind. J. Anim. Res. 11(2): 84-86, fig. 1.
- Jurík, M. - Interrelationships between studied zones of avian Aphaniptera and linkages of these to zones of mammalian Aphaniptera. Acta Univ. agric., Brno 24(4): 161-169, figs. 1-3.
- Kaczmarek, S. - Pchły występujące gniazdach ptaków w domkach lęgowych. [Fleas occurring in nests of birds in nesting boxes]. Wiadom. Parazyt. 23(1-3): 213-217.

- Kingery, F.A.J. - Sorting out bug bites. Med. Times 105(6): 102-106, 109, figs. 1-7.
- Lakshminarayana, K.V. - Studies in host-specificity in rat fleas. In: T.N. Ananthakrishnan (ed.) - Insects and host-specificity. (Madras): 111-115.
- Le Louarn, H. & Saint Girons, M.C. - Les rongeurs de France. Faunistique et biologie (avec la collaboration du Dr J.C. Beaucournu pour le chapitre "Relations avec l'homme"). Annls Zool.-Ecol. anim. Inst. nat. Rech. agron. (No. h.s.): 1-159, figs. 1-56.
- Li, K.-c., Hsieh, P.-c. & Wei, S.-f. - On two new species of the setosa group of genus *Neopsylla* Wagner, from southwest China (Siphonaptera: Hystrichopsyllidae). Acta ent. sinica 20(4): 455-460, figs. 1-5.
- Linardi, P.M. - *Polygenis pradoi* x *Polygenis frustratus* (Siphonaptera, Rhopalopsyllidae). Ciencia Cult. 9(7): 791.
- Linardi, P.M. - Relações pulgas/roedores observadas nos municípios de Salesópolis e Itapetininga, S.P. Bol. Mus. Hist. nat. Univ. fed. Minas Gerais (Zool.) 23: 1-25.
- Macháček, P. - [Ectoparasites of *Passer domesticus* (L.) and *Passer montanus* (L.)]. Scripta (Biol.), Brno 7(2): 71-86.
- Méndez, E. & Pino Encalada, R. del - The presence of *Euhoplopsyllus glacialis* *exoticus* in Ecuador (Siphonaptera: Pulicidae). Pacific Ins. 17(2-3): 257-260, figs. 1-7.
- Mester, H. - Das Syndrom des wahnhaften Ungezieferbefalls. Angew. Parasitol. 18(2): 70-84, figs. 1-4.
- Miller, B.E., Bennett, W.C., Graves, G.N. & Wheeler, J.R. - Field studies of systemic insecticides. II. Evaluation of chlorphoxim for control of fleas on five rodent species. J. med. Ent. 14(2): 161-166, figs. 1-2.
- Miller, B.E., Edwards, J.W., Bennett, W.C., Graves, G.N. & Wheeler, J.R. - Field studies of systemic insecticides. III. Evaluation of phoxim for control of fleas on kangaroo rats and associated species. J. med. Ent. 14(3): 263-269, figs. 1-2.
- Miller, B.E., Graves, G.N., Bennett, W.C. & Wheeler, J.R. - Field studies of systemic insecticides. IV. Evaluation of phoxim for prevention of natural seasonal increases of fleas on the hispid cotton rat. J. med. Ent. 14(4): 465-468, fig. 1.
- Morel, P.C. - Les maladies parasitaires du chien et du chat en milieu tropical. Anim. Comp., Paris 12(4): 329-333.
- Petavy, A.F. - Les parasites du chien et du chat. I. Ectoparasites et dermatoses parasitaires. Microbia, Nancy 3(3) Suppl.: 47-53.
- Petrosyan, E.A., Levi, M.I., Kadatsky, N.G., Shirova, L.F., Maruseyeva, T.G., Bromberg, A.I., Fomushkin, V.M. & Akhundov, M.G. - Laboratory and field investigations of the effectivity of insecto-zoocids against redtailed gerbils and their fleas. Probl. osobo opasn. Infektsii, Saratov 5(57): 58-63.
- Pfister, R. - Nehmen Sandfloh-Infektionen zu? Fortsch. Med. 95(21): 1373-1375, figs. 1-2.
- Polyakov, V.K., Byelkina, N.B., Zharinova, L.K. & Barayeva, G.M. - Fleas of small mammals in southern Trans-Ural. Probl. osobo opasn. Infektsii, Saratov 5(57): 55-57.
- Reyn, C.F. von, et al. - Epidemiologic and clinical features of an outbreak of bubonic plague in New Mexico. J. infect. Dis. 136(4): 489-494, fig. 1.
- Richards, O.W. & Davies, R.G. - Imms' general textbook of entomology. (ed. 10). London (Chapman and Hall), New York (John Wiley & Sons). I: Structure, physiology and development: pp. viii+1-418, figs. 1-203. II: Classification and biology: pp. viii+419-1354, figs. 204-591. (Siph.: 941-950, figs. 435-437).

(1977)

- Robert, S. & Bergeron, J.M. - Les Siphonaptères de la région de Sherbrooke, Québec. Canad. Ent. 109(12): 1571-1582, fig. 1.
- Rodriguez, P.H. - A survey of ectoparasites of hares and rabbits in Grant County, New Mexico. Texas J. Sci. 28(1-4): 358.
- Rosický, B. & Ryba, J. - Siphonaptera. Aphaniptera. In: J. Dlabola (ed.) - Enumeratio insectorum Bohemoslovakiae. Check list Tschechoslowakische Insektenfauna. Acta faun. ent. Mus. nat. Pragae 15 (Suppl. 4): 143-146.
- Samurov, M.A., Samurova, S.I. & Zharnikova, L.K. - On the occurrence, in nature, of fleas blocked with plague microbes. Probl. osobo opasn. Infektsii (Saratov) 2(54): 74.
- Savel'yev, V.N., Kozlov, M.P., Reitblat, A.G. & Lesnykh, A.T. - The problem of developing biological methods for the control of fleas of the mountain suslik. Ekol. Metody Izuch. Organ. Okhrany Mlyekopit. gorn. Obl. (Sverdlovsk): 52-53.
- Scalon, O.I. - Fleas of the sand martin (*Riparia riparia*) in the territory of Eurasia. Zool. Zh. 56(12): 1820-1825, figs. 1-4.
- Skuratowicz, W. - Z badań nad pchłami ssaków drapieżnych polski. [On the investigations of Carnivora fleas in Poland]. Wiadom. Parazyt. 23(1-3): 221-222.
- Skuratowicz, W. & Bartkowska, K. - Pchły (Siphonaptera) zebrane w Jugosławii. Fragm. faun. 23(5): 51-65, figs. 1-9.
- Smirnova, A.S., Levi, M.I., Ryk-Bogdaniko, M.G., Niyazova, M.V., Lautsin, A.M., Butylina, A.A., Leutskaya, V.F., Kuznetsova, R.M., Zagroba, V.I., Yarikova, G.I. & Ponomareva, L.A. - The colonisation by cat fleas of appartments in a large town and some problems in controlling them. Probl. Dezinfektsii i Steril. 3: 77-78.
- Starozhitskaya, G.S., Gubareva, N.P., Borisova, S.P. & Kozlova, A.M. - A study of flea contacts in colonies of the mountain suslik. Ekol. Metody Izuch. Organ. Okhrany Mlyekopit. gorn. Obl. (Sverdlovsk): 21-22.
- Suciu, M. - Some ecological and zoogeographical aspects of the flea *Nosopsyllus consimilis* (Wagner) occurring in Romania. Wiadom. Parazyt. 23(1-3): 59-62.
- Suciu, M. & Szabó, I. - Studies on the fleas of the Retezat Mountains (Roumania). Parasit. hung. 10: 117-124.
- Szabó, I. - Hazai madár- és emlősfészkek faunisztikai vizsgálata. [Examination of the fauna in nests of mammals and birds of Hungary]. Allatt. Közlem. 64(1-4): 153-158, 1 fig.
- Timm, R.M., Heaney, L.R. & Baird, D.D. - Natural history of rock voles (*Microtus chrotorrhinus*) in Minnesota. Canad. Field Nat. 91: 177-181.
- Vashchyonok, V.S. & Tarakanov, N.F. - The influence of digestion on the survival of the plague bacillus in the flea *Xenopsylla gerbilli minax*. Parazitologiya 11(6): 474-479, figs. 1-11.
- Whitaker, J.O. - Food and external parasites of the Norway rat, *Rattus norvegicus*, in Indiana. Proc. Indiana Acad. Sci. 86: 193-198.
- Whitaker, J.O., Jones, G.S. & Goff, R.J. - Ectoparasites and food habits of the opossum, *Didelphis virginiana*, in Indiana. Proc. Indiana Acad. Sci. 86: 501-7.
- Williams, B. - The fleas that tease in the U.K. General Practitioner 38: 1p.
- Wilson, N. & Bull, E.L. - Ectoparasites found in the nest cavities of pileated woodpeckers in Oregon. Bird-Banding 48(2): 171-173.
- Winchell, E.J. - Parasites of the beach vole, *Microtus breweri* Baird 1858. J. Parasit. 63(4): 756-757.
- Wise, K.A.J. - A synonymic checklist of the Hexapoda of the New Zealand sub-region. The smaller orders. Bull. Auckl. Inst. Mus. 11: iii+176 pp. (Siph.: 133-136).

- Yakunin, B.M. - The influence of a thermostable exotoxin on the fertility of fleas of the daughter generation. Medit. Parazit., Moskva 46(4): 491-493.
- Yakunin, B.M. & Dubitsky, A.M. - The toxic action of phytobacteriomycin on larvae of fleas. Probl. Dezinfektsii i Steril. 3: 87-88.
- Yescott, R.E. - A vacuum technique for estimating populations of Anoplura and Siphonaptera on California ground squirrels. Calif. Vector Views 24(5-6): 19-23.
- Zagniborodova, Ye.N., Zaitseva, V.I., Zabegalova, M.N., Kochkareva, A.V., Sukharova, V.I., Chornikina, M.A., Obrikas, R.G., Melanina, A.A., Khamedova, T.P., Godunova, V.V. & Chekalina, T.S. - Particulars of the geographic distribution of fleas of the genera *Coptopsylla* and *Ceratophyllus* in Turkmenia and their significance in the Epizootology of plague. Probl. osobo opasn. Infektsii (Saratov) 2(54): 42-48.
- Zakolodkina, V.I. & Putintseva, L.S. - The activity of some insecticides from foreign firms in relation to house flies, bedbugs, cockroaches and fleas. Probl. Dezinfektsii i Steril. 3: 33-34.
- Zarubina, V.N., Dremova, V.P., Ochirov, Yu.D. & Klimovskaya, N.O. - Results of laboratory investigations of repellents against fleas. Probl. Dezinfektsii i Steril. 3: 34-35.
- Zhovtyi, I.F. - Disinfection in natural foci of plague and tactics of anti-epidemic measures. Probl. Dezinfektsii i Steril. 3: 31-32.
- Złotórzycka, J. - Parasites of wild birds and mammals in conditions of anthropopressure. Wiadom. Parazyt. 23(1-3): 195-202.

LITERATURE ON SIPHONAPTERA PUBLISHED IN 1978 (list 1)

- Amrine, J.W. & Lewis, R.E. - The topography of the exoskeleton of *Cediopsylla simplex* (Baker 1895) (Siphonaptera: Pulicidae). I. The head and its appendages. J. Parasit. 64(2): 343-358, figs. 1-48.
- Arzamasov, I.T., Krayevskaya, L.I. & Labetskaya, A.G. - The ectoparasite fauna of mouse-like rodents in the glutinose-alnetum filicosum of the Byelorusskaya Polyess'ya. Vestsi Akad. Navuk B.S.S.R. (Biol. Navuk) (2): 92-93.
- Bartkowska, K. - Report on *Amphipsylla sibirica* (Wagn.) in Poland. Proc. IV int. Congr. Parasitol. (Warszawa): 63-64.
- Bartkowska, K., Skuratowicz, W. & Botchvarov, G. - Notes on Bulgarian fleas. Proc. IV int. Congr. Parasitol. (Warszawa): 60-61.
- Beaucournu, J.C. & Gallardo, N.M. - Quelques nouvelles puces de Chili (Siphonaptera) parasites de *Ctenomys* (Rod., Octodontidae). Bull. Soc. Path. exot. 70(4): 438-450, figs. 1-18, maps 1, 2.
- Beaucournu, J.C. & Gosalbez, J. - Un Typhloceras nouveau de Catalogne (Siphonaptera, Hystrichopsyllidae). Annls Parasit. hum. comp. 53(3): 302-7, figs. 1-2.
- Beaucournu, J.C. & Hellal, H. - Liste annotée des Siphonaptères de Tunisie. Bull. Soc. Path. exot. 70(5): 524-537, maps 1, 2.
- Beaucournu, J.C. & Launay, H. - Présence en France d'une *Xenopsylla* selvatique, *X. cunicularis* Smit, 1957 (Siphonaptera, Pulicidae) parasite du lapin de garenne. Bull. Soc. Path. exot. 70(3): 299-301.
- Chamberlain, W.F. & Becker, J.D. - Inhibition of cocoon formation and adult emergence of oriental rat fleas, *Xenopsylla cheopis* (Rothschild) by insect growth regulators. Southw. Ent. 2(4): 179-182.
- Chen, N.-g. & Wei, S.-f. - A new species of the *stevensi* group of the genus *Neopsylla* Wagner (Siphonaptera: Hystrichopsyllidae). Acta ent. sinica 21(1): 99-100, figs. 1-2.

(1978)

- Chumakova, I.V., Tokanov, F.I. & Kozlov, M.P. - The dependence of the reproductive capacity of fleas (Aphaniptera) on repeated mating. Parazitologiya 12(4): 292-296.
- Conder, G.A. & Loveless, R.M. - Parasites of the coyote (*Canis latrans*) in central Utah. J. Wildlife Dis. 14(2): 247-249.
- Czerwińska, A. - The occurrence of fleas on population of *Microtus arvalis* (Pallas 1779) on experimental areas under agrotechnical treatment. Ekol. pol. 25(3): 551-559, figs. 1-3.
- D., P.I. - Flohvater Rothschild. Prakt. SchädliBekämpfer 30(3): 30.
- Edwards, S.J., Hood, M.W., Shaw, J.H., Rayburn, J.D., Kirby, M.D., Hanfman, D.T. & Zidar, J.A. - Index-catalogue of medical and veterinary zoology. Suppl. 21 (5). Washington D.C. (U.S.Dept Agric.). iv+246 pp.
- Gilbert, B. - A jump ahead: the flea. Reader's Digest 112(670): 70-73, 1 fig.
- Graves, G.N., Bennett, W.C., Wheeler, J.R., Miller, B.E. & Forcum, D.L. - Sylvatic plague studies in southeast New Mexico. II. Relationships of the desert cottontail and its fleas. J. med. Ent. 14(5): 511-522, figs. 1-4.
- Haas, G.E., Barrett, R.E. & Wilson, N. - Siphonaptera from mammals in Alaska. Canad. J. Zool. 56(2): 333-338.
- Hancock, E.G. - Additional insect records from Puffin Island. Proc. Birmingham nat. Hist. Soc. 23(4): 239-241.
- Hsieh, P.-c., Yang, X.-s. & Li, K.-c. - Three new species of the genus *Paradoxopsyllus* Miyayima & Koidzumi, 1909 (Siphonaptera: Leptopsyllidae). Acta ent. sinica 21(1): 91-98, figs. 1-26.
- Jenni, L. - L'activité ornithologique au col de Bretolet en 1977. Nos Oiseaux 34(6)[371]: 245-256 (Siph.: 247).
- Jungbluth, J.H. - Zum Problem der Überwinterung untergewichtiger Jungigel (*Erinaceus europaeus* L.) mit Anmerkungen zu ihren Flöhen. Z. angew. Zool. 65(1): 81-85, fig. 1.
- Khrustselevskaya, N.M. & Syerzhanov, O.S. - On the problem of the existence of immunity of fleas to plague and the importance of this phenomenon for the circulation of the infection in nature. Vopr. prir. Ochag. Bol. (Alma-Ata) 9: 132-138.
- Kunitskaya, N.T. & Kunitsky, V.N. - A new species of *Paradoxopsyllus* (Siphonaptera, Ceratophyllidae) from the Alakol valley. Zool. Zh. 57(3): 457-459, figs. 1-4.
- Lankin, P.M. - On the distribution and numerosity of house mice (*Mus musculus*) on the Mangyshlak and Buzachi peninsulas in connection with the epizootology of plague. Zool. Zh. 57(8): 1233-1238, figs. 1-2.
- Larsson, S.G. - Baltic amber - a palaeobiological study. Entomonograph 1: 1-192, figs. 1-62, pls 1-12. (Siph.: 111, fig. 31).
- Lauer, D.M. & Sonenshine, D.E. - Adaptations of membrane feeding techniques for feeding the squirrel flea, *Orchopeas howardi*, and the squirrel louse, *Neohaematopinus sciuropteri*, with notes on the feeding of the human body louse, *Pediculus humanus* var. *corporis*. J. med. Ent. 14(5): 595-596, fig. 1.
- Laumond, C. & Beaucournu, J.C. - *Neoparasitylenchus megabothridis* n.sp. (Tylenchida: Allantonematidae) parasite de *Megabothris turbidus* (Siphonaptera: Ceratophyllidae); observations sur les Tylenchides de puces dans le sud-ouest de l'Europe. Annls Parasit. hum. comp. 53(3): 291-302, fig. 1.
- Lauret, A.M. - De zwarte dood in maatschappelijk perspectief. Spiegel hist. 13(5): 342-349, figs. 1-11.
- Lavrovsky, A.A., Pavlov, A.N., Barkalova, A.G., Ivanov, V.S. & Trifimov, V.I. - On the widening of the range of *Rhombomys opimus* (Rodentia) and its recurrent transition to the right bank of the Ural River. Zool. Zh. 57(2): 306-308, 1 map.

- (970)
- Lewis, R.E. - A new species of *Myodopsylla* Jordan and Rothschild 1911, from northern United States, with a key to the genus (Siphonaptera: Ischnopsyllidae). J. Parasit. 64(3): 524-527, figs. 1-4.
- Lewis, R.E. & Maser, C. - *Phalacropsylla oregonensis* sp. n., with a key to the species of *Phalacropsylla* Rothschild 1915 (Siphonaptera: Hystrichopsyllidae). J. Parasit. 64(1): 147-150, figs. 1-2.
- Linardi, P.M. - *Polygenis guimaraesi* sp. n. from São Paulo, Brazil (Siphonaptera, Rhopalopsyllidae). Rev. bras. Biol. 38(2): 469-473, figs. 1-6.
- Mahnert, V. - A new *Ctenophthalmus* (Siphonaptera) from Ivory Coast. Rev. suisse Zool. 84(4): 869-872, figs. 1-4.
- Mardon, D.K. - Four new species and records of fleas from West Irian (Siphonaptera, Pygiopsyllidae). Zoöl. Meded., Leiden 53(1): 1-10, figs. 1-12.
- Mardon, D.K. & Allison, F.R. - A new species of *Coorilla* Dunnet and Mardon (Siphonaptera: Ischnopsyllidae) with records of other fleas from Queensland. J. Austr. ent. Soc. 17(2): 167-170, 1 fig.
- Mitchell, R.M. & Dick, J.A. - Ectoparasites from Nepal birds. J. Bombay nat. Hist. Soc. 74(2): 264-274.
- Nazarova, I.V. & Jarullova, R.A. - Variation of some morphological characters used as taxonomic criteria in fleas. Proc. IV int. Congr. Parasitol. (Warsz.): 64-65.
- Nelson, B.C. - Ecology of medically important arthropods in urban environments. In: Perspectives in urban Ent.: 87-124 (Siph.: 97, 107-108).
- Peus, F. - Flöhe aus dem Mittelmeergebiet (Insecta, Siphonaptera). Folia parasit. 25(1): 49-60, figs. 1-11.
- Peus, F. - Flöhe aus Anatolien und dem Iran (Insecta: Siphonaptera). X. Beitrag der Serie "Flöhe aus dem Mittelmeergebiet". Ann. naturhist. Mus. Wien 81: 507-516, figs. 1-6.
- Peus, F. - Zwei neue Flöhe aus Spanien und der Ägäis (Insecta: Siphonaptera: Ceratophyllidae). Senckenbergiana biol. 59(1-2): 71-78, figs. 1-14.
- Robinson, F.F., Robinson, A.C., Watts, C.H.S. & Baverstock, P.R. - Notes on rodents and marsupials and their ectoparasites collected in Australia in 1974-75. Trans. R. Soc. S. Austr. 102(3-4): 59-70, fig. 1.
- Rothschild, M., Parker, K. & Williams, B. - The jump of the oriental rat flea (*Xenopsylla cheopis*) and other fleas. Proc. Symp. med. Ent. Centenary: 137-138.
- Shchedrin, V.I., Bryukhanova, L.V. & Lunina, Ye.A. - A contribution to the histo-enzymatical investigation of fleas. Medit. Parazit., Moskva 47(1): 89-91.
- Smit, F.G.A.M. - A new bird-flea from Peru. Zool. J. Linn. Soc. 62(2): 189-192, figs. 1-2.
- Smit, F.G.A.M. - Descriptions of neallotypes for two African Siphonaptera. Rev. Zool. afr. 92(1): 251-253, figs. 1-4.
- Smit, F.G.A.M. - Siphonaptera (fleas). In: G.J. Kerrich, D.L. Hawksworth & R.W. Sims - Key works to the fauna and flora of the British Isles and northwestern Europe. London, etc. (Academic Press): 109-110.
- Smit, F.G.A.M. - Insects on stamps. A cross-referenced checklist. Tring. 78 pp. (Siph.: 22). [no free copies available; enquiries to author]
- Suciu, M. & Popescu, A. - Some aspects concerning the relationships between the ectoparasites and insectivore species (Sorecidae - Insectivora) occurring in Romania. Proc. IV int. Congr. Parasitol. (Warszawa): 61.
- Tipton, V.J. - Fleas of North America. Index to the literature 1960-1978. Provo (Brigham Young Univ.). 39 pp.
- Winding, O. - Lopper. Arch. Pharm. Chem. 85(40): 523-530.

LITERATURE ON SIPHONAPTERA PUBLISHED IN 1978 (list 2)

- Abu Yaman, I.K. - Insects and other pests affecting man and animals in Saudi Arabia. Angew. Parasit. 19(1): 31-33.
- Beaucournu, J.C. - Enquête sur les arthropodes vecteurs dans la Péninsule Ibérique. Méd. Malad. infect. 8(3): 121-124.
- Borisova, V.I. - On the structure of the nest-burrow coenoses of martins. Parazitologiya 12(5): 377-382.
- Bryukhanova, L.V., Darskaya, N.F. & Surkova, L.A. - The digestion of blood by the flea *Leptopsylla segnis*. Parazitologiya 12(5): 383-386.
- Chyornikin, Ye.M. - A contribution to the study of the fauna of fleas, squirrels, marmots and martens of north-eastern Cis-Baikaliya. Trudy Barguzin. gos. Zapovedn. (7): 39-43.
- Cole, M.M. & Burden, G.S. - XV. Fleas (Order Siphonaptera). In: R.A. Bram (ed.) - Surveillance and collection of arthropods of veterinary importance. U.S. Dept Agric. Hdbk 518: 97-101.
- Dobrokhotoy, B.P., Mnatsakanyan, A.G., Mesheryakova, I.S. & Rudnev, M.M. - Exploration of the natural foci of tularaemia and plague in Armeniya by serological examination of bird pellets and excrements of mammalian beasts of prey. Zh. Mikrobiol., Moskva (2): 111-115, figs. 1-2.
- Edwards, S.J., Hood, M.W., Shaw, J.H., Rayburn, J.D., Kirby, M.D., Hanfman, D.T. & Zidar, J.A. - Index-catalogue of medical and veterinary zoology. Suppl. 21 (7). Parasite-subject catalogue. Hosts. Washington D.C. (U.S. Dept Agric.) xviii + 394 pp.
- Jacobson, H.A., Kirkpatrick, R.L. & McGinnes, B.S. - Disease and physiologic characteristics of two cottontail populations in Virginia. Wildlife Monogr. (60): 1-53, figs. 1-5.
- Kaul, H.N., Mishra, A.C., Dhanda, V., Kulkarni, S.M. & Gutsikar, S.N. - Ectoparasitic arthropods of birds and mammals from Rajasthan State, India. Indian J. Parasit. 2(1): 19-25.
- Kir'yakova, A.N. - External structures of larvae of fleas of the genus *Amphipsylla* Wagn., 1908 (Siphonaptera, Ceratophyllidae). Ent. Obozr. 57(1): 203-206, 15 figs.
- Korkejian, A. & Edeson, J.F.B. - Studies on naturally occurring filarial infections in dogs in Lebanon. I. *Dipetalonema reconditum*. Ann. trop. Med. Parasit. 72(1): 65-78, figs. 1-15.
- Li, K.-c., Hsieh, P.-c. & Yang, K.-j. - The first record of the genus *Xenodaeria* Jordan, 1932 from China with description of a new subspecies (Siphonaptera: Hystrichopsyllidae). Acta ent. sinica 21(3): 332-334, figs. 1-3.
- Miller, B.E., Graves, G.N., Bennett, W.C. & Wheeler, J.R. - Field studies of systemic insecticides. V. Evaluation of seven organophosphate compounds for flea control on native rodents and rabbits in southeastern New Mexico. J. med. Ent. 14(6): 651-661.
- Poinar, G.O. & Thomas, G.M. - Diagnostic manual for the identification of insect pathogens. [fungi, bacteria, viruses, protozoa, rickettsias]. New York & London (Plenum Press). xiii+218 pp., frontispiece, figs. 1-107.
- Potapov, A.A., Zharova, A.N., Vladimirova, V.V. & Korniyenko, N.I. - Stability of repellents to washing-off with water after application to cloth and skin (laboratory trials). Medit. Parazit., Moskva 47(1): 81-85.
- Ryl'tseva, Ye.V. & Kopylova, L.F. - A contribution to the study of fleas from small forest mammals in Udmurtskaya A.S.S.R. Parazitologiya 12(5): 444-445.
- Service, M.W. - A short history of early medical entomology. J. med. Ent. 14(6): 603-626.

- Shepherd, R.C.H. & Edmonds, J.W. - The occurrence of stickfast fleas *Echidnophaga* spp. on wild rabbits *Oryctolagus cuniculus* (L.) in Victoria. Austr. J. Ecol. 3(3): 287-295, figs. 1-2.
- Smit, F.G.A.M. - Helminthosis in a British flea: a case of double infection. Entomologist's mon. Mag. 113(1356-59): 155.
- Smit, F.G.A.M. & Wright, A.M. - A list of code numbers of species and subspecies of Siphonaptera. London. 48 pp. [photolithographed]
- Smit, F.G.A.M. & Wright, A.M. - Two examples of problems encountered in cataloguing type-material of Siphonaptera. Flea News 14: 2 pp.
- Smit, F.G.A.M. & Wright, A.M. - A catalogue of primary type-specimens of Siphonaptera in the British Museum (Natural History). London. 71 pp. [mimeographed]
- Sonin, V.D., Vasil'yev, G.I. & Zonov, G.B. - Fleas from birds' nests in south-west Tuva. Parazitologiya 12(1): 87-89.
- Traub, R., Wisseman, C.L. & Farhang-Azad, A. - The ecology of murine typhus - a critical review. Trop. Dis. Bull. 75(4): 237-317.
- Twigg, G.I. - The role of rodents in plague dissemination: a worldwide review. Mammal Review 8(3): 77-110, figs. 1-2. (Siph.: 104-106)
- Voronova, G.A. & Feoktistov, A.Z. - Increased invasiveness as one of the manifestations of phenotypical variability of the plague microbe in fleas. Zh. Mikrobiol., Moskva (2): 97-100.
- Vysotskaya, S.O. - An analysis of biocenotic interrelationships between ectoparasites of the common vole (*Microtus arvalis* Pall.) and its nest-inhabitants in the eastern Carpathians (Zakarpatskaya oblast'; Ukr. S.S.R.). Parazit. Sb. 28: 73-95, figs. 1-4.
- Weyer, F. - Progresses in ecology and epidemiology of rickettsioses. A review. Acta trop., Basel 35(1): 5-21.
- Whitaker, J.O. & Mumford, R.E. - Foods and ectoparasites of bats from Kenya, East Africa. J. Mammal. 59(3): 632-634.
- White, R., White, G. & Greenwood, M.T. - The first record of a bird-flea (Siphonaptera: Ceratophyllidae) from the island of Shapinsay together with some data from Mainland Orkney. Ent. Gaz. 29(3): 162.
- Yakuba, V.N., Mayevsky, M.P., Lazareva, L.A., Klimov, V.T., Mashkovsky, I.K., Innokent'yeva, T.I. & Bondarenko, A.A. - The epizootical importance of the flea *Frontopsylla hetera* in the Gorno-Altai natural focus of plague (Siphonaptera). Parazitologiya 12(1): 27-30.
- Yakuba, V.N., Mayevsky, M.P., Yelistratova, N.P., Klimov, V.T., Innokent'yeva, T.I. & Bondarenko, A.A. - The flea *Paradoxopsyllus scorodumovi* (Aphaniptera), an effective vector of plague in the Gorno-Altai natural focus. Parazitologiya 13(3): 259-262.
- Yeshelkin, I.I. - Nest interrelationships of the flat-skulled vole (*Alticola strelzovi*) and the Mongolian pika (*Ochotona pricei*) in the Gorno-Altai focus of plague. Zool. Zh. 57(9): 1403-1408, figs. 1-8.
- Yurgenson, I.A. & Teplykh, V.S. - The determination of the physical age of female fleas by using luminescent microscopy. Parazitologiya 12(3): 252-258, figs. 1-20.
- Yurkina, V.I., Sergiyenko, G.D., Shur, L.Ye & Golovach, G.P. - A contribution to the study of invertebrates from nests of the European bank vole in central forest-steppes of the Ukrainian S.S.R. Vestnik Zool. (5): 62-67.
- Zagniborodova, I.N. - Age particulars of fleas of the genus *Xenopsylla*, main vectors of plague among rodents in Turkmeniya. Izv. Akad. Nauk turkm. S.S.R. (biol. Nauka) (2): 67-71.

CORRECTION - 1975 list 5: Marcos, L.P. [et al.] should be: Linardi, P.M. etc. (actually correctly listed in 1975 list 8)