

VII.1976

F L E A N E W S

No. 8

Compiled by the Siphonaptera Section, Department of Entomology,
British Museum (Natural History), South Kensington, London SW7 5BD

-o-

Please find herewith:

- lists of additional literature for the years 1973 (list 6), 1974 (list 7) and 1975 (list 5)
- the first list for 1976
- a list of BMNH specimen desiderata

* * *

INTERNATIONAL CONFERENCE ON FLEAS 1977

The Flea Conference to be held at Ashton Wold in June, 1977, is to be opened by Sir Vincent Wigglesworth at an informal dinner on Tuesday, 21st, and will culminate on Saturday, June 25th, with a party for the delegates and approximately 500 other entomologists and scientists.

We have promises of a number of interesting papers and so far over 30 participants have applied for membership. The plan of the conference is for papers to be read daily between 9 a.m. and 12 noon, while afternoons will be free for discussions, exhibitions, films (if any) and excursions.

The organizing committee have agreed that we have insufficient funds to publish our own Proceedings. If delegates will send abstracts of their papers a month or so beforehand, especially when relating to any new or unpublished facts, the organisers will compile an account of the conference incorporating such abstracts and prepare them for publication in one of the better-known journals. The committee also wish to say that they will be happy to receive manuscripts for circulation at the conference, but without the necessity of the authors reading them as papers.

The organizing committee are most anxious to receive any suggestions from prospective participants relating to the length and type of papers and excursions, or any other matters relating to the organization of the conference.

Accommodation. Two forms of accommodation are available:

- (1) in the village of Ashton in private houses, at a cost of £15 (including breakfast) for the duration of the conference,
- (2) in the local hotel at a cost of £10 a night (including breakfast) [prices subject to any inflationary increase].

An application form will be sent later on.

The Organizing Committee

* * *

LIST OF SPECIMEN DESIDERATA FOR BMNH COLLECTION -

During the past few years various colleagues have very kindly expressed a willingness to show, in a tangible way, their appreciation for receiving Flea News.

From our point of view, most acceptable and useful would be a donation of specimens, especially of taxa or sexes which are not represented in the combined Rothschild/BMNH collection, as per enclosed list (good material of most other species is also always welcome; someone with large series of certain species may not realize that we perhaps have only one pair of them or none at all).

The list of desiderata also serves to indicate the taxa and sexes available for examination at present to prospective visitors of the collection (i.e., 1810 (85.4%) of the 2116 described valid taxa; 87 (4.8%) of the 1810 are represented by ♂ only, 115 (6.4%) by ♀ only).

* * *

MAILING LIST

Change:

Mr M. W. Hastriter - U. S. Army Environmental Hygiene Agency Regional Division-
-West, Fitzsimons Army Medical Center, Denver, Colorado 80240, U.S.A.

Additions:

Prof. Dr A. Aeschlimann - Institut de Biologie Animale, Université de Neuchâtel,
2000 Neuchâtel, SWITZERLAND

Dr B. G. Bagnall - The Animal Health Trust, Small Animals Centre, Lanwades Park,
Kennett nr Newmarket, Suffolk, ENGLAND

Dr W. P. Beresford-Jones - The Royal Veterinary College, Department of Pathology,
Royal College Street, London NW1 OTU, ENGLAND

Mr L. R. Fiske - N-5102, Alversund, NORWAY

Mr. M. Greenwood - Loughborough College of Education, Ashby Road, Loughborough,
Leicestershire LE11 3TN, ENGLAND

Dr W. L. Jellison - 504 South Third Street, Hamilton, Montana 59840, U.S.A.

Dr J. E. Keirans - Public Health Service, Rocky Mountain Laboratory, Hamilton,
Montana 59840, U.S.A.

Dr K. Rai - Zoological Survey of India, Central Entomological Laboratory,
34 Chittaranjan Avenue, Calcutta 12, PIN 700 012, INDIA

Mr K. N. Singh - address as that of Dr K. Rai

Mr H. V. Thompson - Ministry of Agriculture, Fisheries and Food, Pest Infestation
Control Laboratory, Tangley Place, Worplesdon, Guildford, Surrey GU3 3LQ,
ENGLAND

Miss B. Williams - Carnegie Court, Hillhead of Seaton, Aberdeen, SCOTLAND

* * *

"Nichts drückt den denkenden und strebenden Menschen schwerer als ungetane Taten!"
Ludwig Gebhardt, 1970

* * *

1976)
y a
.)

—○—○—

CTENOPHTHALMUS	DASYPSYLLUS	frontalis baibacina
andorrensis catalaniensis ♀	aemulus ♂	frontalis gud
andorrensis veletensis	araucanus ♂	frontalis utia
apertus gosalbezi	gallinulae klossi ♂	protera
apertus meylani	plumosissimus ♀	
apertus queirozi		GENONEOPSYLLA
arcanus	DESERTOPSYLLA	longisetosa
baeticus gemellus	rothschildi	
bifurcus		GEUSIBIA
caballeroi ♀	DINOPSYLLUS	lacertosa
capriciosus bychowskyi ♀	flacourti	
congener bureschi	foedus ♀	HECTOPSYLLA
cophurus prolapsus ♀	hirsutus ♂	knighti
costai libanensis	macrochaetus	megastigmata
crudelis ♂	traubi	pulex ♂
dagestanicus	tsaratananae	
dinormus ♂		HOLLANDIPSYLLA
dolichus idae ♂	DORATOPSYLLA	neali
dolichus kysyl	coreana araea	
dolichus ursat	coreana wissemanni	
dolichus ustjurt		HOOGSTRAALIA
engis ♂	ECHIDNOPHAGA	turdella
euxinicus	aranka ♀	vandiemeni ♀
expansus expansus	eyrei ♂	
expansus myodosus	ochotona	HOPKINSIPSYLLA
flagellatus ♀	octotricha ♂	occulta praeceps
ghanensis	tarda ♂	
hispanicus ♀	tiscadaea	HORMOPSYLLA
hypanis hypanis		cryptica
hypanis riciensis	ECTINORUS	egena ♂
kazbek	acheronis	
kirschenblatti dombaicus	claviger ♀	HYP SOPHTHALMUS
k. kirschenblatti	ixanus ♂	montivagans ♀
lui ♀	pearsoni	
nairicus	sentus ♀	HYSTRICHOPSYLLA
nifetodes eugeniae	disjugis ♂	kris
nivalis ianlinni	hecate	multidentata
olbius ♂	ineptus	nicolai
particularis particularis	onychius fueginus ♀	orophila ♀
pilosus ♀	splendidus ♀	satunini ♂
pisticus pacificus ♀		stenosterna
quadratus	EOPSYLLA	synaptica
russulae galloibericus	nuda	weida
sanborni		
smithersi	EUHOPLPSYLLUS	ISCHNOPSYLLUS
stenurus ♀	andensis ♂	delectabilis ♀
strigosus		petropolitanus
tatiana	FOXELLA	plumatus
tertius ♀	ignota chapmani ♀	
wagneri krym	macgregori ♂	JELLISONIA
yunnanus ♀	mexicana	dybasi
		hayesi hayesi
CTENOPHYLLUS	FRONTOPSYLLA	
tarasovi	aspiniformis	JORDANOPSYLLA
	elata pilosa ♂	allredi
DACTYLOPSYLLA	elatoides orthodigitus	
bluei psila ♀	exilidigita	KOHLSTIA
botticeps ♂	megasinus acutus	campaniger ♂
digitenua	megasinus megasinus	falcata ♀
megasoma ♀	nakagawai nakagawai ♂	felteni ♂
nuditenacula	spadix nepalensis	fournieri ♂
pacifica ♀		gammonsi ♀
pentachaeta ♂		

KOHLISIA	MESOPSYLLA	NONNAPSYLLA	PAPUAPSYLLA
graphis erana ♀	eucta afghana ♀	r. rothschildi ♂	barretti ♀
ortizi ♂	anomala	r. wagneri ♂	minor
tiptoni ♀			papuana ♂
uniseta ♂	METASTIVALIUS	NOSOPSYLLUS	
	anaxilas ♀	apicoprominus	PARACERAS
LEPTOPSYLLA	rothschildae	bunnii ♂	melinum ♂
putoraki	tamberan	henleyi israeliticus ♀	PARACTENOPSYLLUS
		elongatus	albignaci
LIBYASTUS	MITCHELLA	farahae	grandidieri ♂
cognatus ♂	exsula	p. philippovi	pauliani
consobrinus ♂		p. rashtii ♀	petiti
dubosti	MONOPSYLLUS	sarinus parthius ♀	vauceli
hopkinsi ♀	polumus		
notabilis ♂	MUESEBECKELLA	NYCTERIDOPSYLLA	
schoutedeni	mannae	ancyluris johanae ♀	PARADOXOPSYLLUS
smiti ♂	nadi ♂	dicondylata	conveniensi ♂
stratiotes ♀		galba ♀	faghihei
		levantina ♂	kalabukhovi
LISTRONIUS	MYODOPSYLLA	nipopo	paucichaetus
robertsonianus ♂	globata		phaeopsis ♂
ulus ♀	setosa	OBTUSIFRONTIA	paraphaeopsis
		simplex	scalonae
LISTROPSYLLA	NEARCTOPSYLLA	ODONTOPSYLLUS	PARANEOPSYLLA
cerrita juliae ♀	georgiana	episcopalis	globa
	hamata ♂		longisinuata
LYCOPSYLLA	martyoungi	OPHTHALMOPSYLLA	
lasiiorhini	myospalaca	multichaeta	PARIODONTIS
	beklemischevi	volgensis extrema ♀	riggenb. turkestanica
MACROSTYLOPHORA	brevidigita	v. fascicula	
aeretesites	NEOPSYLLA	v. impersia ♀	PEROMYSCOPSYLLA
exilia	affinis	v. kirgisiensis	bidentata gervasii
hastata menghaiensis	avida ♀	v. montana	ino
hastata nepali	biseta		spectabilis viatrix
hastata yunnanica	compar	OPISODASY	
liae	constricta	perotensis	PHAENOPSYLLA
lupata bamana ♂	convexa		hopkinsi
microcopa	fukienensis	ORCHOPEAS	jordani
sodalis ♂	honora ♀	labiatus	newelli
trispinosa	kweichowensis		tiflovi
MEDWAYELLA	mustelae	ORNITHOPHAGA	
arcuata	nebula	sinaia	PHALACROPSYLLA
batibacula ♀	paranoma		hamata
calcarata ♀	pleskei ariana ♂	ORTHOPSYLLOIDES	nivalis
loncha ♀	pleskei caucasica	o. orthodactylus	
robinsoni peregrinata	sellaris	o. owiensis	PLEOCHAETIS
	specialis minpiensis		apollinaris ♂
MEGABOTHRI	s. dechingensis	PAIAEOPSYLLA	equatoris ♀
beljaevi	s. specialis ♀	apsidata	ponsi ♂
bispinosus	stenosinuata	atlantica grulichii	smiti ♂
	teratura montana	dissimilis	vermiformis
MEGARTHROGLOSSUS	teratura rhagesa	incurva ♂	
sierrae	NEOTUNGA	kappa	PLOCOPSYLLA
spenceri	euloidea ♂	klebsiana	inti
wilsoni ♀		laxata ♂	pallas ♂
	NESOLAGOBIVS	osetica	thor ♂
MERINGIS	callasus ♂	vartanovi	traubi
deserti ♀			

POLYGENIS	rhigalea ♀	STREPSYLLA	WAGNERINA
axius proximus ♀	sobrina ♀	dalmati ♂	tecta biseta
breyeri ♀	strouhali	davisae	tecta tecta
dendrobis	valenti ♂	fautini	
fornesi	semenovi	machadoi ♀	XENOPSYLLA
gardellai ♂		schmidtii	australiaca ♂
litus ♂	RHOPALOPSYLLUS	taluna ♀	conformis dipodis
magellanicus ♀	crypturi ♂	villai	moucheti ♂
massoiai ♂	garbei ♂		silvai
ntidus		STRIOPSYLLA	taractes ♀
odiosus ♂	SERENDIPSYLLA	rugata ♀	
oxymycteri	marshalli ♂	vandeuseni	XIPHIOPSYLLA
pygaerus dentei			apriana ♂
rimatus ater	SMITELLA	SYNOPSISYLLUS	tumida ♂
rozeboomi ♂	thambetosa	girardi	
vulcanius		robici	ZYX
	SPHINCTOPSYLLA		notabilis
PORRIBIUS	diomedes	SYNOSTERNUS	
bathyllus ♂	mars ♂	robustus	
papuanus	spillmanni ♀		
		TETRAPSILLUS	
PTILOPSYLLA	STENISCHIA	elutus	
leptina leptina ♀	fujisania ♀		
	mirabilis ♂	THRASSIS	
PULICELLA	pagiana ♀	francisi barnesi	
macrotheca ♂	rhadinopsylloides ♂	francisi sierrae ♀	
		spenceri alpinus	
PYGIOPSYLLA	STENISTOMERA		
archboldi	hubbardi	TIAMASTUS	
arcuata		plesius ♂	
brevipecten	STENOPONIA		
celebensis	coelestis ♂	TIARAPSYLLA	
colossa ♂	formozovi ♂	bella ♂	
laciniosa bismarckensis	polyspina	titschacki	
sciuri	shanghaiensis		
smittiana	sinensis	TRAUBIA	
solida	tripectinata gaudi	kuru	
spinata		peristigma	
tiptoni	STEPHANOCIRCUS	vandeuseni	
traubi	greeni tasmanica ♂		
tunneyi		TSARACTENUS	
	STEPHANOPSYLLA	grenieri	
RECTIDIGITUS	thomasi ♂		
ancisus ♂		TUNGA	
szentivanyi	STERNOPSYLLA	bondari ♂	
	distincta speciosa ♂	caecata ♂	
RHADINOPSYLLA		caecigena ♂	
accola	STIVALIUS	callida	
alticola ♀	azevedoi ♂	terasma ♂	
altifrons	cambodius	travassosi ♂	
aspalacis	cognatus spiramus ♂		
buerschii ♀	curtductus ♂	TYPHLOCERAS	
dahurica diclinica	fallaciosus ♀	favosum asunicum ♂	
dahurica vicina ♀	jacobsoni ♂	favosum rolandi ♂	
dives shanghaiensis	pomerantzi ♀		
hoogstraali	ralius	VERMIPSYLLA	
kullmanni	rectodigitus	asymmetrica	
mexicana	vancanneyti	lunata	
pilosa		minuta	
pitymydis		parallela	
pseudodahurica ♀			

LITERATURE ON SIPHONAPTERA PUBLISHED IN 1973 (list 6)

Persson, L. - Ektoparasiter hos hund och katt. Svensk VetTidn. 25(7): 254-260.

LITERATURE ON SIPHONAPTERA PUBLISHED IN 1974 (list 7)

Ali, A.M., Salit, A.M., Sheta, I. & Mourad, G.M. - Ectoparasites on rodents in the Nile Valley, Upper Egypt. J. egypt. publ. Hlth Ass. 49(1): 3-19, figs. 1-4.

Iqbal, Q.J. - Host-finding behaviour of the rat flea *Nosopsyllus fasciatus* (Bosc). Biologia, Pakistan 20(2): 147-150.

Iqbal, Q.J. & Humphries, D.A. - The mating behaviour of the rat flea *Nosopsyllus fasciatus* Bosc. Pakistan J. Zool. 6(1-2): 163-174, figs. 1-9.

Joseph, S.A. - A note on the occurrence of *Nosopsyllus punensis* (Jordan and Rothschild, 1921) from the three striped squirrel, *Funambulus palmarum* (Linnaeus, 1766) in Tamil Nadu. Cheiron 3(2): 112-113, figs. 1-3.

Këro, A. & Gina, A. - Të dhëna faunistike mbi rezervuarët dhe vektorët në vatra infeksioni. (Données faunistiques sur les réservoirs et les vecteurs dans des foyers d'infection). Bul. Shkencave Nat. (Tiranë) 28(4): 107-112.

Osipova, S.P. - The effectivity of the flea *Ceratophyllus tesquorum* from Ciselburs as a vector of plague. Probl. osobo opasn. Infektsii (Saratov) 6(40): 64-69.

Rivkus, O.Z., Voitenko, A.M., Mel'nikov, I.F. & Kozlov, I.A. - On the possible infection of man with plague by fleas from the great gerbil. Probl. osobo opasn. Infektsii (Saratov) 6(40): 5-11.

Shiranovich, P.I., Isayeva, E.V., Eigelis, Yu.K., Aliyev, M.V., Lenchitsky, A.Z. & Bulakh, O.S. - On spontaneous plague in Dipodidae in natural foci of Transcaucasia. Probl. osobo opasn. Infektsii (Saratov) 2(36): 17-23.

LITERATURE ON SIPHONAPTERA PUBLISHED IN 1975 (list 5)

Akiyev, A.K., Beier, A.P., Byednyi, S.N. & Yemel'yanova, L.I. - On the possible action of preparations of the cumarin-group on block-formation in plague-infected fleas. Probl. osobo opasn. Infektsii (Saratov) 5(45): 69-70.

Amanniyazova, R.D. - Ectoparasites of the great gerbil (*Rhombomys opimus* Licht.) in two landscapes of Turkmeniya. Izv. Akad. Nauk Turkmen. S.S.R. (Biol. Nauk) 6: 48-54, figs. 1-3.

Amin, O.M. - Host and seasonal distribution of some Wisconsin fleas. Proc. N. cent. Brch ent. Soc. Amer. 30: 96-97.

Anonymous - Tungose africaine. Dermatologia (Basel) 150(4): 221-222, fig. 1.

Arzamazov, I.T. - Changes in the fauna of arthropod-ectoparasites of mouse-like rodents as a result of marsh drainage in Byelorusskaya Poles'ya. Probl. Parazit. (Kiev) (1): 28-30.

Aubert, M.F.A. & Andral, L. - Rôle éventuel des arthropodes dans l'épidémiologie de la rage. Symbioses, Orléans 7(1): 57-74.

Austin, V.H. - Common skin problems in cats. Mod. vet. Pract. 56(8): 541-545.

Baker, K.P. & O'Flanagan, J. - Hypersensitivity of dog skin to fleas - a clinical report. J. small Anim. Pract. 16(5): 317-327, figs. 1-4.

Bakhtinova, N.Z. - The influence of temperature factors on the infection susceptibility of fleas with the fungus *Beauveria bassiana* (Bals. Vuill.). Probl. Parazit. (Kiev) (1): 60-61.

- Barry, A.A. - Flea collars should be removed at night. J. amer. vet. med. Ass. 166(1): 15.
- Barry, M.W., Cox, D.F. & Lewis, R.E. - Sexual variation in the development of the oriental rat flea, *Xenopsylla cheopis* (Rothschild) (Siphonaptera: Pulicidae). Proc. N. cent. Brch ent. Soc. Amer. 30: 97.
- Beaucournu, J.C., Gil Collado, J. & Gilot, B. - *Caenopsylla laptevi relicta* ssp. nova (Siphonaptera, Leptopsyllidae) parasite de lapin en France et en Espagne. Rev/ta iber. Parasit. 35(1-2): 140-145, figs. 1-9.
- Bell, T.G., Farrell, R.K., Padgett, G.A. & Leendersten, L.W. - Ataxia, depression, and dermatitis associated with the use of dichlorvos-impregnated collars in the laboratory cat. J. amer. vet. med. Ass. 167(7): 579-586, figs. 1-6.
- Beresford-Jones, W.P. - Dermatological effect of fleas on humans obtained from the dog and cat. Abstr. 7th int. Conf. Pathophysiology of parasitic Infections (Thessaloniki): 21.
- Bibikova, V.A., Klassovsky, L.N. & Khrustselevskaya, N.M. - The influence of the duration of contact of a laboratory population of fleas with plague bacilli on the infective potential of these vectors. Probl. Parazit. (Kiev)(1): 67-68.
- Bilqees, F.M. & Israr, N. - Some parasites of cats in Karachi. Pakistan J. sci. ind. Res. 18(1-2): 29-35, figs. 1-36. (Siph.: 30, figs. 1-4).
- Borisova, V.I. - On the specificity of nest parasites of birds. Nauchn. Dokl. vyssh. Shkoly (Biol.) (9): 14-18.
- Brinck-Lindroth, G., Edler, A., Lundqvist, L. & Nilsson, A. - Small mammals and ectoparasites in Scandinavia. In: L. Hansson & B. Nilsson (eds), Biocontrol of rodents. (Ecol. Bull., St. naturvet. ForskRåd. 19): 73-98, figs. 1-3.
- Charlton, R.W. & Palmer, A.W. - Plague in Rhodesia. Centr. afr. J. Med. 21(5): 103-108, figs. 1-2.
- Chikilevskaya, I.V. - Changes in the composition of fleas in nests of rodents in the zone of reclamation work in Byelorusskaya Poles'ya. Probl. Parazit. (Kiev) (2): 250-251.
- Chumakova, I.V., Kozlov, M.P. & Byelokopytova, A.M. - The influence of repeated mating in the fleas *X. cheopis* and *C. laeviceps* on their reproductive capacity. Probl. Parazit. (Kiev) (2): 256-257.
- Cordero del Campillo, M. - Sobre la epidemiología de la toxoplasmosis. Rev. vet. venez. 39(229): 67-125, figs. 1-4, 1 pl.
- Cremers, H.J.W.M., Jansen, J. & Swierstra, D. - Parasieten van Nederlandse huis- en proefdieren. Supplement 2. Tijdschr. Diergeneesk. 100(22): 1209-1211.
- Cyprich, D. & Kiefer, M. - Siphonapterofauna hniezd chrčka rol'ného [*Cricetus cricetus* (Linnaeus, 1758)] v období jeho premnoženia na východoslovenskej nížine. Biológia Bratisl. (B) 30(8): 599-604.
- Euzéby, J. - Le parasitisme en pathologie porcine. Rev. Méd. Vét., Toulouse 126(7): 907-930.
- Farrell, R.K., Bell, T.G. & Padgett, G.A. - Toxicity of flea collars. J. amer. vet. med. Ass. 166(11): 1054.
- Gordeyeva, V.P. - A contribution to the study of the biology of *Ceratophyllus tribulis* Dud. [recte: Jordan] in nests of field sparrows. In: Mater. IX Symp. Ekol. Viruses (Dushanbe, "Donish"): 139-141.
- Grebenyuk, R.V. & Sartbayev, S.K. - The development of veterinary arachno-entomology in Kirgiziya. In: Ent. Issled. v Kirgizii (Frunze): 26-34. (Siph.: 30-31).

- Grizenko, I.N. (ed.) - Epizootics in muskrat populations in the U.S.S.R. Trudy biol. Inst. Sib. Otdel. Akad. Nauk, Novosibirsk (28): 1-207, figs.
- Harlan, H.J. & Palmer, D.B. - Ectoparasites of mammals and birds from Fort Bragg, North Carolina. J. Elisha Mitchell scient. Soc. 90(4): 141-144.
- Hastriter, M.W. & Tipton, V.J. - Fleas (Siphonaptera) associated with small mammals of Morocco. J. Egypt. publ. Hlth Ass. 50(2): 79-169, figs. 1-90, maps 1-13.
- Isaacson, M. & Pugh, A. - Plague control in Rhodesia. Centr. afr. J. Med. 21(5): 97-102, figs. 1-2.
- Ising, E. - Zoologische Aspekte der Epidemiologie von EEE-Virusen in Europa. Z. angew. Zool. 62(4): 419-434, figs. 1-2.
- Jourdane, J. - Variations biogéographiques des hôtes intermédiaires dans les cycles d'*Hymenolepis* (Cestoda) parasites des Soricidés. Acta parasit. polon. 23(20): 247-251.
- Kalyazina, I.M., Donchenko, G.Ye. & Denisov, P.S. - On the numerosity of the small suslik and its fleas in southern parts of Yergenei in 1973. Probl. osobo opasn. Infektsii (Saratov) 3-4(43-44): 37-40.
- Kozlov, M.P., Chumakova, I.V., Alaniya, I.I. & Tovkaney, F.I. - The dependence of the reproductive capacity in fleas on the quantitative correlation of the sexes. Probl. Parazit. (Kiev) (1): 231-232.
- Kozlov, M.P., Rozanova, G.N., Savel'yev, V.N. & Byelokopytova, A.M. - A contribution to the mechanism of plague-block formation in fleas. Probl. osobo opasn. Infektsii (Saratov) 5(45): 29-33.
- Kozlov, M.P., Savel'yev, V.N. & Nadeina, V.P. - On the infection of adult fleas with spores of *Bacillus thuringiensis* by a non-transmissive route. Probl. Parazit. (Kiev) (1): 229-231.
- Ladny, I.D., Naiden, P.E., Klimchenko, I.Z. & Petrov, P.A. - The effect of economic activity of man on natural foci of plague. Zh. Mikrobiol., Moskva (10): 3-10.
- Lhoste, J. - La protection de l'homme contre les insectes. Avignon (Impr. Rullière-Libecio). 189 pp., 71 figs. (Siph.: 130-137, figs. 63-65).
- Livingstone, M.L. - Flea collars no boon to animals. J. amer. vet. med. Ass. 167(1): 13, 15.
- Losev, O. - National literature of problems of medical parasitology and parasitic diseases for 1974-1975. Medit. Parazit., Moskva 44(5): 622-630.
- Losev, O. - Soviet literature on the problems of medical parasitology and parasitic diseases in 1975. Medit. Parazit., Moskva 44(6): 741-748.
- Lovejoy, D.A. & Gaughan, P.J. - Notes on a collection of mammal-fleas from New Hampshire. Ent. News 86(7-8): 145-149.
- Marcos, L.P., Trindade, G. & Nagem, R.L. - Notas sobre algumas espécies de pulgas colecionadas em Ouro Preto, M. G. Ciênc. Cult. 27(8): 887-889.
- Mead-Briggs, A.R. & Vaughan, J.A. - The differential transmissibility of myxoma virus strains of differing virulence grades by the rabbit flea *Spilopsyllus cuniculi* (Dale). J. Hyg., Camb. 75(2): 237-247, 1 fig., 2 pls.
- Mead-Briggs, A.R., Vaughan, J.A. & Baldwin, M.E. - The rabbit flea *Spilopsyllus cuniculi* (Dale): vector of myxomatosis. Pest Infest. Control Lab. Rept 1971-73 (London): 134-135.
- Meyer-Rochow, V.B. - Local taxonomy and terminology for some terrestrial arthropods in five different ethnic groups of Papua New Guinea and Central Australia. J. R. Soc. West. Austr. 58(1): 15-30, figs. 1-6.

- Miller, J.E. & Baker, N.F. - Insecticidal activity of temephos against *Ctenocephalides felis* on dogs and cats. Amer. J. vet. Res. 36(9): 1281-1283.
- Mironov, N.P., Nyel'zhina, Ye.N., Ivanov, V.S., Shamanek, P.I., Pavlov, A.N., Protopopyan, M.T., Sorokina, L.Ya., Turchinov, G.A., Bakhtinova, N.Z., Lekareva, R.K., Dyemin, Ye.P., Ivashchenko, Ye.S. & Pushnitsa, F.A. - The effectivity of the biological preparation "Boverina" for a decrease in numerosity of fleas of the large gerbil in the Uralo-Embensk inter-river area. Probl. osobo opasn. Infektsii (Saratov) 5(45): 34-38.
- Mrciak, M. & Rosický, B. - Some features of the zoogeography of high altitude parasites of birds and mammals on the example of the High Tatra Mountains (Slovakia). Biológia, Bratisl. (B)30(8): 589-597.
- Nazarova, I.V. - On the intra-areal distribution of several species of fleas of small mammals. In: Vopr. Epidemiol. prikl. Immunol. Ch.I. (Kazan'): 103-104.
- Novakreshchenova, N.S., Zagniborodova, Ye.N., Zabegalova, M.N., Zaitseva, V.I., Kochkareva, A.V., Sukhanova, V.I., Chornikina, M.A., Godunova, V.V., Khamedova, T.P., Obrikas, R.G., Melanina, A.A. & Kir'yanova, A.M. - On the multi-annual dynamics of the numerosity of fleas of the great gerbil in Turkmenia. Probl. osobo opasn. Infektsii (Saratov) 3-4(43-44): 84-91.
- Osipova, N.Z. - Materials to the fauna of fleas of northern Kirgiziya. In: Ent. Issled. v Kirgizii (Frunze): 109-110.
- Osipova, N.Z., Karas', F.R., Vargina, S.G. & Grebenyuk, Yu.I. - Ectoparasites of wild mammals in the natural focus of Crimean haemorrhagic fever in southern Kirgiziya. In: Ent. Issled. v Kirgiziya (Frunze): 124-125.
- Pisarska, P. - *Paraceras melis*, a flea new for the fauna of Bulgaria. Dokl. s.-kh. Akad. (NIRB) 8(3): 79-81.
- Povalishina, T.P. - The fauna of ectoparasites of the bank vole *Clethrionomys glareolus* Schreb. Probl. Parazit. (Kiev) (2): 109-110.
- Povalishina, T.P. & Ryl'tseva, Ye.V. - The flea fauna of the bank vole, *Clethrionomys glareolus* Schreb., in foci of haemorrhagic fever with renal syndrome. Tez. Konf. Vopr. med. Virusol. (Moskva): 340-342.
- Pugh, A.O. & Parker, D.A. - Plague: Rhodesia's first recorded outbreak. Centr. afr. J. Med. 21(5): 93-96, 1 fig.
- Reedy, L.M. - Use of flea antigen in treatment of feline flea-allergy dermatitis. Vet. Med. & small Anim. Clin. 70(6): 703-704, figs. 1-2.
- Řeháček, J., Zupančičová, M., Kováčová, E., Urvölgyi, J. & Brezina, R. - Study of rickettsioses in Slovakia. II. Infestation of fleas and mites in mole nests in some localities in central Slovakia with *C. burnetti* and *Rickettsia* belonging to the spotted fever (SF) group. J. Hyg. Epidemiol. Microbiol. Immunol. 19(3): 329-339.
- Reinhardt, C.A. - Ultrastruktureller Vergleich des Mitteldarmepithels von Flöhen mit unterschiedlich Wirt-gebundenem Ektoparasitismus: Xenopsylla cheopis, Echidnophaga gallinacea, Tunga penetrans (Siphonaptera, Pulicidae). (Inaugural-Dissertation; Basel). 152 pp., 158 figs.
- Reisen, W.K., Basio, R.G., Pollard, T.J. & Libay, J.L. - Host associations of small mammal ectoparasites collected in the Orient. Kalikasan Philipp. J. Biol. 4(2): 145-154, figs.
- Roberts, R.S. - Recent developments in the history of plague. Centr. afr. J. Med. 21(5): 91-93.
- Roman, E. & Pichot, J. - Un *Ctenophthalmus assimilis* assimilis monstrueux (Siphonaptères Hystrihopsyllidae). Acta trop. 32(4): 349-352, figs. 1-3.

- Romasheva, T.P. & Sonin, V.D. - A find of the flea *Ceratophyllus affinis* ssp. in northern Baykalia. In: Mater. IX Symp. Ekol. Viruses (Dushanbe, "Donish"): 141-142.
- Rothenborg, H.W. - Of fleas and foxes. Arch. Dermatol. 111(9): 1215-1216.
- Rotshild, Ye.V. - Analysis of the spatial structure of a natural focus of plague. Medit. Parazit., Moskva 44(4): 427-433, figs. 1-2.
- Ryba, J. - [Review of] M. Jurík: Bionomics of fleas in birds' nests in the territory of Czechoslovakia, Acta Sc. Nat. Brno 8(10): 1-54, 5 figs., 16 tab., 1974. Folia parasit., Praha 22(4): 384.
- Sadekova, L.Kh. - Some materials on the study of arthropods in birds' nests. Probl. Parazit. (Kiev) (2): 149-150.
- Savel'yev, V.N., Kozlov, M.P. & Kandybin, N.V. - The action of bitoxibacillin on adult fleas in experiment. Probl. Parazit. (Kiev) (2): 146.
- Schnelle, G.B. - Flea collar safety. J. amer. vet. med. Ass. 166(5): 414.
- Shaw, J.H. & Hood, M.W. - Index-catalogue of medical and veterinary zoology. Suppl. 20(5). Parasite-subject catalogue: Parasites: Arthropoda and miscellaneous phyla. Washington (U.S.Gov. Printing Off.): iv + 223 pp.
- Shevchenko, S.F., Mironov, A.N., Pushnitsa, F.A., Muntyanu, A.I., Untura, A.A. & Orlova, L.F. - Fleas of the small suslik eczootic for plague in eastern rayons of the Rostovskaya oblast'. Probl. Parazit. (Kiev) (2): 285-286.
- Slyar, V.E. - The comparative numerosity of common species of invertebrates on rodents and in their nests. Probl. Parazit. (Kiev) (2): 169-171.
- Stendel, W. & Holm, R. - Structures superficielles des appendices buccaux et préhensiles de certains ectoparasites. Inform. Méd. Vét. (1-2): 188-208, figs. 1-24.
- Strouhal, H. & Vornatscher, J. - Katalog der rezenten Hölentiere Österreichs. Ann. naturh. Mus. Wien 79: 401-542.
- Stunkard, J.A., Migaki, G., Robinson, F.R. & Christian, J. - Shrews: a review of the diseases, anomalies, and parasites. Lab. Anim. Sci. 25(6): 723-734.
- Suciu, M. - Particulars concerning the *Ctenophthalmus* occurring in Romania. Studii Com. Muz. Stiint. nat. Bacău 8: 153-160.
- Thaung, U., Ming, C.K. & Thein, M. - Insecticide susceptibility of some vector fleas and mosquitoes in Burma. Southeast Asian J. trop. Med. publ. Hlth 6(4): 555-561, figs. 1-2.
- Timm, R.M. - Distribution, natural history, and parasites of mammals of Cook county, Minnesota. Occ. Pap. Bell Mus. nat. Hist. (14): 1-56. (Siph.: 40, 42-45).
- Timofeyeva, A.A., Sherbina, R.D., Yevseyeva, T.I., Olsuf'yev, N.G. & Mesheryakova, I.S. - Concerning the erysipeloid at the Islands Sea of Okhotsk. Report I. Sources and vectors of the causative agent of erysipeloid. Zh. Mikrobiol. (9): 119-126.
- Tsedev, B. & Grebenyuk, R.V. - Ectoparasites of small horned cattle and some wild mammals in Mongolia. In: Ent. Issled. v Kirgizii (Frunze): 126-127.
- Varshavskaya, R.N. & Garbuzova, L.F. - Fleas associated with man in southern parts of the Aktyubinskaya oblast'. Probl. osobo opasn. Infektsii (Saratov) 5(45): 71-73.
- Vigovsky, A.I. & Vinograd, I.A. - The geographical spread of diseases with natural focality and epizootologico-epidemiological studies in western Ukraine. Zh. Mikrobiol. (12): 8-14.

- Voronova, G.A., Feoktistov, A.Z., Yakuba, V.N. & Shamin, V.I. - To the question of the epidemiological importance of fleas of rodents and lagomorphs in the natural focus of plague. Nauchn. Trudy Irkutsk. med. Inst. 122: 118-122.
- Vysotskaya, S.O. - The microbiocenosis of nests of the Transcarpathian squirrel. Probl. Parazit. (Kiev) (1): 98-99.
- Walton, G.S. - Use of quill comb in the diagnosis of ectoparasites. Vet. Rec. 97(3): 455.
- Watt, J.C. - XIII. The terrestrial insects. Monographiae biol. 27: 507-535, figs.
- Westrom, D. & Yescott, R. - Emigration of ectoparasites from dead California ground squirrels *Spermophilus beecheyi* (Richardson). Calif. Vector Views 22(12): 97-103, figs. 1-5.
- Yershova, L.S., Trukhachev, N.N. & Afanas'yeva, O.V. - The effect of the joint action of the causative agent of muscardinis [?] and DDT on fleas of rodents. Probl. osobo opasn. Infektsii (Saratov) 5(45): 39-43.
- Zolotova, S.I., Khokhlova, S.A. & Filipchenko, V.Ye. - Materials to the multiplication of the flea *Xenopsylla skrjabini* in the Cisral Karakumy. Probl. osobo opasn. Infektsii (Saratov) 3-4(43-44): 97-102.

LITERATURE ON SIPHONAPTERA PUBLISHED IN 1976 (list 1)

- Aubert, M.F.A. & Beaucournu, J.C. - Contribution à l'étude du parasitisme du renard (*Vulpes vulpes* L.) et de quelques autres carnivores sauvages par les Siphonaptères dans le Nord-Est de la France. Ann. Parasit. hum. comp. 51(1): 143-156, fig. 1, maps 1-2.
- Beaucournu, J.C. & Deunff, J. - Intérêt de l'examen extemporané des Siphonaptères pour l'étude de leurs parasites. Ann. Parasit. hum. comp. 50(6): 831-835, figs. 1-2.
- Bibikova, V.A. - Pyernaya yevropeiskaya konferentsiya po blokham (3-5.VI.1975). [First European Conference on Fleas]. Parazitologiya 10(1): 100-102.
- Černý, V. - Review of: V.A.Bibikova & L.N.Klassovsky: Peredacha chumy blokhami (Transmission of plague by fleas). Folia parasit., Praha 23(2): 160.
- Cole, M.M., Bennett, W.C., Graves, G.N., Wheeler, J.R., Miller, B.E. & Clark, P.H. - Dichlorvos bait for control of fleas on wild rodents. J. med. Ent. 12(6): 625-630, figs. 1-2.
- Cyprich, D., Hudáková, A. & Kiefer, M. - Ixodidae, Anoplura and Siphonaptera [from] small ground mammals of the environment of the retention reservoir Zemplínska Sírava after irrigation. Acta Fac. Rer. nat. Univ. Comen. 20: 89-96.
- Dipeolu, O.O. & Ajayi, S.S. - Parasites of the African giant rat (*Cricetomys gambianus* Waterhouse) in Ibadan, Nigeria. E. Afr. Wildl. J. 14(1): 85-89.
- Dyul'din, A.A., Viktorov-Nabokov, O.V. & Khodykina, Z.S. - A taxonomic analysis of the parasite fauna of rodents in the Crimea. Zh. obshchei Biol. 37(3): 440-449, figs. 1-4.
- Fain, A. & Beaucournu, J.C. - Trois nouveaux hypopes du genre *Psylloglyphus* Fain, phorétiques sur des puces et un *Hemimerus* (Acarina: Saprogllyphidae). Rev. Zool. afr. 90(1): 181-187, figs. 1-4.
- Gadzhiev, A.T. & Dubovchenko, T.A. - Ectoparasites of the bat *Rhinolophus mehelyi* Matschie, 1901, in Azerbaydzhan. Vestn. Zool. (Kiev) (2): 24-28.
- Haarlov, N. & Kristensen, S. - Lopper hos danske hunde og katte. Dansk vet. Tidsskr. 59(12): 517-520, 1 fig.
- Hallas, T.E. & Bang, P. - Muselopper (Siphonaptera, Insecta) fra syv østdanske lokaliteter. Flora Fauna, Århus 82(1): 11-18, figs. 1-2.

- Hoogland, J.L. & Sherman, P.W. - Advantages and disadvantages of bank swallow (*Riparia riparia*) coloniality. Ecol. Mon. 46(1): 33-58, figs. 1-11. (Siph.: 43).
- Ising, E. - Kleinsaugerflöhe (Aphaniptera, Ceratophyllidae et al.) als Indikatoren potentieller Übertragungswege für Anthropo-Zoonoseerreger; dargestellt am Beispiel des Virus der östlichen Amerikanischen Pferdeencephalomyelitis (EEE). Kurzref. Entomologentagung (Giessen): 1 p.
- Krampitz, H.E. - Flöhe als Objekte biologischer Forschung. Naturw. Rdschau 29(1):14-15.
- Maier, W.A. - Arthropoden als Wirte und Überträger menschlicher Parasiten: Pathologie und Abwehrreaktion der Wirte. Z. Parasitenk. 48(3-4): 151-179, figs. 1-3.
- Martyn, E.J., Hudson, N.M., Hardy, R.J., Terauds, A., Rapley, P.E.L. & Williams, M.A. - Insect pest occurrences in Tasmania, 1974/75. Ins. Pest Survey 8 Tasm. Dept. Agric.: 1-23. (Siph.: 11, 12).
- Nelson, B.C. & Smith, C.R. - Ecological effects of a plague epizootic on the activities of rodents inhabiting caves at Lava Beds National Monument, California. J. med. Ent. 13(1): 51-61, fig. 1.
- Prokop'yev, V.N., Yakunin, B.M., Chervyakov, V.D. & Dubitsky, A.M. - Pathological changes in fleas caused by exotoxin of *Bacillus thuringiensis*. Parazitologiya 10(3): 222-226.
- Rosický, B. - National surveillance of vectors and animal reservoirs. Folia parasit., Praha 23(1): 1-14.
- Shchevchenko, V.L., Grazhdanov, A.K., Zharinova, L.K. & Andreyeva, T.A. - On the ability of the bird flea *Frontopsylla frontalis alata* Fed., 1946 to transmit rodent plague. Medit. Parazit. 45(1): 49-52.
- Shepherd, R.C.H. & Edmonds, J.W. - The establishment and spread of *Spilopsyllus cuniculi* (Dale) and its location on the host, *Oryctolagus cuniculus* (L.), in the Mal-lee region of Victoria. Aust. Wildl. Res. 3(1): 29-44, figs. 1-5.
- Skuratowicz, W. - Pchły (Siphonaptera) zebrane w Mongolii. Siphonaptera collected in Mongolia. Polskie Pismo ent. 46(1): 25-27, 1 map.
- Smit, F.G.A.M. - Order XXIX: Siphonaptera. In: G.S.Kloet & W.D.Hincks, A check list of British Insects (ed. 2) (5). Handb. Ident. Brit. Ins. 11(5): 121-123
- Smit, F.G.A.M. - Two new east African mole-rat fleas (Siphonaptera, Hystrichopsyllidae). Rev. Zool. afr. 90(1): 46-52, figs. 1-9.
- Smit, F.G.A.M. - A new South American Ceratophyllid bird-flea. Ent. Ber., Amst. 36(5): 65-67, figs. 1-3.
- Smit, F.G.A.M. & Rosický, B. - Siphonaptera collected by Dr. M. Daniel in Nepal. Folia parasit., Praha 23(2): 135-159, figs. 1-37.
- Stark, H.E., Campos, E.G. & Elbel, R.E. - Description of the third-instar larva of *Monopsyllus wagneri* (Baker) (Siphonaptera: Ceratophyllidae). J. med. Ent. 13(1): 107-111, figs. 1-3.
- Stovbun, V.V. - On the find of the flea *Atyphloceras nuperus* J. et R. in the Ivano-Frankovskaya oblast'. Vestn. Zool., Kiev (1): 90-91, figs. 1-3.
- Szabó, I. - To the knowledge of the Siphonaptera-fauna in Tyrol (Austria). Parasit. hung. 8: 71-74.
- Vashchyonok, V.S. & Chirov, P.A. - A histological examination of the flea *Ceratophyllus consimilis* Wagn. infected with the causative agent of listeriosis (*Listeria monocytogenes*). Parazitologiya 10(1): 61-66.
- Voûte, A.M. - Vleermuis-bescherming. Vakbl. Biol. 56(4): 46-55, figs. 1-4.
- Wang, D.-c. - The Chinese Tunga (Siphonaptera: Tungidae). Acta ent. sinica 19(1): 117-118, figs. 1-3.
- Zarkhidze, V.A., Chelnokov, V.N. & Obrikas, R.G. - An ecological analysis of the fauna of some mammals and their fleas in the territories of the Bol'shoi and Malyi Balkhan. Izv. Akad. Nauk turkmen. S.S.R. (Biol.) (1): 57-62.

LINGUISTICS

Certain words or abbreviations in titles of mainly east European journals, referred to in the lists of literature, may be unfamiliar; their meaning is as follows:

- állatt. = állattani = zoological
A.N. = akademiya nauk = academy of sciences
A.S.S.R. = avtonomnaya sovyetskaya sotsialisticheskaya respublika
 = autonomous sovyet socialist republic
 or = Azerbaydzhanskaya Sotsialisticheskaya Sovyetskaya Respublika
B.S.S.R. = Byelorusskaya Sotsialisticheskaya Sovyetskaya Respublika
 = White Russian Socialist Sovyet Republic
chelovyeka = (genitive of) chelovek = man, person, human being
dokl. = doklad / doklady = report / reports
Eesti = Estonian
fil. = filial = branch
ispyt. = ispytatel' = investigator, examiner
issled. = issledovaniye = investigation, research
izv. = izvestiye = news, information
Kavkaze = Caucasus
konf. = konferentsiya = conference
közl. = közlemenyek = publications
loodus = nature
medits. or med/skaya = meditsinskaya = medical
nauchn. = nauchnyi = scientific
nauk = (genitive of) nauka = science; knowledge
navuk = (genitive of) navuka = science; knowledge
obozr. = obozreniye = review
obshch. = obshchii / obshchestvo = general, common, public / society
opasn. = opasnyi = dangerous
osobo = specially, particularly
otd. = otдел, otdeleniye = section, division
pismo = letter
prikl. = prikladnoi = applied, practical
prir. = priroda / prirodnyi = nature / natural
probl. = problema = problem
protivochumn. = protivochumnyi = antiplague
rast. = rasteniye = plant, vegetable
sb. = sbornik = magazine, collection, compendium
severa = (genitive of) sever = north
shlyakhi (yikh likvidatsiyi) = means (of their elimination)
S.S.S.R. = Soyuz Sovyetskikh Sotsialisticheskikh Respublik
 = Union of Sovyet Socialist republics (U.S.S.R.)
tez. = tezis = abstract, thesis
trud. / trudy = work / works
véd = (genitive plural of) věda = of sciences
vestn. = vestnik = report, news
vestsi = news, informations
vopr. = vopros = question, inquiry
vyssh. = vysshii = higher
wiad. or wiadem. = wiadomości = news, informations
yestestv. = yestestvennyi = natural
zh. = zhurnal = journal
zhiv. = zhivotnyi = (of) animal

* * *

"Give instruction to a wise (wo)man and (s)he will be yet wiser."

Proverbs 9:9

* * *