# 7500 RealTime PCR System (Applied Biosystems) - Manual

Description
Applied Biosystems® 7500 Real-Time PCR System offers high performance, multicolor real-time PCR (Polymerase Chain Reaction).

Package – Copy to all **Notes/Comments** sections in SCCM during package creation.
Single license package.  License key required to activate product.

Source file location (share or weblink):
\\server\share\files\apps\Applied Biosystems\7500 RealTime PCR System & Software\setup

Copy source files to Software Vault share location:
\\server\share\Sources\Software Vault\Applied Biosystems\7500 RealTime PCR System & Software\setup

Import *setup.exe* into SCCM Client Applications as a *Script Installer*.

**Installation program**:
"setup.exe"

**Uninstall program**:
Powershell.exe –executionpolicy Bypass –file "7500-Uninstall.ps1"

**Detection Method**:  Registry key exists.
Registry hive:  HKLM
Registry key:
SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\InstallShield_{6EC70264-5B14-41F8-8468-CA8841FC18D5}

**User Experience**
Installation behavior:  Install for user
Logon requirement:  Only when a user is logged on
Installation program visibility:  Normal
Enforce specific behavior:  No specific action

**Dependencies** (list redistributables, runtime, etc,. available for install with SCCM):
None

**Notes**
GUID:  {6EC70264-5B14-41F8-8468-CA8841FC18D5}  (32-bit)

Registry key or file path (used to check if application is installed):
HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\InstallShield_{6EC70264-5B14-41F8-8468-CA8841FC18D5}

UninstallString (determines uninstall method to use):
C:\Program Files (x86)\Common Files\InstallShield\Driver\8\Intel 32\IDriver.exe /M{6EC70264-5B14-41F8-8468-CA8841FC18D5}

DisplayName: 7500 System
DisplayVersion: 1.31.8
Publisher: Applied Biosystems

Setup switches



**7500RealTimePCRSystem_Manual_Uninstall.ps1**

```
<#
  .SYNOPSIS
    SCCM Uninstall program for 7500 RealTime PCR System (32-bit)

  .DESCRIPTION
    Remove the following component(s) from Window 7 x64 systems:
       - 7500 RealTime PCR System
       - Install folder

  .NOTES
    FileName: 7500RealTimePCRSystem_Manual_Uninstall.ps1
    Author: Jerry Senff
    Updated: 12/06/2016
    Comments: Powershell.exe –executionpolicy bypass –file
"7500RealTimePCRSystem_Manual_Uninstall.ps1"
#>

# Error file
$startLocation = Get-Location
$err=@()
$errorpath = '\ErrorLogs\7500RealTimePCRSystem_Manual_Uninstall.txt'
$errFileLocation =  (${env:SystemDrive} + $errorpath)

# Uninstall Variables - 7500 RealTime PCR System
$7500System = '7500 RealTime PCR System'
$7500SystemUninstall = ('"' + ${env:ProgramFiles(x86)} + '\Common
Files\InstallShield\Driver\8\Intel 32\IDriver.exe"')
$7500SystemParams = '/M{6EC70264-5B14-41F8-8468-CA8841FC18D5}'
```

```powershell
$7500SystemRegkey =
'HKLM:SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\InstallShield_{6
EC70264-5B14-41F8-8468-CA8841FC18D5}'
$7500InstallFolder = (${env:SystemDrive} + '\Applied Biosystems\7500 System')

Write-Host ""
Write-Host "*********************************************************************"
Write-Host ""
Write-Host "$7300System Uninstall"
Write-Host ""
Write-Host "Purpose: Remove the following components:"
Write-Host "          - $7500System"
Write-Host "          - Install folder"
Write-Host ""

# Uninstall 7500 RealTime PCR System
set-location $startLocation
Write-Host "*********************************************************************"
Write-Host ""
Write-Host "Checking for $7500System installation...*"
Write-Host ""

If ((Test-Path -Path $7500SystemRegkey) -eq 'True')
{
    Write-Host "    $7500System is installed."
    Write-Host ""
    Write-Host "Uninstalling $7500System..."
    Write-Host ""
    Write-Host "Command: " $7500SystemUninstall $7500SystemParams
    Write-Host ""
    Start-Process -FilePath $7500SystemUninstall -ArgumentList $7500SystemParams -
ErrorVariable +err -Verb Open -Wait
    Write-Host ""
    Write-Host "    $7500System uninstall complete."
    Write-Host ""
}
Else
{
    Write-Host "    $7500System not installed."
    Write-Host ""
}

Start-Sleep 5

# Delete install folder
set-location $startLocation
Write-Host "*********************************************************************"
Write-Host ""
Write-Host "Checking for $7500System install folder..."
Write-Host ""

if ((Test-Path -Path $7500InstallFolder) -eq 'True')
{
    Write-Host "    $7500System install folder exists."
    Write-Host ""
    Write-Host "Deleting $7500System install folder..."
    Write-Host ""
    Write-Host "Command:  Remove-Item -Path $7500InstallFolder -Recurse -Force"
    Write-Host ""
    Remove-Item -Path $7500InstallFolder -Recurse -Force
    Write-Host ""
    Write-Host "    $7500System install folder deletion complete."
    Write-Host ""
}
else
{
    Write-Host "    $7500System install folder does not exist."
    Write-Host ""
}

Start-Sleep 5
```

```powershell
$err | Out-File $errFileLocation
Write-Host "*** Log file location = " $errFileLocation " ***"
Write-Host ""

Start-Sleep 5
```