

Adobe CC InCopy

Description

A professional word processor that integrates with Adobe InDesign. InDesign is used to publish printed material, including newspapers and magazines, whereas InCopy is used for general word processing.

Package Notes/Comments – Copy to all **Notes/Comments** sections in SCCM creating package.
Enterprise license package. Creative Cloud Enterprise license key included with installer.

Source file location:

\\server\share\ccPackages\win\ccInCopy

Copy source files to:

\\server\share\Sources\Software Vault\Adobe Creative Cloud\ccInCopy

Import *InCopy.msi* into SCCM Client Applications as a *Script Installer*.

Create a PowerShell script, *AdobeCC_InCopy_Uninstall.ps1*, to uninstall InCopy.

Installation program:

msiexec /i "InCopy.msi" /qn

Uninstall program:

Powershell.exe –executionpolicy Bypass –file "AdobeCC_InCopy_Uninstall.ps1"

Detection Method: Registry key exists.

Registry hive: HKLM

Registry key: SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{2606D96F-C1A3-1014-9A8F-E3561A1AC78D}

User Experience:

Behavior: Install for system

Logon: Whether or not a user is logged on

Visibility: Hidden

Enforce: No specific action

Dependencies (list redistributables, runtime, etc., available for install with SCCM):

None

Notes

GUID: {2606D96F-C1A3-1014-9A8F-E3561A1AC78D} (32-bit)

Registry key or file path (used to check if application is installed):

HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{2606D96F-C1A3-1014-9A8F-E3561A1AC78D}

UninstallString (determines uninstall method to use):

```
C:\Program Files (x86)\Common Files\Adobe\OOBE\PDApp\core\PDApp.exe --appletID="DWA_UI" --appletVersion="2.0" --mode="Uninstall" --mediaSignature="{2606D96F-C1A3-1014-9A8F-E3561A1AC78D}"
```

DisplayName: Adobe InCopy CC

DisplayVersion: 9.0

Manufacturer: Adobe Systems Incorporated

AdobeCC_InCopy_Uninstall.ps1

```
<#
.SYNOPSIS
    SCCM Uninstall program for Adobe InCopy Creative Cloud

.DESCRIPTION
    Remove the following component(s) from window 7 x64 systems:
    - Adobe InCopy CC

.NOTES
    FileName: AdobeCC_InCopy_Uninstall.ps1
    Author: Jerry Senff
    Updated: 02/26/2019
    Comments: Powershell.exe -executionpolicy bypass -file
"AdobeCC_InCopy_Uninstall.ps1"
#>

# Error file
$startLocation = Get-Location
$error=@()
$errorpath = '\ErrorLogs\AdobeCC_InCopy_Uninstall.txt'
$errorFileLocation = ${env:SystemDrive} + $errorpath

# Uninstall variables - Adobe InCopy Creative Cloud
$AdobeUninstaller = ('' + ${env:ProgramFiles(x86)} + '\Common
Files\Adobe\OOBE\PDApp\core\PDApp.exe')
$ccInCopyParams = '--appletID="DWA_UI" --appletVersion="2.0" --mode="Uninstall" --
mediaSignature="{2606D96F-C1A3-1014-9A8F-E3561A1AC78D}"'
$ccInCopyRegkey =
'HKLM:SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{2606D96F-C1A3-
1014-9A8F-E3561A1AC78D}'

Write-Host ""
Write-Host "***** Adobe ccInCopy Uninstaller
*****"
Write-Host ""
Write-Host "Purpose: Uninstall Adobe ccInCopy"
Write-Host ""

# - Uninstalls Adobe ccInCopy #
set-location $startLocation
Write-Host
"*****"
Write-Host ""
Write-Host "Checking for Adobe ccInCopy installation...*"
Write-Host ""

If ((Test-Path -Path $ccInCopyRegkey) -eq 'True')
{
    Write-Host "    Adobe ccInCopy is installed."
    Write-Host ""
    Write-Host "Uninstalling Adobe ccInCopy..."
    Write-Host ""
    Write-Host "Command: " $AdobeUninstaller $ccInCopyParams
```

```
Write-Host ""
Start-Process -FilePath $AdobeUninstaller -ArgumentList $ccInCopyParams -
ErrorVariable +err -Verb Open -Wait
Write-Host ""
Write-Host "      Adobe ccInCopy uninstall complete."
Write-Host ""
}
Else
{
    Write-Host "      Adobe ccInCopy not installed."
    Write-Host ""
}

Start-Sleep 5

$err | Out-File $errFileLocation
Write-Host "*** Log file location = " $errFileLocation " ***"

Start-Sleep 5
```