Alpha Five v6 - Manual

<u>Description</u>
Develop custom desktop and web applications quickly and easily with Alpha Five V6. With no programming skills required, Version 6's application scripting and web components allow you to take control of your information helping you build applications for your particular business or organisation. Alpha Five V6 works with a built-in DBF engine and MySQL, Oracle, SQL Server, DB2 and ODBC sources.

<u>Package Notes/Comments</u> – Copy to all **Notes/Comments** sections in SCCM creating package.
Single license package. License key required to activate product. For first time run, choose "Run as Administrator".

Source file location (share or weblink):
\\server\share\installs\Alpha 5 V6

Copy source files to Software Vault share location:
\\server\share\Sources\Software Vault\Alpha 5 V6

Create a PowerShell script, *Alpha_Five_V6_Uninstall.ps1*, to remove Alpha Five v6.

Import *setup.exe* into SCCM Client Applications as a *Script Installer.*

Installation program:
"setup.exe"

Uninstall program:
Powershell.exe –executionpolicy Bypass –file "Alpha_Five_V6_Uninstall.ps1"

Detection Method: Registry key exists.
Registry hive: HKEY_LOCAL_MACHINE
Registry key: SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\Alpha Five V6

User Experience
Installation behavior: Install for user
Logon requirement: Only when a user is logged on
Installation program visibility: Normal
Enforce specific behavior: No specific action

Dependencies (list redistributables, runtime, etc,. available for install with SCCM):
None

Notes
GUID: Alpha Five V6 (32-bit)

Registry key or file path (used to check if application is installed):

HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\Alpha Five V6

UninstallString (determines uninstall method to use):
C:\PROGRA~2\A5V6\UNWISE.EXE C:\PROGRA~2\A5V6\INSTALL.LOG

DisplayName: Alpha Five V6
DisplayVersion: 5.1 build 1532
Publisher: Alpha Software Inc.

Alpha_Five_V6_Uninstall.ps1

```
<#
    .SYNOPSIS
      SCCM Uninstall program for Alpha Five v6

    .DESCRIPTION
      Remove the following component(s) from Window 7 x64 systems:
        - Uninstall Alpha Five v6

    .NOTES
      FileName: Alpha_Five_V6_Uninstall.ps1
      Author: Jerry Senff
      Updated: 02/28/2019
      Comments: Powershell.exe –executionpolicy bypass –file
"Alpha_Five_V6_Uninstall.ps1"
#>

# Error file
$startLocation = Get-Location
$err=@()
$errorpath = '\ErrorLogs\Alpha_Five_V6_Uninstall.txt'
$errFileLocation =  ${env:SystemDrive} + $errorpath

# Uninstall variables - Alpha Five v6
$AlphaFive = 'Alpha Five v6'
$AlphaFiveUninstall = ${env:SystemDrive} + '\PROGRA~2\A5V6\UNWISE.EXE'
$AlphaFiveParams = ${env:SystemDrive} + '\PROGRA~2\A5V6\INSTALL.LOG'
$AlphaFiveRegkey =
'HKLM:SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\Alpha Five V6'

Write-Host ""
Write-Host
"*************************************************************************"
Write-Host ""
Write-Host "$AlphaFive Uninstaller"
Write-Host ""
Write-Host "Purpose: Remove the following components:"
Write-Host "         - Uninstall $AlphaFive"
Write-Host ""

# Uninstall Alpha Five v6
set-location $startLocation
Write-Host
"*************************************************************************"
Write-Host ""
Write-Host "Checking for $AlphaFive installation..."
Write-Host ""

If ((Test-Path -Path $AlphaFiveRegkey) -eq 'True')  # Check uninstall registry key or
install path
{
    Write-Host "    $AlphaFive is installed."
    Write-Host ""
```

```
        Write-Host "Uninstalling $AlphaFive..."
        Write-Host ""
        Write-Host "Command:  $AlphaFiveUninstall $AlphaFiveParams"
        Write-Host ""
        Start-Process -FilePath $AlphaFiveUninstall -ArgumentList $AlphaFiveParams -
ErrorVariable +err -Verb Open -Wait
        Write-Host ""
        Write-Host "    $AlphaFive uninstall complete."
        Write-Host ""
}
Else
{
        Write-Host "    $AlphaFive is not installed."
        Write-Host ""
}

Start-Sleep 5

$err | Out-File $errFileLocation
Write-Host "*** Log file location = " $errFileLocation " ***"

Start-Sleep 5
```