Analyse-It for MS Excel - Manual

Description
In-depth powerful statistical analysis and data visualization integrated into Microsoft Excel.

Package Notes/Comments – Copy to all **Notes**/**Comments** sections in SCCM creating package.
Free software license. Close Microsoft Excel before installing product.

Source file location (share or weblink):
\\server\share\installs\Analyse-It

Copy source files to Software Vault share location:
\\server\share\Sources\Software Vault\Analyse-It

Create a PowerShell script, *Analyse_It_for_MS_Excel_Uninstall.ps1*, to remove Analyse-It for MS Excel.

Import *a32gc173.exe* into SCCM Client Applications as a *Script Installer.*

Installation program:
"a32gc173.exe"

Uninstall program:
Powershell.exe –executionpolicy Bypass –file "Analyse_It_for_MS_Excel_Uninstall.ps1"

Detection Method: Registry key exists.
Registry hive: HKEY_LOCAL_MACHINE
Registry key: SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\Analyse-it for Excel

User Experience
Installation behavior: Install for user
Logon requirement: Only when a user is logged on
Installation program visibility: Normal
Enforce specific behavior: No specific action

Dependencies (list redistributables, runtime, etc,. available for install with SCCM):
Office 2010 Professional

Notes
GUID: Analyse-it for Excel (32-bit)

Registry key or file path (used to check if application is installed):
HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\Analyse-it for Excel

UninstallString (determines uninstall method to use):
C:\Program Files (x86)\Analyse-it\system\setup.exe /u

DisplayName: Analyse-it for Microsoft Excel
DisplayVersion: 1.60
Publisher: Analyse-it Software, Ltd.

Analyse_It_for_MS_Excel_Uninstall.ps1

```powershell
<#
    .SYNOPSIS
      SCCM Uninstall program for Analyse-It for MS Excel

    .DESCRIPTION
      Remove the following component(s) from Window 7 x64 systems:
        - Analyse-It for MS Excel

    .NOTES
      FileName: Analyse_It_for_MS_Excel_Uninstall.ps1
      Author: Jerry Senff
      Updated: 02/28/2019
      Comments: Powershell.exe –executionpolicy bypass –file
"Analyse_It_for_MS_Excel_Uninstall.ps1"
#>

# Error file
$startLocation = Get-Location
$err=@()
$errorpath = '\ErrorLogs\Analyse_It_for_MS_Excel_Uninstall.txt'
$errFileLocation =  ${env:SystemDrive} + $errorpath

# Uninstall variables - Analyse-It for MS Excel
$AnalyseIt = 'Analyse-it for MS Excel'
$AnalyseItUninstall = ('"' + ${env:ProgramFiles(x86)} + '\Analyse-
it\system\setup.exe"')
$AnalyseItParams = '/u'
$AnalyseItRegkey =
'HKLM:SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\Analyse-it for
Excel'

Write-Host ""
Write-Host
"**************************************************************************"
Write-Host ""
Write-Host "$AnalyseIt Uninstaller"
Write-Host ""
Write-Host "Purpose: Remove the following components:"
Write-Host "          - Uninstall $AnalyseIt"
Write-Host ""

# Uninstall Analyse-It for MS Excel
set-location $startLocation
Write-Host
"**************************************************************************"
Write-Host ""
Write-Host "Checking for $AnalyseIt installation..."
Write-Host ""

If ((Test-Path -Path $AnalyseItRegkey) -eq 'True')  # Check uninstall registry key or
install path
{
    Write-Host "    $AnalyseIt is installed."
    Write-Host ""
    Write-Host "Uninstalling $AnalyseIt..."
    Write-Host ""
    Write-Host "Command:  $AnalyseItUninstall $AnalyseItParams"
```

```
    Write-Host ""
    Start-Process -FilePath $AnalyseItUninstall -ArgumentList $AnalyseItParams -
ErrorVariable +err -Verb Open -Wait
    Write-Host ""
    Write-Host "    $AnalyseIt uninstall complete."
    Write-Host ""
}
Else
{
    Write-Host "    $AnalyseIt is not installed."
    Write-Host ""
}

Start-Sleep 5

$err | Out-File $errFileLocation
Write-Host "*** Log file location = " $errFileLocation " ***"

Start-Sleep 5
```