

Adobe Dreamweaver CS6

Description

A web design and development application that provides a visual WYSIWYG editor (colloquially referred to as the Design view) and a code editor with standard features such as syntax highlighting, code completion, and code collapsing as well as more sophisticated features such as real-time syntax checking and code introspection for generating code hints to assist the user in writing code.

Package Notes/Comments – Copy to all **Notes/Comments** sections in SCCM creating package.
Enterprise License package. License is built into the installer.

Source file location:

<http://helpx.adobe.com/x-productkb/policy-pricing/cs6-product-downloads.html>

Download *Dreamweaver_12_LS16.exe* file to:

\\server\share\Sources\Software Vault\Adobe Dreamweaver CS6\Downloaded

Use 7-Zip to extract the downloaded files to a subfolder.

Install *Adobe Application Manager Enterprise 3.1* to create the MSI package for Dreamweaver CS6 using a volume licensing key and save to:

\\server\share\Sources\Software Vault\Adobe DreamweaverCS6\Install

Create a PowerShell script, *Adobe_DreamweaverCS6_Install.ps1*, to install Dreamweaver CS6.

Create a PowerShell script, *Adobe_DreamweaverCS6_Uninstall.ps1*, to uninstall Dreamweaver CS6.

Import *Adobe_DreamweaverCS6_Install.ps1* into SCCM Client Applications as a *Script Installer*.

Installation program:

Powershell.exe –executionpolicy Bypass –file "Adobe_DreamweaverCS6_Install.ps1"

Uninstall program:

Powershell.exe –executionpolicy Bypass –file "Adobe_DreamweaverCS6_Uninstall.ps1"

Detection Method: Registry key exists.

Registry hive: HKLM

Registry key: SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{A4ED5E53-7AA0-11E1-BF04-B2D4D4A5360E}

User Experience:

Behavior: Install for system

Logon: Whether or not a user is logged on

Visibility: Hidden

Enforce: No specific action

Dependencies (list redistributables, runtime, etc., available for install with SCCM):

None

Notes

GUID: {A4ED5E53-7AA0-11E1-BF04-B2D4D4A5360E} (32-bit)

Registry key or file path (used to check if application is installed):

HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{A4ED5E53-7AA0-11E1-BF04-B2D4D4A5360E}

UninstallString (determines uninstall method to use):

C:\Program Files (x86)\Common Files\Adobe\OOBE\PDApp\core\PDApp.exe --appletID="DWA_UI" --appletVersion="2.0" --mode="Uninstall" --mediaSignature="{A4ED5E53-7AA0-11E1-BF04-B2D4D4A5360E}"

DisplayName: Dreamweaver CS6

DisplayVersion: 6.0

Publisher: Adobe Systems Incorporated

Note: Dreamweaver CS6 uninstall string only works after updating Adobe Application Manager Enterprise Edition 3.1 **before** running the Uninstall string.

Uninstaller:

1. Update Application Manager 3.1 --> setup.exe --mode=silent --action=update
2. Run Dreamweaver CS6 UninstallString

Adobe_DreamweaverCS6_Install.ps1

```
<#
.SYNOPSIS
    SCCM Install program for Adobe Dreamweaver CS6

.DESCRIPTION
    Install the following component(s) on window 7 x64 systems:
    - Adobe Dreamweaver CS6

.NOTES
    FileName: Adobe_DreamweaverCS6_Install.ps1
    Author: Jerry Senff
    Updated: 02/26/2019
    Comments: Powershell.exe -executionpolicy bypass -file
"Adobe_DreamweaverCS6_Install.ps1"
#>

# Error file
$startLocation = Get-Location
$err=@()
$errorpath = '\ErrorLogs\Adobe_DreamweaverCS6_Install.txt'
$errFileLocation = ${env:SystemDrive} + $errorpath

# Install variables - Adobe Dreamweaver CS6
$AppName1 = 'Adobe Dreamweaver CS6'
$DreamweaverInstall = (${env:SystemRoot} + '\System32\msiexec.exe')
$DreamweaverParams = '/i "AdobeDreamweaverCS6.msi" /qb /norestart'
```

```

$DreamweaverRegkey =
'HKLM:\SOFTWARE\Wow6432Node\Microsoft\windows\CurrentVersion\Uninstall\{A4ED5E53-7AA0-
11E1-BF04-B2D4D4A5360E}'

Write-Host ""
Write-Host "***** Adobe Dreamweaver CS6 Installer
*****"
Write-Host ""

# Install Adobe Dreamweaver CS6
set-location $startLocation
Write-Host
"*****"
Write-Host ""
Write-Host "Checking for $AppName1 installation..."
Write-Host ""

If ((Test-Path -Path $DreamweaverRegkey) -ne 'True')
{
    Write-Host "    $AppName1 is not installed."
    Write-Host ""
    Write-Host "Installing $AppName1..."
    Write-Host ""
    Write-Host "Command: " $DreamweaverInstall $DreamweaverParams
    Start-Process -FilePath $DreamweaverInstall -ArgumentList $DreamweaverParams -
ErrorVariable +err -Verb Open -Wait
    Write-Host ""
    Write-Host "    $AppName1 install complete."
    Write-Host ""
}
Else
{
    Write-Host "    $AppName1 already installed."
    Write-Host ""
}

start-sleep 5

$error | Out-File $errFileLocation
Write-Host "*** Log file location = " $errFileLocation " ***"

start-sleep 5

```

Adobe_DreamweaverCS6_Uninstall.ps1

```

<#
.SYNOPSIS
    SCCM Uninstall program for Adobe Dreamweaver CS6

.DESCRIPTION
    Remove the following component(s) from window 7 x64 systems:
    - Adobe Dreamweaver CS6

.NOTES
    FileName: Adobe_DreamweaverCS6_Uninstall.ps1
    Author: Jerry Senff
    Updated: 02/26/2019
    Comments: Powershell.exe -executionpolicy bypass -file
    "Adobe_DreamweaverCS6_Uninstall.ps1"
#>

# Error file
$startLocation = Get-Location
$error=@()
$errorpath = '\ErrorLogs\Adobe_DreamweaverCS6_Uninstall.txt'
$errFileLocation = ${env:SystemDrive} + $errorpath

# Update variables - Adobe Application Manager Enterprise 3.1
$AppName2 = 'Application Manager Enterprise 3.1'

```

```

$AppMgrUpdate = './AdobeAppMgrEnterprise3-1/Setup.exe'
$AppMgrParams = '--mode=silent --action=update'

# Uninstall variables - Adobe Dreamweaver CS6
$AppName1 = 'Adobe Dreamweaver CS6'
$DreamweaverPdapp = '/Common Files/Adobe/OOBE/PDApp/core/PDApp.exe'
$DreamweaverUninstall = ($env:ProgramFiles(x86)) + $DreamweaverPdapp
$DreamweaverParams = '--appletID="DWA_UI" --appletVersion="2.0" --mode="Uninstall" --
mediaSignature="{A4ED5E53-7AA0-11E1-BF04-B2D4D4A5360E}"'
$DreamweaverRegkey =
'HKLM:SOFTWARE\Wow6432Node\Microsoft\windows\CurrentVersion\Uninstall\{A4ED5E53-7AA0-
11E1-BF04-B2D4D4A5360E}'

Write-Host ""
Write-Host "***** Adobe Dreamweaver CS6 Uninstaller
*****"
Write-Host "      - Update the Adobe Application Manager"
Write-Host "      - Uninstall Dreamweaver CS6"
Write-Host ""

# Update Adobe Adobe Application Manager Enterprise 3.1
set-location $startLocation
Write-Host
"*****"
Write-Host ""
Write-Host "Updating for $AppName2..."
Write-Host ""
Write-Host "Command: " $AppMgrUpdate $AppMgrParams
Write-Host ""
Start-Process -FilePath $AppMgrUpdate -ArgumentList $AppMgrParams -ErrorVariable +err
-Verb Open -Wait
Write-Host ""
Write-Host "      $AppName2 update complete."
Write-Host ""

sleep 10

# Uninstalls Adobe Dreamweaver CS6
set-location $startLocation
Write-Host
"*****"
Write-Host ""
Write-Host "Checking for $AppName1 installation...*"
Write-Host ""

If ((Test-Path -Path $DreamweaverRegkey) -eq 'True')
{
    Write-Host "      $AppName1 is installed."
    Write-Host ""
    Write-Host "Uninstalling $AppName1..."
    Write-Host ""
    Write-Host "Command: " $DreamweaverUninstall $DreamweaverParams
    Write-Host ""
    Start-Process -FilePath $DreamweaverUninstall -ArgumentList $DreamweaverParams -
ErrorVariable +err -Verb Open -Wait
    Write-Host ""
    Write-Host "      $AppName1 uninstall complete."
    Write-Host ""
}
Else
{
    Write-Host "      $AppName1 not installed."
    Write-Host ""
}

start-sleep 5

$err | Out-File $errFileLocation
Write-Host "Log file location = " $errFileLocation " ***"

start-sleep 5

```

