

Standard Operation Procedure

Jeeya Rahul Shah

April 2, 2025

This document details how to correct typos in the Library of Congress headings (for this example, the 650 fields) in a MARC record in a record set

The following process can be applied to all heading fields (650, 655, ect...)



You will be needing MarcEdit and OpenRefine

You need to know the standard formatting for the headings (See Library of Congress site)



Step 1:

Open MarcEdit


Click Tools, Click OpenRefine—>export



Go to Source File and select your record set




Name the file and save it as a **json** (I named my file JSSopexample)




Click Process and the json file should show up in your downloads folder

Step 2:


Open OpenRefine (a console should also open up, do not worry about it, it just records every action, do not close it but let it run in the background)




Press on Choose Files and select your file (JSsopexample)




Click on Next and your file should upload




This should be your screen, select all rows (the yellow should encompass all):




Click and this will be the following:



Press on Create Project



Now when you go to Open a Project, your project should be there and you can open it.




To see all the rows, you can adjust by 5,10, 25, 50 ,100, 500, and 1000. Each individual MARC record is separated by a blank row before the LDR. If you were to accidentally delete the row, do not worry, MARC edit will separate the records anyway based on LDR (also you can undo any actions in OpenRefine)


Step 3

Next, we filter out the 650 fields


Go to the row with the tags and click the dropdown arrow



Go to Facet —> Text Facet




Select 650 and the headings should be filtered out




Step 4


Now, Go to the column labeled “Content” (the column with the headings) and click the dropdown arrow—>Facet—>Text Facet




Now, in the left box, you can see the various types of headings
Click the Cluster button



In the pop-up box, click the Cluster button in the center



Open Refine will select similar headings with differences in formatting. Based on the Library of Congress standards, know which heading is the correct one. For example, below is provided the difference between \$aJuvenile **L**iterature.\$2OverDrive and \$aJuvenile **l**iterature.\$2OverDrive. **L**iterature is the correct heading.




In the “New Cell Value” box, ensure the correct heading is typed



Select the overall box containing the headings




Press Merge Selected & Re-Cluster




The corrected headings should be in place!

Quick Side Note:

If you wanted to add mass changes to all of the heading fields, for example delete all the “\$vFiction”, you could (having only the 650 filter on) select the dropdown arrow on the “Content” column and go to Edit Cells—>Replace



In the pop-up box, in the “Find” box, type in the text you want to remove or replace and in the “Replace With” box, type in the text you want to replace with or leave it blank if you want that text removed




After pressing OK, your fields should be edited and good to go.


Step 5:

Now, with the fully edited original file, we need to re-import into MARC edit and create a mrc file.


At the top right of OpenRefine, Select Export—> Tab-Separated value
The tsv file should download




Like on step 1, open MarcEdit, select Tools---> OpenRefine
Then select Import



In the Source File, select the tsv



Now you can save the file as a mrc (or mrk if you want to do more work in MarcEdit) and click Process



Your final product is ready!