



NOTES: (UNLESS OTHERWISE SPECIFIED)

- SEE OH-PL-INTERCONNECT FOR SEPARATE INTERCONNECT PARTS LIST.
- SEE OH-SPC-002 FOR ABSIS CABLE SPECIFICATIONS.
- ALL CONDUCTORS SHALL BE WHITE STRANDED/BRAIDED INSULATED WIRES  
FOR ALL POWER CONNECTIONS, AND 26AWG FOR ALL SIGNAL/DATA  
CONNECTIONS.
- CABLE COLOR SCHEMES MAY BE ALTERED TO IDENTIFY CONDUCTOR FUNCTION,  
AS DESIRED. IF AN ALTERNATE CABLE COLOR SCHEME IS USED, DOCUMENT  
COLOR SCHEMATIC APPROPRIATELY.
- TERMINATE ALL UNUSED CONDUCTORS BY FOLDING BACK CONDUCTORS  
AND HEAT SHRINK CONDUCTOR ALONG CABLE.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES. DUAL DIMENSIONS ARE IN MILLIMETERS AND ENCLOSED IN SQUARE BRACKETS.	
INTERPRET DRAWING IAW ASME Y14.100-2017.	
INTERPRET DIM AND TOL IAW ASME Y14.5-2009.	
DATE	2023-07-01
DESIGNED	J. STEENSEN
CHECKED	
DRAWN	J. STEENSEN
OPEN HORNET	
<a href="https://www.OpenHornet.com">https://www.OpenHornet.com</a>	
TITLE <b>INTERCONNECT, OPENHORNET SYSTEM</b>	
TOP LEVEL	
SIZE DWG NO	D
REV	-
OH-INTERCONNECT	
SCALE N/A	DO NOT SCALE DWG
SHEET 1/6	



# UPPER INSTRUMENT PANEL (UIP)

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN INCHES.

**ALL DIMENSIONS ARE IN MILLIMETERS AND  
ENCLOSED IN SQUARE BRACKETS.**

INTERPRET DRAWING IAW ASME Y14.100-2017.

INTERPRET DIM AND TOL IAW ASME Y14.5-2009. TITLE

DATE 2023-07-01  
SIGNER J. STEENSEN

DESIGNED J. STEENSEN  
CHECKED

DRAWN | STEENSEN

DRAWN J. STEENSEN SIZE DWG N

SIZE D

D  
SCALE N/

BY NC SA | SCALE N/A

The logo for Open Hornet features a stylized, symmetrical graphic of a hornet's head on the left, composed of various geometric shapes like triangles and circles. To the right of the graphic, the words "OPEN HORNET" are written in a large, bold, black, sans-serif font.

<https://www.OpenHornet.com>

# **INTERCONNECT, OPENHORNET SYSTEM**

# OF ENVIRONMENTAL SYSTEM

## TOP LEVEL


DWG NO. \_\_\_\_\_ RE. \_\_\_\_\_


OH-INTERCONNECT -

LE N/A DO NOT SCALE DWG SHEET 2/6

15 | 16 | 17







## CENTER TUB (CT)

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN INCHES.

**ALL DIMENSIONS ARE IN MILLIMETERS AND  
ENCLOSED IN SQUARE BRACKETS.**

INTERPRET DRAWING JAW ASME Y14.100-2017

INTERPRET DRAWING TAW ASME Y14.100-2017.

INTERPRET DIM AND TOL IAW ASME Y14.5-2009.

DATE 2023-07-01

DESIGNED J. STEENSEN

CHECKED

DRAWN J. STEENSEN

SIZ

D

 BY NC SA

14



<https://www.OpenHornet.com>

<https://www.openi10.net.com>

**CONNECT**

**INTERCONNECT,  
CRM SYSTEM**

# JETTISONABLE CANNON ORNET SYSTEM

TOP LEVEL  
PAGES

## INTERCONNECT

INTERCONNECT SOURCE CODE FUND | SUITE 1000 | 7/12

DO NOT SCALE DWG SHEET 5/6  
16 | 17

