


NOTES: (UNLESS OTHERWISE SPECIFIED)

1. SPECIFICATIONS AND DOCUMENTS:
 - 1.1. ELECTRICAL CONNECTIONS SHALL BE IAW OH-INTERCONNECT.
2. ALL ITEMS NOT EXPLICITLY DEFINED IN THIS DRAWING ARE DEFINED BY THE MASTER CAD MODELS. ALL DIMENSIONS NOT DEFINED ON THIS DRAWING ARE CONTAINED WITHIN THE FOLLOWING MANUFACTURING FILES:
 - 2.1. FLAT PARTS: <MATERIAL> <MATERIAL COLOR, IF APPLICABLE> <THICKNESS, IN DECIMAL INCHES> <PN> <DESCRIPTION> <REV>_V<VERSION NUMBER OF MODEL>.SVG
 - 2.2. FDM 3D PRINTED PARTS: FDM_<PN>_<DESCRIPTION>_<REV>_V<VERSION # OF MODEL>.3MF
 - 2.3. MACHINED OR BENT PARTS: <PN>_<DESCRIPTION>_<REV>_V<VERSION # OF MODEL>.STEP
3. FABRICATE FN 4 & 5 SKINS BY FORMING THEM TO THE LIP STRUCTURE AND SECURE TO STRUCTURE WITH HARDWARE OF CHOICE. APPROPRIATE ALTERNATE MATERIALS MAY BE SUBSTITUTED AS DESIRED.
4. FINISHES:
 - 4.1. FINISH FN 4 & 5 OF -1 ASSY AND FN 1 OF -100 & -200 ASSY, IAW FED-STD-595, FS36231, DULL GULL GREY.
 - 4.2. FINISH FN 2 OF -100 ASSY IAW FED-STD-595, FS37038, BLACK.
5. FN 38, RM750 ATX POWER SUPPLY UNIT (PSU) IS CONSIDERED A MINIMALLY VIABLE POWER SUPPLY FOR THE SYSTEM. A PSU OF GREATER WATTAGE AND CAPABILITY MAY BE SUBSTITUTED AS DESIRED.

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
-	INITIAL RELEASE	11/03/2023	
A	CHANGES TO LOWER CENTRE PEDESTAL FACE FN1 TO ACCOMMODATE PCB. FN16 FASTNERS REPLACED WITH SHORTER VERSION.	22/05/2026	




-1 ASSY


58	2	OH2A1-29	USB TO HDMI ADAPTER	PETG
57	1	OH2A1-200	ASSY, LOWER CENTER PEDESTAL	----
56	1	OH2A1-100	ASSY, UPPER CENTER PEDESTAL	----
55	2	90471A223	FHS, 100 DEG, #6-32 X .750, STEEL	STL
54	12	91249A060	PHS, #2-56 X .625, 18-8, BLK	SS
53	2	OH2A1-32	PSU BRACKET LOWER HOLDER	PETG
52	1	OH2A1-30	PSU BRACKET LOWER	PETG
51	6	90273A153	FHS, 82DEG, #6-32 X 1.00, STEEL	STL
50	1	OH2A1-31	PSU BRACKET UPPER	PETG
49	6	91249A156	PHS, #6-32 X .8750, 18-8, BLK	SS
48	12	94070A076	PHS, #2-56 X .1875, BRASS	BRS
47	12	91780A105	STANDOFF, #2-56 X .375, .1875 HEX, FEMALE, ALUMINUM	ALU
46	2	91249A155	PHS, #6-32 X .750, 18-8, BLK	SS
45	1	OH2A1-28	USB BRACKET UPPER	PETG
44	1	OH2A1-27	USB BRACKET LOWER	PETG
43	1	OHC0013-7	ASSY, SHORE BULKHEAD PANEL	----
42	1	ABSI007	ASSY, ABSIS PIT MANAGEMENT SYSTEM	N/A
41	1	OHC0013-6	ASSY, RIGHT LIP-UIP BULKHEAD PANEL	----
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL

40	1	OH00013-5	ASSY, LEFT LIP-UIP BULKHEAD PANEL	----
39	1	ABSI005	PCB, ATX PSU BREAKOUT	N/A
38	1	CP-9020195-NA	RM SERIES™ RM750	N/A
37	3	B09V6WY1SD	HUB, USB 3.0, 7-PORT, 5VDC	N/A
36	1	ABSI005	ASSY, ABSIS BACKLIGHT CONTROLLER	N/A
35	2	USB32HD4	ADAPTER, 4X HDMI TO USB 3.0 A, STARTECH	N/A
34	8	90272A201	PHS, #8-32 X 1.250, STEEL	STL
33	1	OH00013-4	ASSY, RIGHT FWD BULKHEAD INTERCONNECT PANEL	----
32	1	OH00013-3	ASSY, LEFT FWD BULKHEAD INTERCONNECT PANEL	----
31	8	90471A276	FHS, 100DEG, #8-32 X 1.00, STEEL	STL
30	1	OH2A8A1-1	ASSY, RUDDER PEDALS	----
29	20	96765A120	WASHER, #8 X .375 OD, 18-8, BLACK	SS
28	8	92200A197	SHCS, #8-32 X .750, 18-8	SS
27	2	90273A157	FHS, 82DEG, #6-32 X 1.50, STEEL	STL
26	18	90760A007	NUT, JAM, #6-32, STEEL	STL
25	2	7383N341	SPRING, EXTENSION, 1.0L X .24OD X .018 WIRE, 1.18LBF MAX	STL
24	2	91771A119	FHS, 82DEG, #4-40 X 1.50, 18-8	SS
23	2	91841A005	NUT, #4-40, 18-1	STL
22	4	90618A200	WASHER, #4 X .250, 18-8, BLACK OXIDE, MS15795-803B	SS
21	8	90176A102	SPACER, #4 X .188 OD X .125 L, NYLON, BLK	NYL
20	4	91771A141	FHS, 82DEG, #2-56 X 1.25, 18-8	SS
19	4	95130A105	NUT, #2-56, NARROW, BRASS	BRS
18	2	7658K17	SWITCH, LIMIT, SUBMINIATURE, SNAP-ACTING, SPST	N/A
17	4	90471A435	FHS, 100DEG, #8-32 X .625, STEEL	STL
16	6	98023A113	WASHER, #8, STEEL, ZINC	STL
15	6	91249A197	PHS, #8-32 X .750, 18-8, BLK	SS
14	26	91841A009	NUT, #8-32, 18-8	SS
13	18	90471A436	FHS, 100DEG, #8-32 X 1.25, STEEL	STL
12	4	91249A161	PHS, #6-32 X 1.50, 18-8, BLK	SS
11	4	91831A007	NYLOC NUT, #6-32, 18-8	----
10	6	92141A008	WASHER, #6 X .3125 OD, 18-8	SS
9	1	X502-1	MONO POWER AMPLIFIER, CL D, 1000W, KENWOOD	----
8	1	OH2A2A1-1	ASSY, LEFT LIP MODULE	----
7	1	OH2A7A1-1	ASSY, STANDBY INSTRUMENT MODULE	----
6	1	OH2A1A1-1	ASSY, LOWER INSTRUMENT PANEL STRUCTURE	----
5	1	OH2A1-26	LIP L EXT SKIN	ABS
4	1	OH2A1-25	LIP R EXT SKIN	ABS
3	1	OH2A1-12	LEFT MIP MODULE INBOARD MOUNTING BRACKET	PETG
2	1	OH2A1-11	LEFT MIP MODULE MOUNTING BRACKET	PETG
1	1	OH2A1-10	STANDBY INSTRUMENT MODULE MOUNTING BRACKET	PETG


ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL	ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST					PARTS LIST				

UNLESS OTHERWISE SPECIFIED:		UOS INCH TOLERANCES ARE:		 OPEN HORNET https://www.OpenHornet.com	
DIMENSIONS ARE IN INCHES.		DECIMALS: X ± .1 XX ± .03 .XXX ± .010			
DUAL DIMENSIONS ARE IN MILLIMETERS AND ENCLOSED IN SQUARE BRACKETS.		ANGLES: MACHINED ± .5° LOCATING ± .5° FORMED ± 2° CHAMFERS ± 5°		TITLE ASSY, LOWER INSTRUMENT PANEL LOWER INSTRUMENT PANEL	
INTERPRET DRAWING IAW ASME Y14.100-2017.		DRILLED HOLE DIAMETERS: .0135 - .125: +.004/- .001 .126 - .250: +.005/- .001 .251 - .500: +.006/- .001 .501 - .750: +.008/- .001 .751 - 1.000: +.010/- .001 1.001 - 2.000: +.012/- .001			
INTERPRET DIM AND TOL IAW ASME Y14.5-2009.				SIZE D	
REMOVE ALL BURRS AND SHARP EDGES TO .05 MAX.					
DIMENSIONS APPLY BEFORE FINISH.				OH2A1-1	
DESIGNED J. STEENSEN 04/23/2023				REV	
CHECKED				A	
DRAWN J. STEENSEN 04/23/2023				SCALE 1:5	
				DO NOT SCALE DWG	
				SHEET 1/8	







DETAIL B
SCALE 1:1




-1 ASSY
RUDDER PEDAL
ADJUSTMENT
MECHANISM
INSTALLATION



-1 ASSY
CENTER PEDESTAL
COMPONENT
INSTALLATION



-1 ASSY
LEFT/RIGHT LIP
MODULE
INSTALLATION





OPEN HORNET

https://www.OpenHornet.com

SIZE	D	DWG NO	OH2A1-1	REV	A
SCALE	N/A			SHEET 5/8	





D

C

B

A




-1 ASSY
LOWER BULKHEAD PANELS
INSTALLATION

D

C

B

A



-1 ASSY
EXTERNAL SKIN
INSTALLATION



OPEN HORNET
<https://www.OpenHornet.com>




SIZE D
SCALE N/A

DWG NO OH2A1-1

REV A


SHEET 6/8



ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
8	4	91078A029	NUT, THIN, .25-20, STEEL	STL
7	8	90126A029	WASHER, .25 X .625, STEEL, ZINC	STL
6	4	91309A542	HHCS, .25-20 X 1.00, STEEL, ZINC	STL
5	5	90471A435	FHS, 100DEG, #8-32 X .625, STEEL	STL
4	4	91841A009	NUT, #8-32, 18-8	SS
3	1	OH2A3A1-1	ASSY, AMPCD MODULE	----
2	1	OH2A1-18	UPPER CENTER PEDESTAL AMPCD TRIM	PETG
1	1	OH2A1-17	UPPER CENTER PEDESTAL FACE	PETG
PARTS LIST				



SIZE	D	DWG NO	OH2A1-100	REV	A
SCALE	1:2			SHEET 7/8	



16	1	90471A223	FHS, 100 DEG, #6-32 X .750, STEEL	STL
15	4	90760A007	NUT, JAM, #6-32, STEEL	STL
14	1	92141A008	WASHER, #6 X .3125 OD, 18-8	SS
13	1	57155K371	BEARING, SEALED, .1563 ID X .3125 OD X .125 THK, R155-2Z	N/A
12	6	91249A151	PHS, #6-32 X .625, 18-8, BLK	SS
11	5	91249A146	PHS, #6-32 X .375, 18-8, BLK	SS
10	6	91249A148	PHS, #6-32 X .50, 18-8, BLK	SS
9	15	93365A130	INSERT, 6-32, BRASS, FOR PLASTIC	BRS
8	4	91841A009	NUT, #8-32, 18-8	SS
7	1	OH2A6A1-1	ASSY, CABIN PRESSURE GAUGE	----
6	1	OH2A5A1-1	ASSY, PANEL, ECM/DISP	----
5	1	OH2A4A1-1	ASSY, PANEL, RWR CONTROL	----
4	1	OH2A1-16	CLOCK COVER	ACRL
3	1	OH2A1-15	RUDDER PEDAL ADJUST LEVER	PETG
2	1	OH2A1-14	RUDDER PEDAL ADJUST KNOB	PETG
1	1	OH2A1-13	LOWER CENTER PEDESTAL FACE	PETG
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL

**OPEN HORNET**
<https://www.OpenHornet.com>

SIZE	D	DWG NO	OH2A1-200	REV	A
SCALE	1:2				SHEET 8/8