


NOTES: (UNLESS OTHERWISE SPECIFIED)

1. SPECIFICATIONS AND DOCUMENTS:
 - 1.1. ELECTRICAL CONNECTIONS SHALL BE IAW OH-INTERCONNECT.
2. ALL ITEMS NOT EXPLICITLY DEFINED IN THIS DRAWING ARE DEFINED BY THE MASTER CAD MODELS. ALL DIMENSIONS NOT DEFINED ON THIS DRAWING ARE CONTAINED WITHIN THE FOLLOWING MANUFACTURING FILES:
 - 2.1. FLAT PARTS: <MATERIAL> <MATERIAL COLOR, IF APPLICABLE> <THICKNESS, IN DECIMAL INCHES> <PN> <DESCRIPTION> <REV>_V<VERSION NUMBER OF MODEL>.SVG
 - 2.2. FDM 3D PRINTED PARTS: FDM_<PN> <DESCRIPTION> <REV>_V<VERSION # OF MODEL>.3MF
 - 2.3. RESIN 3D PRINTED PARTS: RESN_<PN> <DESCRIPTION> <REV>_V<VERSION # OF MODEL>.3MF
 - 2.4. MACHINED OR BENT PARTS: <PN> <DESCRIPTION> <REV>_V<VERSION # OF MODEL>.STEP
 - 2.5. DECALS: <PN>_<DESCRIPTION>_<REV>_V<VERSION # OF MODEL>.PDF
3. ALL PARTS SHALL BE PAINTED IAW FED-STD-595, FS37038, BLACK.
4. FN 6 & 7 SHALL BE CONSTRUCTED OF 500 DENIER OLIVE DRAB CONDURA OR DUCKCLOTH COVER, WITH VELCRO CLOSURES WHICH SHALL NOT BE VISIBLE WHILE INSTALLED. CUSHION INSERT SHALL CONSIST OF 3/4" MEDIUM FIRMNESS MEMORY FOAM WITH A 1/4" EXTRA FIRM FOAM BASE PLY BONDED TOGETHER. SEWN ON HOOK-AND-LOOP ("VELCRO") FASTENER SHALL BE ATTACHED TO THE BOTTOM/BACK OF EACH PAD, AND ATTACHED TO THE SEAT WITH ADHESIVE BACKED HOOK-AND-LOOP FASTENER.



-1 ASSY

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
-	INITIAL RELEASE	02/25/2024	
A	SHT 4 FN 24: REPLACED ALE WITH ALE+; FN 23: ADDED STOCK MATERIAL AND FABRICATION NOTE; SHT 24 FN 29: ADDED STOCK MATERIAL NOTE;	10/1/2026	

32	1	BK4-4	XCDR, BUTTKICKER ADVANCE	N/A
31	1	OH3A2-400	ASSY, BRIDLE CONTAINER COVER	----
30	1	OH3A2-300	ASSY, SEAT BASE & RAILS	----
29	1	OH3A2A-9016	DECAL, DROGUE ASSY	VYNL
28	1	OH3A2A-9014	DECAL, SURVIVAL KIT, OXYGEN, AIRCRAFT SEAT	VYNL
27	2	OH3A2A-9011	DECAL, SEAT APPLICATION	VYNL
26	1	OH3A2A-9010	DECAL, SEAT, AIRCRAFT EJECTION	VYNL
25	1	OH3A2A-9007	DECAL, PARACHUTE ASSY	VYNL
24	1	OH3A2A-9006	DECAL, NACES PFCL	VYNL
23	1	OH3A2A-9008	DECAL, SEAT BUCKET MECH	VYNL
22	1	OH3A2A-9004	DECAL, DANGER DO NOT PULL	VYNL
21	1	OH3A2A-9005	DECAL, DO NOT HOLD	VYNL
20	1	OH3A2A-9002	DECAL, BRIDLE AND BOX	VYNL
19	1	OH3A2A-9003	DECAL, BUCKET-SEAT ASSY	VYNL
18	4	57715K26	KNOB, THREE-ARM, .3125-18, THRU-HOLE, PLASTIC	N/A
17	4	98060A580	BOLT, CARRIAGE, KNURLED-NECK, .3125-18 X 1.75L, GR5	STL
16	4	91309A542	HHCS, .25-20 X 1.00, STEEL, ZINC	STL
15	4	90126A029	WASHER, .25 X .625, STEEL, ZINC	STL
14	8	90377A165	WASHER, .3125 X 1.50 OD, 18-8, BLK	SS
13	2	93085A854	FHS, 100 DEG, #8-32 X 2.00, 18-8	SS
12	2	91841A009	NUT, #8-32, 18-8	SS
11	2	96765A120	WASHER, #8 X .375 OD, 18-8, BLK	SS
10	12	96765A145	WASHER, .3125 X .750 X .05 THK, 18-8, BLK	SS
9	9	92673A119	NUT, .3125-18, 18-8	SS
8	9	92198A692	HHCS, .3125-18 X 2.25, PART THD, 18-8	SS
7	1	OH3A2A-200	ASSY, PARACHUTE CONTAINER, SJU-17	----
6	1	OH3A2-34	SEAT BACK CUSHION	N/A
5	1	OH3A2-33	SEAT PAN CUSHION	N/A
4	1	OH3A2A-100	ASSY, SEAT BUCKET, SJU-17	----
3	1	OH3A2-200	PARACHUTE DEPLOYMENT ROCKET	----
2	2	OH3A2-27	UPPER PARACHUTE DEPLOYMENT ROCKET ARM	ACRL
1	1	OH3A2-100	DROGUE DEPLOYMENT CATAPULT	----

ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				
UNLESS OTHERWISE SPECIFIED:		UOS INCH TOLERANCES ARE:		
DIMENSIONS ARE IN INCHES.		OPEN HORNET <i>https://www.OpenHornet.com</i>		
DUAL DIMENSIONS ARE IN MILLIMETERS AND ENCLOSED IN SQUARE BRACKETS.		DECIMALS: ANGLES: .X ± .1 MACHINED ± .5° .XX ± .03 LOCATING ± .5° .XXX ± .010 FORMED ± 2° CHAMFERS ± 5° TITLE ASSY, EJECTION SEAT, SJU-17 CENTER TUB		
INTERPRET DRAWING IAW ASME Y14.100-2017.		DRILLED HOLE DIAMETERS: .0135 - .125: +.004/- .001 .126 - .250: +.005/- .001 .251 - .500: +.006/- .001 .501 - .750: +.008/- .001 .751 - 1.000: +.010/- .001 1.001 - 2.000: +.012/- .001 SIZE DWG NO OH3A2-1 SCALE 1:4 DO NOT SCALE DWG REV A		
INTERPRET DIM AND TOL IAW ASME Y14.5-2009.				
REMOVE ALL BURRS AND SHARP EDGES TO .05 MAX.				
DIMENSIONS APPLY BEFORE FINISH.				
DESIGNED J. STEENSEN 04/28/2023 CHECKED DRAWN J. STEENSEN 04/28/2023				




OPEN HORNET
<https://www.OpenHornet.com>


ASSY, EJECTION SEAT, SJU-17

CENTER TUE


DESIGNED	J. STEENSEN	04/28/2023		SIZE	DWG NO			REV
CHECKED				D	OH3A2-1			A
DRAWN	J. STEENSEN	04/28/2023		SCALE 1:4	DO NOT SCALE DWG		SHEET 1/30	




DETAIL A
SCALE 1:3




-1 ASSY
PARACHUTE
CONTAINER
(HEADREST)
INSTALLATION



DETAIL B
SCALE 1:3




-1 ASSY
TRANSDUCER
(BUTTKICKER)
INSTALLATION




-1 ASSY
BRIDLE CONTAINER
COVER INSTALLATION

-1 ASSY
PARACHUTE
ROCKET
INSTALLATION

DETAIL C
SCALE 1:1




-1 ASSY
PARACHUTE
ROCKET LINK
ASSEMBLY



-1 ASSY
DROGUE PARACHUTE
CATAPULT INSTALLATION

-1 ASSY
SEAT BUCKET
INSTALLATION
(REAR PLATE HIDDEN
FOR CLARITY)




SECTION D-D
SCALE 1:4

-1 ASSY
DECAL
INSTALLATION



OPEN HORNET
<https://www.OpenHornet.com>

SIZE	DWG NO	REV
D	OH3A2-1	A
SCALE 1:8		SHEET 5/30




8	1	OH3A2A-1000	ASSY, CENTER SEAT BUCKET	----
7	1	OH3A2A-1300	ASSY, EJECTION HANDLE	----
6	1	OH3A2A-1200	ASSY, LEFT SEAT BUCKET	----
5	1	OH3A2A-1100	ASSY, RIGHT SEAT BUCKET	----
4	4	91249A148	PHS, #6-32 X .50, 18-8, BLK	SS
3	4	96765A115	WASHER, #6 X .375 OD, 18-8, BLACK-OXIDE	SS
2	13	96765A120	WASHER, #8 X .375 OD, 18-8, BLK	SS
1	13	91249A197	PHS, #8-32 X .750, 18-8, BLK	SS
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL

PARTS LIST



SIZE	D	DWG NO	OH3A2-100	REV	A
SCALE	1:3			SHEET	6/30




41	1	ABSI001	ASSY, ABSIS ALE+	N/A
40	4	94070A076	PHS, #2-56 X .1875, BRASS	BRS
39	4	91780A035	STANDOFF, #2-56 X 1.50, .1875 HEX, 6061	ALU
38	4	91249A060	PHS, #2-56 X .625, 18-8, BLK	SS
37	4	92673A119	NUT, .3125-18, 18-8	SS
36	4	90377A165	WASHER, .3125 X 1.50 OD, 18-8, BLK	SS
35	4	92198A692	HHCS, .3125-18 X 2.25, PART THD, 18-8	SS
34	4	96765A145	WASHER, .3125 X .750 X .05 THK, 18-8, BLK	SS
33	4	4280-BLACK	BRACKET, SLOTTED, INSIDE CORNER	ALU
32	22	90252A118	FHWS, 82 DEG, #8 X 2.00, STEEL, BLK, FOR MDF	STL
31	29	90252A115	FHWS, 82 DEG, #8 X 1.50, STEEL, BLK, FOR MDF	STL
30	4	93365A130	INSERT, 6-32, BRASS, FOR PLASTIC	BRS
29	17	92105A660	INSERT, #8-32, SELF TAPPING, FOR SOFTWOOD	ZINC
28	8	91249A197	PHS, #8-32 X .750, 18-8, BLK	SS
27	8	98023A113	WASHER, #8, STEEL, ZINC	STL
26	4	93365A140	INSERT, #8-32, BRASS, FOR PLASTICS	BRS
25	1	OH3A2A-147	LEFT KNEE GUARD SUPPORT	PETG
24	1	OH3A2A-123	LEFT SEAT BACK DOUBLER PLATE	MDF
23	1	OH3A2A-124	SEAT BACK SKIN	ABS
22	1	OH3A2A-122	RIGHT SEAT BACK DOUBLER PLATE	MDF
21	2	OH3A2A-121	SEAT BACK RIB B	MDF
20	2	OH3A2A-120	SEAT BACK RIB A	MDF
19	1	OH3A2A-119	SEAT BACK BASE	MDF
18	1	OH3A2A-138	ACCESS PANEL, SEAT PAN	MDF
17	1	OH3A2A-117	SEAT PAN TOP	MDF
16	1	OH3A2A-116	FWD SEAT PAN TOP SUPPORT	MDF
15	1	OH3A2A-115	REAR UPPER SEAT PAN SUPPORT	MDF
14	1	OH3A2A-112	UPPER SEAT PAN DETAIL E	MDF
13	1	OH3A2A-110	LEFT OUTBOARD UPPER SEAT PAN LONGERON	MDF
12	1	OH3A2A-108	LEFT THIGH SUPPORT	PETG
11	1	OH3A2A-107	LEFT INBOARD UPPER SEAT PAN LONGERON	MDF
10	1	OH3A2A-109	FWD UPPER SEAT PAN TRIM	PETG
9	1	OH3A2A-108	RIGHT THIGH SUPPORT	PETG
8	1	OH3A2A-107	RIGHT INBOARD UPPER SEAT PAN LONGERON	MDF
7	1	OH3A2A-106	UPPER SEAT PAN DETAIL C	MDF
6	1	OH3A2A-105	UPPER SEAT PAN DETAIL B	MDF
5	1	OH3A2A-103	RIGHT OUTBOARD UPPER SEAT PAN LONGERON	MDF
4	1	OH3A2A-102	UPPER SEAT BASE	MDF
3	1	OH3A2A-101	SEAT BASE	MDF
2	2	OH3A2A-141	KNEE GUARD SUPPORT BRACKET	PETG
1	1	OH3A2A-140	RIGHT KNEE GUARD SUPPORT	PETG
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL



OPEN HORNET
<https://www.OpenHornet.com>

SIZE	D	DWG NO	OH3A2A-1000	REV	A
SCALE 1:2		SHEET 7/30			




-1000 ASSY
SEAT BACK
ASSEMBLY

**OPEN HORNET**
<https://www.OpenHornet.com>

SIZE	DWG NO	REV
D	OH3A2A-1000	A
SCALE 1:2		SHEET 8/30






-1000 ASSY
SEAT BACK
ASSEMBLY

**OPEN HORNET**
<https://www.OpenHornet.com>

SIZE	DWG NO	REV
D	OH3A2A-1000	A
SCALE 1:2		SHEET 9/30





-1000 ASSY
THREADED INSERT,
ABSIS, AND SEAT
BUCKET SKIN
INSTALLATION

FN 23 CONSTRUCT FROM
1/8" X 18" X 24" STOCK MATERIAL
TRIM TO FIT IN PLACE

APPLY VINYL WRAP OF
FAUX CARBON FIBER
FINISH TO SEAT BACK
AND SIDES OF SEAT BACK

**OPEN HORNET**
<https://www.OpenHornet.com>

SIZE	DWG NO	REV
D	OH3A2A-1000	A
SCALE 1:2		SHEET 10/30




D

C

B

A




-1100 ASSY
SEAT HARNESS
MANUAL OVERRIDE
HANDLE
INSTALLATION


36	2	7658K17	SWITCH, LIMIT, SUBMINIATURE, SNAP-ACTING, SPST	N/A
35	1	90322A639	ROD, THREADED, 10-32 X 1.0, STEEL	STL
34	1	93330A554	STANDOFF, #10-32 X 3.50, .25 OD, FEMALE, ALUMINUM	ALU
33	1	93330A564	STANDOFF, #10-32 X 4.00, .25 OD, FEMALE, ALUMINUM	ALU
32	1	60645K111 (RH)	ROD END, BALL JOINT, 10-32 X .750 X .3125 ID, RH, STEEL	STL
31	1	60645K111 (LH)	ROD END, BALL JOINT, 10-32 X .750 X .3125 ID, STEEL	STL
30	1	1394A230	BRACKET, FLAT, 1.5 X 0.5 X .06, 2X #5 HOLE, STEEL	STL
29	2	90480A195	NUT, #10-32, THIN, STEEL	STL
28	1	6516K120	ROD, CONNECTING, 10-32 X 1.1875, 12 OAL, STEEL	STL
27	1	9657K328	SPRING, COMPRESSION, .198 ID X .25 OD X 1.25OAL X .32 CL, STEEL, 5.7LBS-IN FORCE	STL
26	2	60645K311	ROD END, BALL JOINT, 10-32 FEMALE X .3125 ID, STEEL, ZINC	STL
25	2	6294K432	BEARING, SLEEVE, .3125 OD X .25 L X .375 FLANGE, NYLON	NYL
24	1	6627K412	BEARING, SLEEVE, .4698 OD X .25 L X .6875 FLANGE OD X .375 SHFT, PEEK	PEEK
23	2	84835A23	SPRING PLUNGER, BALL-NOSE, PRESS-FIT, 0.25 IN DIA, 6-13 LB FORCE	----
22	1	92673A119	NUT, .3125-18, 18-8	SS
21	1	90969A310	SCREW, ULTRA LOW PROFILE SHOULDER, .375 X .50 L X .3125-18 X .50	STL
20	1	92735A610	GROOVED CLEVIS PIN, .3125 OD X .875 UL X 1.0 OAL, STEEL	STL
19	4	92735A605	GROOVED CLEVIS PIN, .3125 OD X .625 UL X .75 OAL, STEEL	STL
18	2	93365A110	INSERT, 2-56, BRASS, FOR PLASTIC	BRS
17	2	91772A064	PHS, #0-80 X .4375, 18-8	SS
16	2	93365A102	INSERT, 0-80, BRASS, FOR PLASTICS	BRS
15	2	91771A140	FHS, 82 DEG, #2-56 X 1.00, 18-8	SS
14	4	92141A011	WASHER, #10 X .438 OD, 18-8	SS
13	1	90272A832	PHS, #10-32 X .875, STEEL	STL
12	2	91772A060	PHS, #0-80 X .625, 18-8	SS
11	2	92671A115	NUT, #0-80, BRASS	BRS
10	6	93365A120	INSERT, 4-40, BRASS, FOR PLASTICS	BRS
9	6	91249A111	PHS, #4-40 X .50, 18-8, BLK	SS
8	6	90618A200	WASHER, #4 X .250, 18-8, BLK	SS
7	40	91654A144	SCREW NAIL, DOMED, .14 X .25 SHANK X .25 HD DIA, 18-8	SS
6	1	OH3A2A-125	RIGHT SEAT BUCKET SKIN	MDF
5	1	OH3A2A-133	SEAT ARMING LEVER	PETG
4	1	OH3A2A-137	CRANK ARM, SEAT ARMING LEVER	PETG
3	1	OH3A2A-132	MANUAL OVERRIDE HANDLE	PETG
2	1	OH3A2A-134	MANUAL OVERRIDE HANDLE SWITCH MOUNT	PETG
1	1	OH3A2A-135	MANUAL OVERRIDE HANDLE MECHANISM GUARD	PETG
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



OPEN HORNET
<https://www.OpenHornet.com>

SIZE	D	DWG NO	OH3A2A-1100	REV	A
SCALE	1:2			SHEET 11/30	






-125 DETAIL
FLAT PATTERN



		OPEN HORNET	
		https://www.OpenHornet.com	
SIZE	DWG NO	REV	
D	OH3A2A-125	A	
SCALE 1:1.5		SHEET 13/30	




-1200 ASSY
HARNESS LOCK
LEVER INSTALLATION

18	2	7658K17	SWITCH, LIMIT, SUBMINIATURE, SNAP-ACTING, SPST	N/A
17	2	HDW4	HEX NUT FOR SWITCH, 15/32-32NS	N/A
16	1	HDW17	LOCKING RING FOR SWITCH, B13	N/A
15	1	HDW12	LOCK WASHER FOR SWITCH, B13	N/A
14	1	100SP4T8B13M1QEH	SWITCH, TOGGLE, (ON)-OFF-(ON), SPDT, 18MM BAT	N/A
13	1	5901A122	SPRING PLUNGER, BALL-NOSE, #8-32 HEX DRIVE	----
12	1	91841A009	NUT, #8-32, 18-8	SS
11	4	91772A064	PHS, #0-80 X .4375, 18-8	SS
10	4	93365A102	INSERT, 0-80, BRASS, FOR PLASTICS	BRS
9	7	90471A436	FHS, 100 DEG, #8-32 X 1.25, STEEL	STL
8	42	91654A144	SCREW NAIL, DOMED, .14 X .25 SHANK X .25 HD DIA, 18-8	SS
7	8	93365A140	INSERT, #8-32, BRASS, FOR PLASTICS	BRS
6	1	OH3A2A-126	LEFT SEAT BUCKET SKIN	MDF
5	1	OH3A2A-131	SHOULDER HARNESS CONTROL LEVER HANDLE	PETG
4	1	OH3A2A-130	SHOULDER HARNESS CONTROL LEVER	PETG
3	1	OH3A2A-129	INNER SHOULDER HARNESS CONTROL LEVER HOUSING	PETG
2	1	OH3A2A-128	OUTER SHOULDER HARNESS CONTROL LEVER HOUSING	PETG
1	1	OH3A2A-127	SEAT HEIGHT ACTUATOR SWITCH HOUSING	PETG
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL

OPEN HORNET
<https://www.OpenHornet.com>

SIZE	D	DWG NO	OH3A2A-1200	REV	A
SCALE	1:1.5			SHEET 14/30	



INSTALL FN 14 USING FN
15, 16, & 17 HARDWARE
(NOT SHOWN)

IT IS RECOMMENDED TO INSTALL
ALL FN 8 PRIOR TO
BENDING/FORMING FN 6 SKIN.

-1200 ASSY
SEAT HEIGHT
ADJUSTMENT SWITCH
INSTALLATION


-1200 ASSY
FAUX RIVET
INSTALLATION



OPEN HORNET
<https://www.OpenHornet.com>



SIZE	D	DWG NO	OH3A2-1200	REV	A
SCALE	1:1.5			SHEET	15/30




-126 DETAIL
FLAT PATTERN

**OPEN HORNET**
<https://www.OpenHornet.com>

SIZE	DWG NO	REV
D	OH3A2-126	A
SCALE 1:1.5		SHEET 16/30





SECTION F-F
SCALE 1:1


SECTION G-G
SCALE 1:1

21	1	7658K17	SWITCH, LIMIT, SUBMINIATURE, SNAP-ACTING, SPST	N/A
20	4	3914T5	STOP, WIRE ROPE, .1875 WIRE DIA	N/A
19	2	90272A203	PHS, #8-32 X 1.50, STEEL	STL
18	2	90272A079	PHS, #2-56 X .375, STEEL	STL
17	2	93365A110	INSERT, 2-56, BRASS, FOR PLASTIC	BRS
16	2	9657K332	SPRING, COMPRESSION, 0.296 ID X 0.36 OD X 1.25 OAL X 0.27 CL, STEEL, 6.7 LBF MAX	STEEL
15	2	91078A029	NUT, THIN, .25-20, STEEL	STL
14	6	90126A029	WASHER, .25 X .625, STEEL, ZINC	STL
13	2	95412A560	ROD, .25-20 X 4.500, 18-8	SS
12	4	93365A160	INSERT, .25-20, BRASS, FOR PLASTICS	BRS
11	2	98023A113	WASHER, #8, STEEL, ZINC	STL
10	2	93365A140	INSERT, #8-32, BRASS, FOR PLASTICS	BRS
9	1	OH3A2A-146	UPPER EJECTION HANDLE BASE	PETG
8	1	OH3A2A-145	LOWER EJECTION HANDLE BASE	PETG
7	1	OH3A2A-144	EJECTION HANDLE SWITCH ACTUATOR	PETG
6	1	OH3A2A-143	EJECTION HANDLE CAP	PETG
5	1	8912T54	ROPE, WIRE, COATED, .1875 ROPE DIA, .3125 COATING DIAMETER, BLACK	N/A
4	1	5648K33	TUBING, .500OD X .3281 ID, 95A DUROMETER, POLYURETHANE, YELLOW	N/A
3	1	PTN0.50SS	SLEEVING, BRAIDED, SAFETY STRIPE (YELLOW-BLACK), .500 DIA, PET	N/A
2	2	7856K18	HEAT-SHRINK, .75ID SHRINK TO .375ID, POLYOLEFIN, YELLOW	N/A
1	1	OH3A2A-142	EJECTION HANDLE CAP SUPPORT	PETG
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL

PARTS LIST

**OPEN HORNET**
<https://www.OpenHornet.com>


SIZE	DWG NO	REV
D	OH3A2-1300	A
SCALE 1:1.5		SHEET 17/30




-200 ASSY
STRUCTURE
ASSEMBLY

37	30	91654A144	SCREW NAIL, DOMED, .14 X .25 SHANK X .25 HD DIA, 18-8	SS
36	14	90275A196	FHS, 82 DEG, #8-32 X .625, STEEL	STL
35	6	92105A660	INSERT, #8-32, SELF TAPPING, FOR SOFTWOOD	ZINC
34	4	90272A201	PHS, #8-32 X 1.250, STEEL	STL
33	22	91841A009	NUT, #8-32, 18-8	SS
32	2	60645K131	ROD END, BALL JOINT, .3125-24 X 1.25 SHANK X .875 OAW, STEEL	STL
31	20	91249A197	PHS, #8-32 X .750, 18-8, BLK	SS
30	28	98023A113	WASHER, #8, STEEL, ZINC	STL
29	2	4280-BLACK	BRACKET, SLOTTED, INSIDE CORNER	ALU
28	4	92673A119	NUT, .3125-18, 18-8	SS
27	4	96765A145	WASHER, .3125 X .750 X .05 THK, 18-8, BLK	SS
26	4	91309A587	HHCS, .3125 X 1.50, STEEL	STL
25	3	90252A115	FHWS, 82 DEG, #8 X 1.50, STEEL, BLK, FOR MDF	STL
24	22	93365A140	INSERT, #8-32, BRASS, FOR PLASTICS	BRS
23	4	90471A435	FHS, 100 DEG, #8-32 X .625, STEEL	STL
22	19	90252A112	FHS, 82 DEG, #8 X 1.00, STEEL, BLK, FOR MDF	STL
21	1	OH3A2A-218	RIGHT LOWER PARACHUTE CONTAINER SKIN TRIM	PETG
20	1	OH3A2A-217	RIGHT OUTSIDE PARACHUTE CONTAINER SKIN	ACRL
19	1	OH3A2A-216	LOWER PARACHUTE CONTAINER SKIN TRIM	PETG
18	1	OH3A2A-215	OUTSIDE PARACHUTE CONTAINER SKIN	ACRL
17	1	OH3A2A-214	SJU-17 HEADREST B	PETG
16	1	OH3A2A-213	SJU-17 HEADREST C	PETG
15	1	OH3A2A-212	SJU-17 HEADREST D	PETG
14	1	OH3A2A-211	SJU-17 HEADREST A	PETG
13	1	OH3A2A-210	RH PARACHUTE CONTAINER LID	PETG
12	1	OH3A2A-209	LH PARACHUTE CONTAINER LID	PETG
11	1	OH3A2A-208	RH CANOPY BREAKER	PETG
10	1	OH3A2A-207	LH CANOPY BREAKER	PETG
9	1	OH3A2A-206	RIGHT SIDE PARACHUTE CONTAINER SUPPORT	MDF
8	1	OH3A2A-205	AFT PARACHUTE CONTAINER SUPPORT	MDF
7	1	OH3A2A-204	LEFT SIDE PARACHUTE CONTAINER SUPPORT	MDF
6	1	OH3A2A-203	TOP PARACHUTE CONTAINER BASE	MDF
5	1	OH3A2A-202	FWD PARACHUTE CONTAINER SUPPORT	MDF
4	1	OH3A2A-201	LOWER PARACHUTE CONTAINER BASE	MDF
3	1	OH3A2A-223	PCM SUPPORT	PETG
2	1	OH3A2A-222	PCM UPPER RAIL INTERFACE PLATE	MDF
1	1	OH3A2A-221	PCM PARACHUTE CONTAINER INTERFACE PLATE	MDF
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL

PARTS LIST



SIZE	D	DWG NO	OH3A2A-200	REV	A
SCALE	1:1.5			SHEET	18/30




-200 ASSY
STRUCTURE
ASSEMBLY
(FN 2 HIDDEN FOR
CLARITY)

**OPEN HORNET**
<https://www.OpenHornet.com>

SIZE	DWG NO	REV
D	OH3A2A-200	A
SCALE 1:1.5		SHEET 19/30






-200 ASSY
HEADREST
INSTALLATION




SIZE	DWG NO	REV
D	OH3A2A-200	A
SCALE 1:1.5		SHEET 20/30



-200 ASSY
PARACHUTE
CONTAINER LID
ASSEMBLY

-200 ASSY
MOUNTING
SYSTEM
ASSEMBLY




5	1	OH3A2-105	DROGUE DEPLOYMENT CASTLE NUT	PETG
4	2	OH3A2-104	DROGUE DEPLOYMENT CATAPULT MOUNT	PETG
3	1	OH3A2-103	DROGUE DEPLOYMENT CATAPULT BODY	PVC
2	1	OH3A2-102	DROGUE DEPLOYMENT CATAPULT LOWER CAP	PETG
1	1	OH3A2-101	DROGUE DEPLOYMENT CATAPULT UPPER CAP	PETG
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				





OPEN HORNET
<https://www.OpenHornet.com>


SIZE	DWG NO	REV
D	OH3A2-100	A
SCALE 1:2		SHEET 22/30



3	1	OH3A2-203	PARACHUTE DEPLOYMENT ROCKET UPPER CAP	PETG
2	1	OH3A2-202	PARACHUTE DEPLOYMENT ROCKET LOWER BODY	PETG
1	1	OH3A2-201	PARACHUTE DEPLOYMENT ROCKET BODY	PVC
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



SIZE	DWG NO	REV
D	OH3A2-200	A
SCALE	1:1	SHEET 23/30




-300 ASSY
LOWER SEAT
BASE/RAIL
ASSEMBLY

44	2	9994T91	CASTER, FIXED, EDGE-MOUNT, 2.0 OD RBR WHEEL	----
43	4	92105A675	INSERT, .25-20, SELF TAPPING, FOR SOFTWOOD	ZINC
42	1	90272A203	PHS, #8-32 X 1.50, STEEL	STL
41	1	91841A009	NUT, #8-32, 18-8	SS
40	32	93365A140	INSERT, #8-32, BRASS, FOR PLASTICS	BRS
39	4	90252A118	FHWS, 82 DEG, #8 X 2.00, STEEL, BLK, FOR MDF	STL
38	24	90272A201	PHS, #8-32 X 1.250, STEEL	STL
37	33	98023A113	WASHER, #8, STEEL, ZINC	STL
36	2	98381A474	PIN, DOWEL, .125 OD X .825L, ALLOY STEEL	STL
35	14	91249A197	PHS, #8-32 X .750, 18-8, BLK	SS
34	6	96765A120	WASHER, #8 X .375 OD, 18-8, BLK	SS
33	12	92105A660	INSERT, #8-32, SELF TAPPING, FOR SOFTWOOD	ZINC
32	6	90471A435	FHS, 100 DEG, #8-32 X .625, STEEL	STL
31	2	90252A112	FHS, 82 DEG, #8 X 1.00, STEEL, BLK, FOR MDF	STL
30	66	90252A115	FHWS, 82 DEG, #8 X 1.50, STEEL, BLK, FOR MDF	STL
29	1	OH3A2-43	LOWER HEADREST SKIN	ABS
28	1	OH3A2-42	SEAT SEAWARS PROBE	PETG
27	1	OH3A2-41	SEAT HARNESS REEL	PETG
26	1	OH3A2-40	LOWER HEADREST BLOCK A (1)	PETG
25	1	OH3A2-39	LOWER HEADREST BLOCK A	PETG
24	1	OH3A2-38	LOWER HEADREST BLOCK D	PETG
23	1	OH3A2-37	LOWER HEADREST BLOCK B	PETG
22	1	OH3A2-36	RH IGNITION BLOCK	PETG
21	1	OH3A2-35	LH IGNITION BLOCK	PETG
20	1	OH3A2-32	RH INBOARD SEAT MOUNT	MDF
19	1	OH3A2-31	RH VERTICAL MOUNTING RAIL OUTER	MDF
18	1	OH3A2-30	RH VERTICAL MOUNTING RAIL INNER	MDF
17	1	OH3A2-29	RH OUTBOARD SEAT MOUNT	MDF
16	1	OH3A2-28	LOWER PARACHUTE DEPLOYMENT ROCKET MOUNT	PETG
15	2	OH3A2-26	DROGUE DEPLOYMENT MOUNT A	PETG
14	1	OH3A2-25	SEAT REAR RAIL PLATE	MDF
13	1	OH3A2-24	SEAT CATAPULT HORIZONTAL SUPPORT	MDF
12	1	OH3A2-22	UPPER RAIL CAP	MDF
11	1	OH3A2-21	LOWER HORIZONTAL MOUNTING RAIL	MDF
10	1	OH3A2-19	UPPER HORIZONTAL MOUNTING RAIL	MDF
9	1	OH3A2-18	VERTICAL MOUNTING RAIL, OUTER	MDF
8	1	OH3A2-17	VERTICAL MOUNTING RAIL	MDF
7	1	OH3A2-16	INBOARD SEAT MOUNT	MDF
6	1	OH3A2-15	OUTBOARD SEAT MOUNT	MDF
5	1	OH3A2-14	BUTTKICKER MOUNTING PLATE	PETG
4	2	OH3A2-13	SEAT CATAPULT DETAIL RING	PETG
3	1	OH3A2-12	SEAT CATAPULT MOUNT	PETG
2	1	OH3A2-11	SEAT CATAPULT	PVC
1	1	OH3A2-10	FWD SEAT MOUNT CROSSMEMBER	ALU
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL

PARTS LIST






-300 ASSY
RH UPPER RAIL
ASSEMBLY




SIZE	DWG NO	REV
D	OH3A2-300	A
SCALE 1:2		SHEET 25/30



-300 ASSY
LH UPPER RAIL
ASSEMBLY



SIZE	DWG NO	REV
D	OH3A2-300	A
SCALE 1:2		SHEET 26/30



MAKE FROM Ø2.0 NOMINAL X 29 LENGTH SCH 40 PVC PIPE
(Ø2.375 ACTUAL OD)

FABRICATE FROM 1/8" STOCK
BOND TO STRUCTURE WITH
CA OR HMA

APPLY VINYL WRAP OF
FAUX CARBON FIBER
FINISH TO FRONT
SURFACES OF COVER

4 BOND TO FN 2
WITH CA OR HMA

RH & LH UPPER RAILS ARE LOOSE DURING THIS STEP.
THIS STEP SHOULD BE CONDUCTED SIMULTANEOUSLY
WITH REAR PLATE INSTALLATION.

-300 ASSY
REAR PLATE
INSTALLATION

-300 ASSY
CATAPULT
INSTALLATION




OPEN HORNET
<https://www.OpenHornet.com>



SIZE D
SCALE 1:2

DWG NO
OH3A2-300

REV
A
SHEET 27/30



-300 ASSY
CASTER &
TRANSDUCER
MOUNT
ASSEMBLY



D

C

B


A

D

C

B

A




DOWN 22.0° R.13

-43 DETAIL
FLAT PATTERN



		OPEN HORNET https://www.OpenHornet.com	
SIZE	DWG NO	REV	
D	OH3A2-43	A	
SCALE 1:1		SHEET 29/30	



3	4	90252A115	FHWS, 82 DEG, #8 X 1.50, STEEL, BLK, FOR MDF	STL
2	1	OH3A2-23	AFT RAIL CAP	MDF
1	2	OH3A2-20	DROGUE BRIDLE CONTAINER	MDF
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL

PARTS LIST





OPEN HORNET
<https://www.OpenHornet.com>

SIZE	DWG NO	REV
D	OH3A2-400	A
SCALE 1:2		SHEET 30/30