NOTES: (UNLESS OTHERWISE SPECIFIED)


1. SPECIFICATIONS AND DOCUMENTS:
   1.1. ELECTRICAL CONNECTIONS SHALL BE IAW OH-INTERCONNECT.

2. ALL ITEMS NOT EXPLICITLY DEFINED IN THIS DRAWING ARE DEFINED BY THE MASTER CAD MODELS. ALL DIMENSIONS NOT DEFINED ON THIS DRAWING ARE CONTAINED WITHIN THE FOLLOWING MANUFACTURING FILES:
   2.1. FLAT PARTS: <MATERIAL>_<MATERIAL COLOR, IF APPLICABLE>_<THICKNESS, IN DECIMAL INCHES>_<PN>_<DESCRIPTION>_<REV>_V<VERSION NUMBER OF MODEL>.SVG
   2.2. FDM 3D PRINTED PARTS: FDM_<PN>_<DESCRIPTION>_<REV>_V<VERSION # OF MODEL>.3MF
   2.3. MACHINED OR BENT PARTS: <PN>_<DESCRIPTION>_<REV>_V<VERSION # OF MODEL>.STEP

3. FABRICATE FN 4 & 5 SKINS BY FORMING THEM TO THE LIP STRUCTURE AND SECURE TO STRUCTURE WITH HARDWARE OF CHOICE. APPROPRIATE ALTERNATE MATERIALS MAY BE SUBSITUTED AS DESIRED.

4. FINISHES:
   4.1. FINISH FN 4 & 5 OF -1 ASSY AND FN 1 OF -100 & -200 ASSY, IAW FED-STD-595, FS36231, DULL GULL GREY.
   4.2. FINISH FN 2 OF -100 ASSY IAW FED-STD-595, FS37038, BLACK.

5. FN 38, RM750 ATX POWER SUPPLY UNIT (PSU) IS CONSIDERED A MINIMALLY VIABLE POWER SUPPLY FOR THE SYSTEM. A PSU OF GREATER WATTAGE AND CAPABILITY MAY BE SUBSTITUTED AS DESIRED.



-1 ASSY

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
-	INITIAL RELEASE	11/03/2023	
A	OH2A1-1: FN1 UPDATED TO ACCOMODATE PCB OH2A1-200: REPLACED 5X FN10 FASTNER WITH FN11	05/22/2026	
B	FN 48, 47, 52: REMOVED 4X, REPLACED WITH 4X FN 59-61; FN 57: WAS OH2A1-32; IS OH2A1-34; FN 58: WAS OH2A1-31; IS OH2A1-33; FN 9 WAS X502-1; IS X503-1; ASSEMBLIES UPDATED WITH ALE+ INTEGRATIONS	10/21/2026	

ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
61	4	91249A144	PHS, #6-32 X .250, 18-8, BLK	SS
60	4	93505A112	STANDOFF, #6-32 X .375, .1875 HEX, MALE-FEMALE, ALUMINUM	ALU
59	4	92105A101	INSERT, #6-32, SELF TAPPING, FOR SOFTWOOD	STEEL
58	1	OH2A1-33	PSU BRACKET UPPER	PETG
57	2	OH2A1-34	PSU BRACKET LOWER HOLDER V1	PETG
56	2	OH2A1-29	USB TO HDMI ADAPTER	PETG
55	1	OH2A1-200	ASSY, LOWER CENTER PEDESTAL	----
54	1	OH2A1-100	ASSY, UPPER CENTER PEDESTAL	----
53	2	90471A223	FHS, 100 DEG, #6-32 X .750, STEEL	STL
52	8	91249A060	PHS, #2-56 X .625, 18-8, BLK	SS
51	1	OH2A1-30	PSU BRACKET LOWER	PETG
50	6	90273A153	FHS, 82DEG, 6-32 X 1.00, STEEL, ZINC	STL
49	6	91249A156	PHS, 6-32 X .8750, 18-8, BLACK-OXIDE	SS
48	8	94070A076	PHS, #2-56 X .1875, BRASS	BRS
47	8	91780A105	STANDOFF, #2-56 X .375, .1875 HEX, FEMALE, ALUMINUM	ALU
46	2	91249A155	PHS, 6-32 X .75, 18-8, BLACK-OXIDE	SS
45	1	OH2A1-28	USB BRACKET UPPER	PETG
44	1	OH2A1-27	USB BRACKET LOWER	PETG
43	1	OHC0013-7	ASSY, SHORE BULKHEAD PANEL	----
42	1	ABSIS007	ASSY, ABSIS PIT MANAGEMENT SYSTEM	N/A
41	1	OHC0013-6	ASSY, RIGHT LIP-UIP BULKHEAD PANEL	----
40	1	OHC0013-5	ASSY, LEFT LIP-UIP BULKHEAD PANEL	----
39	1	ABSIS005	ABSIS_BACKLIGHT_CONTROLLER	N/A
38	1	CP-9020195-NA	RM SERIES™ RM750	N/A
37	3	B09V6WY1SD	HUB, USB 3.0, 7-PORT, 5VDC	N/A
36	1	ABSIS005	ABSIS_BACKLIGHT_CONTROLLER	N/A
35	2	USB32HD4	ADAPTER, 4X HDMI TO USB 3.0 A, STARTECH	N/A
34	8	90272A201	PHS, #8-32 X 1.250, STEEL	STL
33	1	OHC0013-4	ASSY, RIGHT FWD BULKHEAD INTERCONNECT PANEL	----
32	1	OHC0013-3	ASSY, LEFT FWD BULKHEAD INTERCONNECT PANEL	----
31	8	90471A276	FHS, 100DEG, #8-32 X 1.00, STEEL	STL
30	1	OH2A8A1-1	ASSY, RUDDER PEDALS	----
29	20	96765A120	WASHER, #8 X .375 OD, 18-8, BLK	SS
28	8	92200A197	SHCS, 8-32 X .750, 18-8	SS
27	2	90273A157	FHS, 82 DEG, 6-32 X 1.50, STEEL, ZINC	STL
26	18	90760A007	NUT, JAM, #6-32, STEEL	STL
25	2	7383N341	SPRING, EXTENSION, 1.0L X .24OD X .018 WIRE, 1.18LBF MAX	STL
24	2	91771A119	FHS, 82DEG, 4-40 X 1.50, 18-8	SS
23	2	91841A005	NUT, #4-40, 18-8	STL
22	4	90618A200	WASHER, #4 X .250, 18-8, BLK	SS
21	8	90176A102	SPACER, UNTHREADED, .125 X #8 X .250, NYLON 6, BLK	NYL
20	4	91771A141	FHS, 82DEG, 2-56 X 1.25, 18-8	SS
19	4	95130A105	NUT, #2-56, NARROW, BRASS	BRS
18	2	7658K17	SWITCH, LIMIT, SUBMINIATURE, SNAP-ACTING, SPST	N/A
17	4	90471A435	FHS, 100 DEG, #8-32 X .625, STEEL	STL
16	6	98023A113	WASHER, #8, STEEL, ZINC	STL
15	6	91249A197	PHS, #8-32 X .750, 18-8, BLK	SS
14	26	91841A009	NUT, #8-32, 18-8	SS
13	18	90471A436	FHS, 100 DEG, #8-32 X 1.25, STEEL	STL
12	4	91249A161	PHS, #6-32 X 1.50, 18-8, BLK	SS
11	4	91831A007	LOCKNUT, 6-32, 18-8	----
10	6	92141A008	WASHER, #6 X .3125 OD, 18-8	SS
9	1	X503-1	MONO POWER AMPLIFIER, CL D, 1000W, KENWOOD	----
8	1	OH2A2A1-1	ASSY, LEFT LIP MODULE	----
7	1	OH2A7A1-1	ASSY, STANDBY INSTRUMENT MODULE	----
6	1	OH2A1A1-1	ASSY, LOWER INSTRUMENT PANEL STRUCTURE	----
5	1	OH2A1-26	LIP L EXT SKIN	ABS
4	1	OH2A1-25	LIP R EXT SKIN	ABS
3	1	OH2A1-12	LEFT MIP MODULE INBOARD MOUNTING BRACKET	PETG
2	1	OH2A1-11	LEFT MIP MODULE MOUNTING BRACKET	PETG
1	1	OH2A1-10	STANDBY INSTRUMENT MODULE MOUNTING BRACKET	PETG

PARTS LIST

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES.

DUAL DIMENSIONS ARE IN MILIMETERS AND ENCLOSED IN SQUARE BRACKETS.

INTERPRET DRAWING IAW ASME Y14.100-2017.

INTERPRET DIM AND TOL IAW ASME Y14.5-2009.

REMOVE ALL BURRS AND SHARP EDGES TO .05 MAX.

DIMENSIONS APPLY BEFORE FINISH.

UOS INCH TOLERANCES ARE:

DECIMALS:
.X ± .1
.XX ± .03
.XXX ± .010

ANGLES:
MACHINED ± .5°
LOCATING ± .5°
FORMED ± 2°
CHAMFERS ± 5°

DRILLED HOLE DIAMETERS:
.0135 - .125: +.004/-.001
.126 - .250: +.005/-.001
.251 - .500: +.006/-.001
.501 - .750: +.008/-.001
.751 - 1.000: +.010/-.001
1.001 - 2.000: +.012/-.001

DESIGNED	J. STEENSEN	04/23/2023
CHECKED		
DRAWN	J. STEENSEN	04/23/2023


CC BY NC SA

OPEN HORNET
https://www.OpenHornet.com

TITLE
ASSY, LOWER INSTRUMENT PANEL
LOWER INSTRUMENT PANEL


SIZE	DWG NO	REV
D	OH2A1-1	B


SCALE 1:5	DO NOT SCALE DWG	SHEET 1/8



-1 ASSY
RUDDER PEDALS
INSTALLATION

MAJORITY OF FN 6, LIP STRUCTURE
HIDDEN IN THIS VIEW FOR CLARITY OF
INSTALLATION LOCATION






-1 ASSY
UPPER BULKHEAD
PANELS & TRANDUCER
AMP INSTALLATION


CC BY NC SA

OPEN HORNET
https://www.OpenHornet.com


SIZE	DWG NO	REV
D	OH2A1-1	B
SCALE 1:3		SHEET 2/8



DETAIL B
SCALE 1:1



-1 ASSY
RUDDER PEDAL
ADJUSTMENT
MECHANISM
INSTALLATION




-1 ASSY
CENTER PEDESTAL
COMPONENT
INSTALLATION

CC BY NC SA

OPEN HORNET
https://www.OpenHornet.com

SIZE	DWG NO	REV
D	OH2A1-1	B
SCALE 1:8		SHEET 3/8




-1 ASSY
LEFT/RIGHT LIP
MODULE
INSTALLATION


CC BY NC SA

OPEN HORNET
https://www.OpenHornet.com

SIZE	DWG NO	REV
D	OH2A1-1	B
SCALE 1:8		SHEET 4/8



-1 ASSY
AVIONICS BAY
COMPONENT
INSTALLATION





DETAIL A
SCALE 1:1.5

CC BY NC SA


OPEN HORNET
https://www.OpenHornet.com

SIZE	DWG NO	REV
D	OH2A1-1	B
SCALE N/A		SHEET 5/8





-1 ASSY
EXTERNAL SKIN
INSTALLATION




-1 ASSY
LOWER BULKHEAD PANELS
INSTALLATION

CC BY NC SA

OPEN HORNET
https://www.OpenHornet.com

SIZE	DWG NO	REV
D	OH2A1-1	B
SCALE N/A		SHEET 6/8




ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
8	4	91078A029	NUT, THIN, .25-20, STEEL	STL
7	8	90126A029	WASHER, .25 X .625, STEEL, ZINC	STL
6	4	91309A542	HHCS, .25-20 X 1.00, STEEL, ZINC	STL
5	5	90471A435	FHS, 100 DEG, #8-32 X .625, STEEL	STL
4	4	91841A009	NUT, #8-32, 18-8	SS
3	1	OH2A3A1-1	ASSY, AMPCD MODULE	----
2	1	OH2A1-18	UPPER CENTER PEDESTAL AMPCD TRIM	PETG
1	1	OH2A1-17	UPPER CENTER PEDESTAL FACE	PETG

PARTS LIST

CC BY NC SA

OPEN HORNET
https://www.OpenHornet.com

SIZE	DWG NO	REV
D	OH2A1-100	B
SCALE 1:1		SHEET 7/8



ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
16	1	90471A223	FHS, 100 DEG, #6-32 X .750, STEEL	STL
15	4	90760A007	NUT, JAM, #6-32, STEEL	STL
14	1	92141A008	WASHER, #6 X .3125 OD, 18-8	SS
13	1	57155K371	BEARING, SEALED, .1563 ID X .3125 OD X .125 THK, R155-2Z	N/A
12	6	91249A151	PHS, #6-32 X .625, 18-8, BLK	SS
11	5	91249A146	PHS, #6-32 X .375, 18-8, BLK	SS
10	6	91249A148	PHS, #6-32 X .50, 18-8, BLK	SS
9	15	93365A130	INSERT, 6-32, BRASS, FOR PLASTIC	BRS
8	4	91841A009	NUT, #8-32, 18-8	SS
7	1	OH2A6A1-1	ASSY, CABIN PRESSURE GAUGE	----
6	1	OH2A5A1-1	ASSY, PANEL, ECM/DISP	----
5	1	OH2A4A1-1	ASSY, PANEL, RWR CONTROL	----
4	1	OH2A1-16	CLOCK COVER	ACRL
3	1	OH2A1-15	RUDDER PEDAL ADJUST LEVER	PETG
2	1	OH2A1-14	RUDDER PEDAL ADJUST KNOB	PETG
1	1	OH2A1-13	LOWER CENTER PEDESTAL FACE	PETG

PARTS LIST

CC BY NC SA

OPEN HORNET
https://www.OpenHornet.com

SIZE	DWG NO	REV
D	OH2A1-200	B
SCALE 1:2		SHEET 8/8