

NOTES: (UNLESS OTHERWISE SPECIFIED)

1. SPECIFICATIONS AND DOCUMENTS:

1.1. OH4A9A4-1 FN 2 & 4 SHALL BE IAW OH-SPEC-001, PANEL TYPE A, METHOD 1, LEGEND PLATES.

1.2. ELECTRICAL CONNECTIONS SHALL BE IAW OH-INTERCONNECT.
2. ALL ITEMS NOT EXPLICITLY DEFINED IN THIS DRAWING ARE DEFINED BY THE MASTER CAD MODELS. ALL DIMENSIONS NOT DEFINED ON THIS DRAWING ARE CONTAINED WITHIN THE FOLLOWING MANUFACTURING FILES:

2.2. FLAT PARTS: <MATERIAL>_<MATERIAL COLOR, IF APPLICABLE>_<THICKNESS, IN DECIMAL INCHES>_<PN>_<DESCRIPTION>_<REV>_V<VERSION NUMBER OF MODEL>.SVG

2.3. FDM 3D PRINTED PARTS: FDM_<PN>_<DESCRIPTION>_<REV>_V<VERSION # OF MODEL>.3MF

2.4. MACHINED OR BENT PARTS: <PN>_<DESCRIPTION>_<REV>_V<VERSION # OF MODEL>.STEP


2.5. DECALS: <PN>_<DESCRIPTION>_<REV>_V<VERSION # OF MODEL>.PDF
3. FINISHES:

3.1. FN 1 SHALL BE FINISHED IAW FED-STD-595, FS36231, DARK GULL GRAY.

3.1. FN 3 SHALL BE FINISHED IAW FED-STD-595, FS37038, BLACK.

3.2. ALL MANUFACTURED PARTS OF FN 2 (OH4A9A4-1) SHALL BE FINISHED IAW FED-STD-595, FS37038, BLACK EXCEPT FOR FN 6 & 7 OF FN 2, WHICH SHALL BE FS36231, DARK GULL GRAY.



REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
-	INITIAL RELEASE	5/14/2023	
A	MOVED PARTS LIST TO SH2 FN43: REPLACED ABSIS HID BUS MASTER WITH ABSIS BUS MASTER FN 45, 46, & 47: QTY WAS 4	10/06/2024	
B	SH 4 ZONE C2/PL: REPLACED 1X FN28 W/ NEW FN57.	4/26/2026	
C	FN 41: REPLACED WITH ALE+; FN: 37 ADJUSTED FOR PIN CLEARANCE; FN 43: UPDATED TO LATEST VERSION; REMOVED ALE RELAY;	9/27/2026	




-1 ASSY

PARTS LIST ON SHEET 2


UNLESS OTHERWISE SPECIFIED:		UOS INCH TOLERANCES ARE:		 OPEN HORNET https://www.OpenHornet.com		
DIMENSIONS ARE IN INCHES. DUAL DIMENSIONS ARE IN MILLIMETERS AND ENCLOSED IN SQUARE BRACKETS. INTERPRET DRAWING IAW ASME Y14.100-2017. INTERPRET DIM AND TOL IAW ASME Y14.5-2009. REMOVE ALL BURRS AND SHARP EDGES TO .05 MAX. DIMENSIONS APPLY BEFORE FINISH.		DECIMALS: .X ± .1 .XX ± .03 .XXX ± .010 ANGLES: MACHINED ± .5° LOCATING ± .5° FORMED ± 2° CHAMFERS ± 5° DRILLED HOLE DIAMETERS: .0135 - .125: +.004/- .001 .126 - .250: +.005/- .001 .251 - .500: +.006/- .001 .501 - .750: +.008/- .001 .751 - 1.000: +.010/- .001 1.001 - 2.000: +.012/- .001				
DESIGNED J. STEENSEN 05/14/2023				TITLE		
CHECKED				ASSY, LEFT CONSOLE		
DRAWN J. STEENSEN 05/14/2023				LEFT CONSOLE		
SIZE D		DWG NO		OH4A1-1		REV C
SCALE 1:3		DO NOT SCALE DWG		SHEET 1/9		






-1 ASSY
THROTTLE INSTALLATION
(SOME STRUCTURAL
COMPONENTS HIDDEN
FOR CLARITY)

-1 ASSY
ELECTRONICS
INSTALLATION
(SOME STRUCTURAL
COMPONENTS HIDDEN
FOR CLARITY)



-1 ASSY
CENTER TUB BULKHEAD
PANEL INSTALLATION







**OPEN HORNET**
<https://www.OpenHornet.com>

SIZE	DWG NO	REV
D	OH4A1-1	C
SCALE 1:2.5		SHEET 6/9







-1 ASSY
EXTERNAL SKIN
INSTALLATION

FABRICATE EXTERNAL SKIN FROM
.125 ABS, ALU, OR SIMILAR SHEET
AND ATTACH TO CONSOLE AS
DESIRED. QUICK RELEASE
FASTENERS ARE SUGGESTED
TO FACILITATE RAPID REMOVAL.



SIZE	DWG NO	REV
D	OH4A1-1	C
SCALE 1:3		SHEET 8/9

