



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. SEE OH-PL-INTERCONNECT FOR SEPARATE INTERCONNECT PARTS LIST.
2. SEE OH-SPEC-002 FOR ABSIS CABLE SPECIFICATIONS.
3. ALL CONDUCTORS SHALL BE WHITE STRANDED/BRAIDED INSULATED WIRES OF 16AWG FOR ALL POWER CONNECTIONS, AND 26AWG FOR ALL SIGNAL/DATA CONNECTIONS.
4. CABLE COLOR SCHEMES MAY BE ALTERED TO IDENTIFY CONDUCTOR FUNCTION AS DESCRIBED, IF AN ALTERNATE CABLE COLOR SCHEME IS USED. DOCUMENT ANY SUCH ALTERATIONS.
5. TERMINATE ALL UNUSED CONDUCTORS BY FOLDING BACK CONDUCTORS AND HEAT SHRINKING CONDUCTOR ALONG CABLE.
6. INSTALL US 30 P-ICE CABLE INTO HOST VS USE MOTHERBOARD-BASED USB PORTS AT OWN RISK.
7. DO NOT INSTALL CONNECTIONS FOR UTIL-PHOTOSENSITIVE PCBs. INSTEAD, CONNECT VIA DIRECTLY-SOLDERED CONDUCTORS TO CONNECTOR LOCATIONS. ENSURE CONDUCTORS WILL NOT INTERFERE WITH ZERO-SPEED WHEEL DURING MOVEMENT.
8. THE POWER SUPPLY USED TO POWER OPENROBOTER ELECTRONICS SHALL BE SEPARATE FROM THE POWER SUPPLY FOR THE HOST. THE HOST SHALL USE A SEPARATE, DEDICATED POWER SUPPLY.

[illegible]

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES.		 OPEN HORNET https://www.OpenHornet.com	
DUAL DIMENSIONS ARE IN MILLIMETERS AND ENCLOSED IN SQUARE BRACKETS.			
INTERPRET DRAWING IAW ASME Y14.100-2017.		TITLE INTERCONNECT, OPENHORNET SYSTEM	
INTERPRET DIM AND TOL IAW ASME Y14.5-2009.			
DATE	2026-09-19		
DESIGNED	J. STEENSEN		
CHECKED		TOP LEVEL REV B	
DRAWN	J. STEENSEN		
		SIZE/DWG NO	
		D	OH-INTERCONNECT
		SCALE	N/A
		DO NOT SCALE DWG	SHEET
			1/6



UPPER INSTRUMENT PANEL (UIP)

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES.

DUAL DIMENSIONS ARE IN MILLIMETERS AND
ENCLOSED IN SQUARE BRACKETS.

INTERPRET DRAWING IAW ASME Y14.100-2017.

INTERPRET DIM AND TOL IAW ASME Y14.5-2009.

DATE 2026-09-19

DESIGNED J. STEENSEN

CHECKED

DRAWN J. STEENSEN



OPEN HORNET

<https://www.OpenHornet.com>

TITLE

**INTERCONNECT,
OPENHORNET SYSTEM**

SIZE DWG NO

D OH-INTERCONNECT


SCALE N/A

DO NOT SCALE DWG SHEET 2/6

TOP LEVEL

REV

B



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES.

DUAL DIMENSIONS ARE IN MILLIMETERS AND
ENCLOSED IN SQUARE BRACKETS.

INTERPRET DRAWING IAW ASME Y14.100-2017.

INTERPRET DIM AND TOL IAW ASME Y14.5-2009.

DATE 2026-09-19

DESIGNED J. STEENSEN

CHECKED

DRAWN J. STEENSEN




<https://www.OpenHornet.com>

INTERCONNECT,
OPENHORNET SYSTEM

TOP LEVEL

SIZE	DWG NO	REV
D	OH-INTERCONNECT	B
SCALE	N/A	DO NOT SCALE DWG
		SHEET 3/6



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES.
DUAL DIMENSIONS ARE IN MILLIMETERS AND
ENCLOSED IN SQUARE BRACKETS.
INTERPRET DRAWING IAW ASME Y14.100-2017.
INTERPRET DIM AND TOL IAW ASME Y14.5-2009.



OPEN HORNET
<https://www.OpenHornet.com>

DATE
2026-09-19

DESIGNED
J. STEENSEN

CHECKED

DRAWN
J. STEENSEN

TITLE
**INTERCONNECT,
OPENHORNET SYSTEM**

SIZE DWG NO
D OH-INTERCONNECT

SCALE
N/A

DO NOT SCALE DWG

SHEET
4/6

TOP LEVEL
REV
B



KiCad E.D.A. 10.0.3 /OH3A1-1 - ASSY, CENTER TUB/ OH_Center_Tub.kicad_sch

