


NOTES: (UNLESS OTHERWISE SPECIFIED)

- SEE OH-PL-INTERCONNECT FOR SEPARATE INTERCONNECT PARTS LIST.
- SEE OH-SPEC-002 FOR ABSIS CABLE SPECIFICATIONS.
- ALL CONDUCTORS SHALL BE STRANDED COPPER, 16AWG FOR POWER CONNECTIONS AND 26AWG FOR SIGNAL/DATA CONNECTIONS, EXCEPT AS OTHERWISE SPECIFIED BY OH-SPEC-002. THE APPLICABLE CABLE/ASSEMBLY DRAWING, OR AS OTHERWISE SPECIFIED HEREIN.
- CABLE COLOR SCHEMES MAY BE ALTERED TO IDENTIFY CONDUCTOR FUNCTION, AS DESIRED. IF AN ALTERNATE CABLE COLOR SCHEME IS USED, DOCUMENT COLOR SCHEME AS APPROPRIATE.
- TERMINATE ALL UNUSED CONDUCTORS BY FOLDING BACK CONDUCTORS AND HEAT SHRINKING CONDUCTOR ALONG CABLE.
- INSTALL USB 3.0 PCIE CARD INTO HOST PC. USE MOTHERBOARD-BASED USB PORTS AT OWN RISK.
- DO NOT INSTALL CONNECTORS FOR UTIL PHOTO SWITCH PCBs. INSTEAD, CONNECT VIA DIRECTLY-SOLDERED CONDUCTORS TO CONNECTOR LOCATIONS. ENSURE CONDUCTORS WILL NOT INTERFERE WITH ZERO-SENSE WHEEL DURING MOVEMENT.
- THE POWER SUPPLY USED TO POWER OPENHORNET ELECTRONICS SHALL NOT ALSO BE USED TO POWER THE HOST PC. THE HOST PC SHALL USE A SEPARATE, DEDICATED POWER SUPPLY.

16. REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
-	INITIAL RELEASE	10/06/2023	J. STEENSEN
	UPDATED INTERCONNECT BOM/PL AND GENERAL WIRING NOTES FIXED BNA PRESS GAUGE LED WIRING FIXED WING ZIGZ ZAG SWITCH NOMENCLATURE ADDED ABSIS BUS TERMINATION NOTE INCREASED R UP USB CABLE LENGTH FIXED STANDBY INSTRUMENT STEPPER WIRING FIXED PCS SV AND DDI BOOT/BOOT CONNECTIONS FIXED 47A PSU BREAKOUT AND SOLVAMPED NET LABELS FIXED L/FI SDI AND AMPCO CONTROLLER IN NET LABELS	02/28/2024	J. STEENSEN
A	ADDED USB 3.0 PCIE CARD NOTE		
	FIXED 44A41W1 FROM 1689-01C TO 1689-01C (#1248) FIXED 2412W10 FROM SAMP-05H-BC TO 16-11-1053 (#1166) FIXED 242AW6 HALL STEPPER HARNESS PIN MAPPING. (#1122) ADDED NOTE B REQUIRING SEPARATE POWER SUPPLY FOR SVX ALL CONSOLES UPDATED BUS MASTER SYMBOLS (#1261) REPLACED ALE WITH ALE+ PCBs (#1261) ADDED SHIELDS ALONG PSAPS ABSIS BUS (#1264) LUP: FIXED ABSIS-CA-A CABLE REF DESG FROM 441W7 TO 241W5 UPDATED NOTE 3 WITH MORE DETAIL	09/19/2026	J. STEENSEN
B			



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES.

DUAL DIMENSIONS ARE IN MILLIMETERS AND ENCLOSED IN SQUARE BRACKETS.

INTERPRET DRAWING IAW ASME Y14.100-2017.

INTERPRET DIM AND TOL IAW ASME Y14.5-2009.

DATE 2026-09-24

DESIGNED J. STEENSEN

CHECKED

DRAWN J. STEENSEN



BY NC SA



OPEN HORNET


<https://www.OpenHornet.com>

TITLE

**INTERCONNECT,
OPENHORNET SYSTEM**

TOP LEVEL

SIZE	DWG NO	REV
D	OH-INTERCONNECT	B
SCALE	N/A	DO NOT SCALE DWG
SHEET	1/6	



UPPER INSTRUMENT PANEL (UIP)

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES.

DUAL DIMENSIONS ARE IN MILLIMETERS AND ENCLOSED IN SQUARE BRACKETS.

INTERPRET DRAWING IAW ASME Y14.100-2017.

INTERPRET DIM AND TOL IAW ASME Y14.5-2009.

DATE 2026-09-24

DESIGNED J. STEENSEN

CHECKED

DRAWN J. STEENSEN



OPEN HORNET

<https://www.OpenHornet.com>


TITLE

INTERCONNECT,
OPENHORNET SYSTEM

SIZE DWG NO D OH-INTERCONNECT REV B

SCALE N/A DO NOT SCALE DWG SHEET 2/6

TOP LEVEL



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES.

DUAL DIMENSIONS ARE IN MILLIMETERS AND
ENCLOSED IN SQUARE BRACKETS.

INTERPRET DRAWING IAW ASME Y14.100.2017.

INTERPRET DIM AND TOL IAW ASME Y14.5-2009.

DATE 2026-09-24

DESIGNED J. STEENSEN

CHECKED

DRAWN J. STEENSEN

SIZE DWG NO

D OH-INTERCONNECT

SCALE N/A

DO NOT SCALE DWG

SHEET 3/6



<https://www.OpenHornet.com>

TITLE

INTERCONNECT,

OPENHORNET SYSTEM

TOP LEVEL

REV B

BY NC SA

44

17

LOWER INSTRUMENT PANEL (LIP)

