



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. SPECIFICATIONS AND DOCUMENTS:
1.1. ELECTRICAL CONNECTIONS SHALL BE IAW OH-INTERCONNECT.
2. ALL ITEMS NOT EXPLICITLY DEFINED IN THIS DRAWING ARE DEFINED BY THE MASTER CAD MODELS. ALL DIMENSIONS NOT DEFINED ON THIS DRAWING ARE CONTAINED WITHIN THE FOLLOWING MANUFACTURING FILES:
2.1. FLAT PARTS: <MATERIAL>_<MATERIAL COLOR, IF APPLICABLE>_<THICKNESS, IN DECIMAL INCHES>_<PN>_<REV>.<VERSION NUMBER OF MODEL>.DXF
2.2. FDM 3D PRINTED PARTS: FDM_<PN>_<REV>.<VERSION # OF MODEL>.STL
2.3. MACHINED OR BENT PARTS: <PN>_<REV>.<VERSION # OF MODEL>.STEP


REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
-	INITIAL RELEASE	02/25/2024	
A	SHT 14 FN 4: REMOVED 1X PN 9654K421; FIXED ALL TITLE BLOCKS;	9/28/2026	




DETAIL E
SCALE 1:1



SECTION A-A
SCALE 1:2




-100 ISO
SCALE 1:2



-100 ASSY
SCALE 1:2

20	1	OH3A3-125	ASSY, SCISSORS	----
19	2	92125A373	FHCS, M4 X 0.7 MM THREAD, 55 MM LONG	SS
18	1	92981A230	SHOULDER SCREW, M6 X 1MM, 8MM SHOULDER DIA, 80MM SHOULDER LEN	STL
17	1	OH3A3-117	ASSY, ROLL DAMPER B	----
16	1	OH3A3-115	ASSY, ROLL DAMPER ARM A	----
15	14	91292A318	SHCS, M4 X 0.7 MM, 75 MM LONG	SS
14	2	93625A250	NYLOC HEX NUT, M6 X 1 MM	SS
13	1	91287A254	HHS, M6 X 1 MM, 80 MM LONG	SS
12	2	93475A250	FLAT WASHER, M6	SS
11	2	6658K734	8MM ID, 12MM OD, 6MM LG, OIL-EMBEDDED BRONZE SLEEVE BEARING	BRONZE
10	1	OH3A3-124	SCISSOR STOP	PETG
9	14	93625A150	NYLOC HEX NUT, M4 X 0.7 MM	SS
8	28	93475A230	FLAT WASHER, M4	SS
7	6	92125A203	FHCS - M4 X 0.7 MM THREAD, 30 MM LONG	SS
6	2	92125A130	FHCS, M3 X 0.5 MM, 10 MM LONG	SS
5	2	93475A270	93475A270 - FLAT WASHER, M8	SS
4	1	OH3A3-122	ASSY, AFT MAIN PLATE	----
3	1	OH3A3-118	ROLL DAMPER ARM B	----
2	1	OH3A3-108	ASSY, PIVOTING STICK RISER MOUNT	----
1	1	OH3A3-101	ASSY, MAIN CASING	----
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL

UNLESS OTHERWISE SPECIFIED:		UOS INCH TOLERANCES ARE:		 OPEN HORNET https://www.OpenHornet.com		
DIMENSIONS ARE IN INCHES.		DECIMALS:			TITLE	
DUAL DIMENSIONS ARE IN MILLIMETERS AND ENCLOSED IN SQUARE BRACKETS.		ANGLES:			ASSY, STICK YOKE	
INTERPRET DRAWING IAW ASME Y14.100-2017.		MACHINED ± .5°				CENTER TUB
INTERPRET DIM AND TOL IAW ASME Y14.5-2009.		LOCATING ± .5°				
REMOVE ALL BURRS AND SHARP EDGES TO .05 MAX.		FORMED ± 2°				
DIMENSIONS APPLY BEFORE FINISH.		CHAMFERS ± 5°				
		DRILLED HOLE DIAMETERS:				
		.0135 - .125: +.004/- .001				
		.126 - .250: +.005/- .001				
		.251 - .500: +.006/- .001				
		.501 - .750: +.008/- .001				
		.751 - 1.000: +.010/- .001				
		1.001 - 2.000: +.012/- .001				
DESIGNED E. SCOTT 10/6/2022				SIZE DWG NO	OH3A3-100	REV A
CHECKED J. STEENSEN 05/03/2023	D					
DRAWN E. SCOTT 10/6/2022	SCALE 1:2			DO NOT SCALE DWG	SHEET 1/17	



REMOVE EXISTING SETSCREWS

-101 ASSY
SCALE 1:1


-101 ISO
SCALE 1:1

NOTE: STUD ASSEMBLIES AND PITCH ROD COMPONENTS SHOULD BE INTERFERENCE FIT IN CASING ASSEMBLIES.
USE VICE OR CLAMP TO SQUEEZE CASING TOGETHER


7	4	OH3A3-107	STUD, SPRING DAMPER	SS
6	1	OH3A3-106	ROD, PITCH AXIS	STL
5	2	92125A205	FHCS, M4 X 0.7 MM THREAD, 40 MM LONG	SS
4	3	92015A121	SET SCREW, M5 X 0.8 MM, 10 MM LONG	SS
3	3	57485K68	10 MM CARBON STEEL SET SCREW SHAFT COLLAR	----
2	1	OH3A3-104	ASSY, MAIN CASING B	----
1	1	OH3A3-102	ASSY, MAIN CASING A	----
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



SIZE	DWG NO	REV
D	OH3A3-101	A
SCALE 1:1	SHEET 2/17	



-102 ASSY
SCALE 1:1



-102 ISO
SCALE 1:1


2	2	93625A150	NYLOC HEX NUT, M4 X 0.7 MM	SS
1	1	OH3A3-103	MAIN CASING A	PETG
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				





OPEN HORNET
<https://www.OpenHornet.com>


SIZE	DWG NO	REV
D	OH3A3-102	A
SCALE	SHEET 3/17	



2	4	93625A150	NYLOC HEX NUT, M4 X 0.7 MM	SS
1	1	OH3A3-105	MAIN CASING B	PETG
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				




SIZE	DWG NO	REV
D	OH3A3-104	A
SCALE 1:1		SHEET 4/17



7	1	6658K736	8MM ID, 12MM OD, 16MM LG, OIL-EMBEDDED SAE 841 BRONZE SLEEVE BEARING	BRONZE
6	4	92125A130	FHCS, M3 X 0.5 MM, 10 MM LONG	SS
5	1	OH3A3-112	ASSY, PIVOT BLOCK B	----
4	2	92125A204	FHCS, M4 X 0.7 MM THREAD, 35 MM LONG	SS
3	1	OH3A3-114	PIVOT TOP PLATE	ALU
2	1	OH3A3-110	ASSY, PIVOT BLOCK A	----
1	1	OH3A3-109	MID PLATE	ALU
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



SIZE	DWG NO	REV
D	OH3A3-108	A
SCALE	1:1	SHEET 5/17




-110 ASSY
SCALE 2:1

-110 ASSY
SCALE 2:1

-110 ISO
SCALE 2:1



SIZE	D	DWG NO	OH3A3-110	REV	A
SCALE				SHEET	6/17



NOTE LOCKNUT
ORIENTATION

NOTE LOCKNUT ORIENTATION

4	3	93625A150	NYLOC HEX NUT, M4 X 0.7 MM	SS
3	1	94180A351	INSERT, M4 X .7MM, BRASS, FOR PLASTICS	BRS
2	2	94180A331	INSERT, HEAT-SET, M3 X 0.5 X 3.8, BRASS	BRS
1	1	OH3A3-113	PIVOT BLOCK B	PETG
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				

-112 ASSY
SCALE 2:1

-112 ASSY
SCALE 2:1

-112 ISO
SCALE 2:1



OPEN HORNET
<https://www.OpenHornet.com>


SIZE	DWG NO	REV
D	OH3A3-112	A
SCALE 2:1	SHEET 7/17	

D

C

B

A




-115 ASSY
SCALE 3:1

D

C

B

A




-115 ISO
SCALE 3:1

2	1	94180A331	INSERT, HEAT-SET, M3 X 0.5 X 3.8, BRASS	BRS
1	1	OH3A3-116	ROLL DAMPER ARM A	PETG
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL

PARTS LIST



SIZE	DWG NO	REV
D	OH3A3-115	A
SCALE 3:1		SHEET 8/17




2	1	94180A331	INSERT, HEAT-SET, M3 X 0.5 X 3.8, BRASS	BRS
1	1	OH3A3-118	ROLL DAMPER ARM B	PETG
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



**OPEN HORNET**
<https://www.OpenHornet.com>

SIZE	DWG NO	REV
D	OH3A3-117	A
SCALE	SHEET 9/17	




-118 ISO
SCALE 1:1


-118 ASSY
SCALE 1:1

7	1	OH3A3-123	ASSY, ROLL SENSOR	----
6	1	5862K205	MAGNET, .50 OD X .125 THK, NEODYMIUM	N/A
5	1	OH3A3-153	ROLL AXIS MAGNET CUP	PETG
4	1	OH3A3-152	ROLL AXIS DAMPER EXTENDED GEAR	PETG
3	2	92095A194	BHCS, M4 X 0.70 MM THREAD, 16 MM LONG	SS
2	1	FRT-D2-152-G1	ROTARY DAMPER WITH 12-TOOTH M1 GEAR	N/A
1	1	OH3A3-119	ASSY, FWD MAIN PLATE	----
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



SIZE	DWG NO	REV
D	OH3A3-118	A
SCALE 1:1		SHEET 10/17






5	2	93625A150	NYLOC HEX NUT, M4 X 0.7 MM	SS
4	2	93475A230	FLAT WASHER, M4	SS
3	2	92095A194	BHCS, M4 X 0.70 MM THREAD, 16 MM LONG	SS
2	1	FRT-D2-152-G1	ROTARY DAMPER WITH 12-TOOTH M1 GEAR	N/A
1	1	OH3A3-119	ASSY, FWD MAIN PLATE	----
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



SIZE	DWG NO	REV
D	OH3A3-122	A
SCALE 1:1		SHEET 12/17



7	2	93625A200	NYLOC HEX NUT, M5 X 0.8 MM	SS
6	2	92095A223	BHCS M5 X 0.80 MM THREAD, 45 MM LONG	SS
5	6	93475A240	FLAT WASHER, M5	SS
4	2	9654K421	1.75" LONG, 0.5" OD, 0.055" WD STEEL EXTENSION SPRING WITH LOOP ENDS	STEEL
3	4	OH3A3-135	SCISSOR SPRING SPACER	PETG
2	1	OH3A3-126	ASSY, SCISSOR ARM B	----
1	1	OH3A3-132	ASSY, SCISSOR ARM A	----
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



OPEN HORNET
<https://www.OpenHornet.com>

SIZE	DWG NO	REV
D	OH3A3-125	A
SCALE 1:1		SHEET 14/17



9	2	6659K115	8MM ID, 12MM OD, 6MM LG, OIL-EMBEDDED FLANGED SLEEVE BEARING	BRONZE
8	1	OH3A3-131	SCISSOR CUSHION (1374N12)	RBR
7	2	93625A150	NYLOC HEX NUT, M4 X 0.7 MM	SS
6	2	92095A205	BHCS, M4 X 0.7 MM THREAD, 45MM LONG	SS
5	6	93475A230	FLAT WASHER, M4	SS
4	1	OH3A3-130	SCISSOR ARM B BLOCK	PETG
3	2	OH3A3-129	SCISSOR ARM B LINK LOWER	ALU
2	2	OH3A3-128	SCISSOR ARM B LINK SPACER	PETG
1	2	OH3A3-127	SCISSOR ARM B LINK UPPER	ALU
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



SIZE D	DWG NO OH3A3-126	REV A
SCALE 1:1		SHEET 15/17

