

Lecture 7: Functional Forms

25117 - Econometrics

Universitat Pompeu Fabra

November 11th, 2024


What we learned in the last lesson

- Hypothesis tests and confidence intervals for a single regression coefficient are carried out using essentially the same procedures used in the simple linear regression model. For example, a 95% confidence interval for $\hat{\beta}_1$ is given by $\hat{\beta}_1 \pm 1.96SE(\hat{\beta}_1)$
- Hypotheses involving more than one restriction on the coefficients are called joint hypotheses. Joint hypotheses can be tested using an F-statistic. F-statistics relate to $F_{q,n-k-1}$ distributions.
- Regression specification proceeds by first determining a base specification chosen to address concern about omitted variable bias. The base specification can be modified by including additional regressors that control for other potential sources of omitted variable bias.
- Simply choosing the specification with the highest R^2 can lead to regression models that do not estimate the causal effect of interest.


Introduction

- The regression function so far has been linear in the X 's... But the linear approximation is not always a good one!
- The multiple regression model can handle regression functions that are nonlinear in one or more X .
- If a relation between Y and X is nonlinear:
 - The effect on Y of a change in X depends on the value of X – that is, the marginal effect of X is not constant
 - A linear regression is misspecified: the functional form is wrong
 - The estimator of the effect on Y of X is biased: in general, it isn't even right on average.
 - The solution is to estimate a regression function that is nonlinear in X

A linear fit on a (possibly) linear relationship



A linear fit on a non-linear relationship



The general nonlinear population regression function

The general nonlinear population regression function is defined as

$$Y_i = f(X_{1i}, X_{2i}, \dots, X_{ki}) + u_i$$

Assumptions:

- $\mathbb{E}(u_i \mid X_{1i}, X_{2i}, \dots, X_{ki}) = 0$ so $f(\cdot)$ is the conditional expectation of Y given the X 's.
- $(Y_i, X_{1i}, X_{2i}, \dots, X_{ki})$ are i.i.d.
- Big outliers are rare (same idea as with linear OLS; the precise mathematical condition depends on the specific $f(\cdot)$).
- No perfect multicollinearity (same idea; the precise statement depends on the specific $f(\cdot)$).

The expected difference in Y associated with a difference in X_1 , ceteris paribus, is

$$\Delta Y = f(X_1 + \Delta X_1, X_2, \dots, X_k) - f(X_1, X_2, \dots, X_k)$$

Nonlinear Functions of a Single Independent Variable

We'll look at two complementary approaches:

- **Polynomials in X**

- The population regression function is approximated by a quadratic, cubic, or higher-degree polynomial

- **Logarithmic transformations**

- Y and/or X is transformed by taking its logarithm, which provides a “percentages” interpretation (i.e., elasticities and semi-elasticities) of the coefficients that makes sense in many applications

The choice of specification (functional form) should be guided by judgment (which interpretation makes the most sense in your application?), tests, and plotting predicted values

Polynomials in X

Approximate the population regression function by a polynomial:

$$Y_i = \beta_0 + \beta_1 X_i + \beta_2 X_i^2 + \beta_3 X_i^3 + \cdots + \beta_r X_i^r + u_i$$

- This is just the linear multiple regression model – except that the regressors are powers of X !
- Estimation, hypothesis testing, etc. proceeds as in the multiple regression model using OLS
- The coefficients are difficult to interpret, but the regression function itself is interpretable

For example, let's estimate the following quadratic specification:

$$\text{TestScore}_i = \beta_0 + \beta_1 \text{Income}_i + \beta_2 \text{Income}_i^2 + u_i$$

Polynomials in X

```
generate avginc2 = avginc*avginc  
reg testscr avginc avginc2, r
```

Regression with robust standard errors

Number of obs = 420
F(2, 417) = 428.52
Prob > F = 0.0000
R-squared = 0.5562
Root MSE = 12.724

<u>testscr</u>		Coef.	Robust Std. Err.	t	P> t	[95% Conf. Interval]	
-----+-----							
<u>avginc</u>		3.850995	.2680941	14.36	0.000	3.32401	4.377979
<u>avginc2</u>		-.0423085	.0047803	-8.85	0.000	-.051705	-.0329119
<u>_cons</u>		607.3017	2.901754	209.29	0.000	601.5978	613.0056


Polynomials in X

- We can plot the predicted values...
- The predicted change in *TestScore* for a change in income from \$5K per capita to \$6K per capita is :

$$(6 \times 3.85 - 6^2 \times 0.042) - (5 \times 3.85 - 5^2 \times 0.042) = 3.4$$

ΔIncome	$\Delta \text{TestScore}$
from 5 to 6	3.4
from 25 to 26	1.7
from 45 to 46	0.0

- Caution! What is the effect of a change from \$100K to \$101K?



- The “effect” of a change in income is greater at low than high income levels (i.e., a declining marginal effect of income)

Polynomials in X

```
gen avginc3 = avginc*avginc2  
reg testscr avginc avginc2 avginc3, r
```

Regression with robust standard errors

Number of obs = 420
F(3, 416) = 270.18
Prob > F = 0.0000
R-squared = 0.5584
Root MSE = 12.707

		Robust					
<u>testscr</u>		<u>Coef.</u>	Std. Err.	t	P> t	[95% Conf. Interval]	
<u>avginc</u>		5.018677	.7073505	7.10	0.000	3.628251	6.409104
avginc2		-.0958052	.0289537	-3.31	0.001	-.1527191	-.0388913
<u>avginc3</u>		.0006855	.0003471	1.98	0.049	3.27e-06	.0013677
_cons		600.079	5.102062	117.61	0.000	590.0499	610.108

Polynomials in X

We just ran

$$\text{TestScore}_i = \beta_0 + \beta_1 \text{Income}_i + \beta_2 \text{Income}_i^2 + \beta_3 \text{Income}_i^3 + u_i$$

- We can test the linear model against this cubic model:

$$H_0 : \beta_2 = \beta_3 = 0 \quad \textbf{VS} \quad H_1 : \beta_2 \neq 0 \text{ and/or } \beta_3 \neq 0$$

- The F-statistic of the test is $37.69 \gg 4.61$
- The hypothesis that the population regression is linear is rejected at the 1% significance level against the alternative that it is a polynomial of degree up to 3.

Logarithmic functions of Y and/or X

- Remember that, according to Taylor's expansion, $f(x) \approx f(a) + f'(a)(x - a)$
- Following this equation, $\log(x) \approx \log(x) \big|_{x=a} + \frac{\partial \log(x)}{\partial x} \big|_{x=a} (x - a)$
- Therefore, for $a = 1$, $\log(x) \approx x - 1$
- It follows that, in the neighborhood of 1, $\log(x)$ can be approximated by $x - 1$.
- Consider $Y + \Delta Y \approx Y$ (i.e., $x = \frac{Y + \Delta Y}{Y} \approx 1$).
- Then $\log(Y + \Delta Y) - \log(Y) \approx \frac{\Delta Y}{Y}$... the percent change is a linear approximation of the log difference!
- Approximating the curve of $\log(x)$ with $x - 1$ gets worse and worse as we move away from $x = 1$... For instance:

$$\log(.7 + .5) - \log(.7) = .54 \neq \frac{.5}{.7} = .71$$

[short digression] Logarithmic functions of Y and/or X

- So how should we think about log changes?

$$\begin{aligned} \log(.7 + .5) - \log(.7) &= .54 = 54 \times 0.01 \\ &\approx 54 \times \log(1.01) \\ \Leftrightarrow \frac{.7+.5}{.7} = \frac{1.2}{.7} &\approx 1.01^{54} \end{aligned}$$

- 1.2 is, relative to .7, approximately equivalent to 54 different 1% increases *compounded*!
- In economics, we often think in terms of compounding percent changes (e.g., compound interest rates, inflation, population growth, investments returns, price elasticity, etc.), i.e.,

$$Y_T = \prod_t (1 + R_t)$$

- Then, it is easier to write

$$\log(Y_T) = \sum_t \log(1 + R_t) = \sum_t \log(Y_t) - \log(Y_{t-1})$$

Logarithmic functions of Y and/or X

In the linear regression model,

$$Y_i = \beta_0 + \beta_1 X_{1i} + u_i$$

1-unit increase in X_{1i} was associated with a β_1 -unit increase in Y_i .

Now, depending on the hypothesis we derived from the theory, data can be log-transformed on the RHS or the LHS or both.

$$\begin{aligned} Y_i &= \beta_0 + \beta_1 \log(X_{1i}) + u_i \\ \log(Y_i) &= \beta_0 + \beta_1 X_{1i} + u_i \\ \log(Y_i) &= \beta_0 + \beta_1 \log(X_{1i}) + u_i \end{aligned}$$

In each case, β_1 has a different interpretation.

Linear-log population regression function

$$\begin{aligned} Y &= \beta_0 + \beta_1 \log(X) + u \\ \Rightarrow Y + \Delta Y &= \beta_0 + \beta_1 \log(X + \Delta X) + u \\ \Rightarrow \Delta Y &= \beta_1 [\log(X + \Delta X) - \log(X)] \end{aligned}$$

Because $\log(Y + \Delta Y) - \log(Y) \approx \frac{\Delta Y}{Y}$

$$\begin{aligned} \Delta Y &\approx \beta_1 \frac{\Delta X}{X} \\ \Rightarrow \beta_1 &= \frac{\Delta Y}{\Delta X/X} \end{aligned}$$

Because $100 \times \Delta X/X$ = percentage change in X , a 1% change in X is associated with a $\beta_1/100$ change in Y .

Log-linear population regression function

$$\begin{aligned}\log(Y) &= \beta_0 + \beta_1 X + u \\ \Rightarrow \log(Y + \Delta Y) &= \beta_0 + \beta_1 (X + \Delta X) + u \\ \Rightarrow \log(Y + \Delta Y) - \log(Y) &= \beta_1 \Delta X\end{aligned}$$

Because $\log(Y + \Delta Y) - \log(Y) \approx \frac{\Delta Y}{Y}$

$$\begin{aligned}\frac{\Delta Y}{Y} &\approx \beta_1 \Delta X \\ \Rightarrow \beta_1 &= \frac{\Delta Y/Y}{\Delta X}\end{aligned}$$

Because $100 \times \Delta Y/Y$ = percentage change in Y , a change in X by 1 unit is associated with a $100 \times \beta_1$ % change in Y . [β_1 = semi-elasticity]

Log-Log population regression function

$$\begin{aligned}\log(Y) &= \beta_0 + \beta_1 \log(X) + u \\ \Rightarrow \log(Y + \Delta Y) &= \beta_0 + \beta_1 \log(X + \Delta X) + u \\ \Rightarrow \log(Y + \Delta Y) - \log(Y) &= \beta_1 [\log(X + \Delta X) - \log(X)]\end{aligned}$$


Because $\log(Y + \Delta Y) - \log(Y) \approx \frac{\Delta Y}{Y}$

$$\begin{aligned}\frac{\Delta Y}{Y} &\approx \beta_1 \frac{\Delta X}{X} \\ \Rightarrow \beta_1 &= \frac{\Delta Y/Y}{\Delta X/X}\end{aligned}$$


A 1% change in X by 1 unit is associated with a β_1 % change in Y .

[β_1 =elasticity]

(Linear-)Cubic vs. Linear-Log



Log-Linear vs. Log-Log



Interactions and heterogenous effects

- In the California Schools example, at the beginning of the course, we were interested in knowing the impact of the Share of Subsidized Meals on TestScores
- We saw that the Share of Subsidized Meals was, on average, negatively associated with TestScores
- We said that the impact of the Share of Subsidized Meals on TestScores could be confounded by local Educational Attainment
- But we might be interested in knowing the *heterogenous* effects of the Share of Subsidized Meals depending on different levels of Educational Attainment
- Is the effect of subsidizing meals still associated with lower test scores, even when local educational attainment is low?

Interactions between two dummies

Consider the following specification

$$Y_i = \beta_0 + \beta_1 D_{1i} + \beta_2 D_{2i} + \beta_3 (D_{1i} \times D_{2i}) + u_i$$

where D_{1i} and D_{2i} are dummy variables.

- (Comparison category) $D_{1i} = 0$ and $D_{2i} = 0 \Rightarrow \mathbb{E}(Y \mid D_{1i} = 0, D_{2i} = 0) = \beta_0$
- When $D_{1i} = 1$ but $D_{2i} = 0 \Rightarrow \mathbb{E}(Y \mid D_{1i} = 1, D_{2i} = 0) = \beta_0 + \beta_1$
- When $D_{1i} = 0$ but $D_{2i} = 1 \Rightarrow \mathbb{E}(Y \mid D_{1i} = 0, D_{2i} = 1) = \beta_0 + \beta_2$
- Full model when $D_{1i} = 1$ and $D_{2i} = 1 \Rightarrow \mathbb{E}(Y \mid D_{1i} = 1, D_{2i} = 1) = \beta_0 + \beta_1 + \beta_2 + \beta_3$

β_3 can be interpreted as the incremental effect to D_1 (resp. D_2) when $D_2 = 1$ (resp. $D_1 = 1$)

Interactions between two dummies

```
. reg testscore high_share_meals##low_educ , robust
```

Linear regression

Number of obs	=	500
F(3, 496)	=	86.12
Prob > F	=	0.0000
R-squared	=	0.3605
Root MSE	=	48.368

testscore	Robust					
	Coefficient	std. err.	t	P> t	[95% conf. interval]	
1.high_share_meals	-62.37116	7.540544	-8.27	0.000	-77.1865	-47.55581
1.low_educ	-42.54073	6.083801	-6.99	0.000	-54.49393	-30.58754
high_share_meals#low_educ 1 1	24.82402	9.521523	2.61	0.009	6.116523	43.53151
_cons	796.65	3.789615	210.22	0.000	789.2043	804.0957

Interactions between a dummy and a continuous variable

How to think about dummies in the presence of a continuous variables? First, consider the simple case without interaction:

$$Y_i = \beta_0 + \beta_1 X_{1i} + \beta_2 D_{1i} + u_i$$

where D_{1i} is a dummy and X_{1i} is a continuous variable.

The regression line when $D_1 = 0$ reads


$$\mathbb{E}(Y \mid D_{1i} = 0, X_{1i}) = \beta_0 + \beta_1 X_{1i}$$

While the regression line when $D_1 = 1$ reads

$$\mathbb{E}(Y \mid D_{1i} = 1, X_{1i}) = (\beta_0 + \beta_2) + \beta_1 X_{1i}$$

The intercepts are different but the slopes are the same!

Interactions between a dummy and a continuous variable



Interactions between a dummy and a continuous variable

This framework can be extended to the interaction between a dummy and a continuous variable. Next, consider

$$Y_i = \beta_0 + \beta_1 X_{1i} + \beta_2 (D_{1i} \times X_{1i}) + u_i$$

where D_{1i} is a dummy and X_{1i} is a continuous variable.

The regression line when $D_1 = 0$ reads


$$\mathbb{E}(Y \mid D_{1i} = 0, X_{1i}) = \beta_0 + \beta_1 X_{1i}$$

While the regression line when $D_1 = 1$ reads

$$\mathbb{E}(Y \mid D_{1i} = 1, X_{1i}) = \beta_0 + (\beta_1 + \beta_2) X_{1i}$$

The intercept is the same, but slopes are different!

Interactions between a dummy and a continuous variable



Interactions between a dummy and a continuous variable

Next consider the fully interacted model:

$$Y_i = \beta_0 + \beta_1 D_{1i} + \beta_2 X_{1i} + \beta_3 (D_{1i} \times X_{1i}) + u_i$$

where D_{1i} is a dummy and X_{1i} is a continuous variable.

The regression line when $D_1 = 0$ reads


$$\mathbb{E}(Y \mid D_{1i} = 0, X_{1i}) = \beta_0 + \beta_2 X_{1i}$$

While the regression line when $D_1 = 1$ reads

$$\mathbb{E}(Y \mid D_{1i} = 1, X_{1i}) = (\beta_0 + \beta_1) + (\beta_2 + \beta_3) X_{1i}$$

The intercepts and slopes depend on the groups defined by D_1 !

Interactions between a dummy and a continuous variable



Interactions between a dummy and a continuous variable

How to discriminate between the last 3 models?

Run the fully interacted model

$$Y_i = \beta_0 + \beta_1 D_{1i} + \beta_2 X_{1i} + \beta_3 (D_{1i} \times X_{1i}) + u_i$$

- **Test if the two lines are the same** — (In other words, does the interaction matter?)
Compute the F-statistic testing the joint hypothesis that $\beta_1 = \beta_3 = 0$ (Chow Test)
- **Test if the two lines have the same slope** — Compute the t-statistic testing the simple hypothesis that $\beta_3 = 0$
- **Test if the two lines have the same intercept** — Compute the t-statistic testing the simple hypothesis that $\beta_1 = 0$

Interactions between a dummy and a continuous variable


```
. reg testscore c.frpm_frac_s##low_educ , robust
```

Linear regression

```
Number of obs   =      500  
F(3, 496)       =    156.59  
Prob > F        =    0.0000  
R-squared       =    0.5143  
Root MSE       =    42.153
```

testscore	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
frpm_frac_s	-162.5841	11.59284	-14.02	0.000	-185.3612	-139.807
1.low_educ	-46.65102	12.72257	-3.67	0.000	-71.64779	-21.65425
low_educ#c.frpm_frac_s 1	56.57384	18.69971	3.03	0.003	19.83344	93.31424
_cons	853.1778	5.662931	150.66	0.000	842.0515	864.3041

Interactions between a dummy and a continuous variable



Interactions between two continuous variable

```
. reg testscore c.frpm_frac_s#c.ed_frac_sc_lesscollege , robust
```

Linear regression

Number of obs = 500
F(3, 496) = 170.18
Prob > F = 0.0000
R-squared = 0.5325
Root MSE = 41.358

testscore	Robust					
	Coefficient	std. err.	t	P> t	[95% conf. interval]	
frpm_frac_s	-245.3094	40.34708	-6.08	0.000	-324.5817	-166.0372
ed_frac_sc_lesscollege	-159.7155	29.84007	-5.35	0.000	-218.3441	-101.087
c.frpm_frac_s#c.ed_frac_sc_lesscollege	161.8956	51.42308	3.15	0.002	60.86163	262.9295
_cons	944.4173	20.14764	46.87	0.000	904.832	984.0025

Wrapping up: Linear vs. Non-Linear Models

In econometrics, we initially favor linear models for their simplicity:

- Linear models assume a constant relationship between variables (e.g., a one-unit increase in X leads to a fixed change in Y).
- However, economic relationships are often complex and dynamic, and this assumption *might not hold in reality*.
- Non-linear models, in contrast, allow for more flexible and *realistic* relationships. They can capture intricate economic behaviors that linear models cannot.

In practice, numerous economic phenomena exhibit non-linear characteristics:

- For example, consider luxury goods. The demand for such goods may not increase linearly with income. As income rises, the demand might accelerate.
- Using linear models in such cases can lead to biased and inaccurate results because they fail to capture these *nuanced relationships*.
- Recognizing non-linear patterns in data is essential for *accurately* modeling and understanding real-world economic dynamics.

The Importance of Interactions

Interactions in econometrics refer to how the effect of one variable depends on the level of another:

- Non-linear interactions can be critical in economic analysis. They enable us to explore *how the relationship between two variables changes as one variable varies*.
- For instance, think about the interaction between interest rates and GDP. The impact of interest rates on investment may vary at different levels of GDP. In times of economic growth, a change in interest rates might have a stronger or weaker effect on investment.
- By incorporating non-linear interactions, we gain a more nuanced understanding of the *interplay between variables*, making our models more realistic and insightful.

→ Choosing the right functional form may not only improve your predictive power, it can also have large policy implications!

Material I

- **Textbooks:**
 - Introduction to Econometrics, 4th Edition, Global Edition, by Stock and Watson – Chapter 8.