

```
USE ROLE ACCOUNTADMIN;  
USE WAREHOUSE COMPUTE_WH;  
USE DATABASE SNOWFLAKE_FUNDAMENTALS;  
USE SCHEMA DAY3;
```

--We can create a clone at a database level

```
CREATE DATABASE SNOWFLAKE_FUNDAMENTALS_CLONE CLONE  
SNOWFLAKE_FUNDAMENTALS;
```

--We can create a clone at a schema level

```
CREATE SCHEMA SNOWFLAKE_FUNDAMENTALS_DAY3_CLONE CLONE  
SNOWFLAKE_FUNDAMENTALS.DAY3;
```

--We can create a table as well

```
CREATE TABLE PRODUCT_SALES_CLONE CLONE  
SNOWFLAKE_FUNDAMENTALS.DAY3.PRODUCT_SALES;
```

--Check Main table data

```
select * from SNOWFLAKE_FUNDAMENTALS.DAY3.PRODUCT_SALES;
```

--Check clone table data

```
select * from SNOWFLAKE_FUNDAMENTALS.DAY3.PRODUCT_SALES_CLONE;
```

--Insert new data into main table and check main and clone table

```
INSERT INTO product_sales (order_id, product_name, quantity, price, order_date)  
VALUES  
(1, 'Ipad', 2, 1000, '2025-05-01');
```

--Check Main table data

```
select * from SNOWFLAKE_FUNDAMENTALS.DAY3.PRODUCT_SALES;
```

--Check clone table data

```
select * from SNOWFLAKE_FUNDAMENTALS.DAY3.PRODUCT_SALES_CLONE;
```

--Insert new data into clone table and check main and clone table

```
INSERT INTO product_sales_clone (order_id, product_name, quantity, price,  
order_date) VALUES  
(1, 'Ipad_cloned', 2, 1000, '2025-05-01');
```

--Check Main table data

```
select * from SNOWFLAKE_FUNDAMENTALS.DAY3.PRODUCT_SALES;
```

--Check clone table data

```
select * from SNOWFLAKE_FUNDAMENTALS.DAY3.PRODUCT_SALES_CLONE;
```