Crystal Level Identification of Particles with the CMS Electromagnetic Calorimeter

<u>J. C. Ruiz Vargas,</u> R. Cobe, R. Iope, S. F. Novaes, T. R. Tomei <u>Núcleo de Computação Científica - UNESP</u>

The real time identification of particles is a challenging problem in high energy physics experiments. The Compact Muon Solenoid (CMS) detector from the CERN's Large Hadron Collider (LHC) relies on the Electromagnetic Calorimeter (ECAL) to identify electrons and photons. The ECAL is composed by a barrel section and two endcaps. The barrel section is a cylinder of inner radius 1.3 m that comprises 61200 (170 around \times 360 lengthwise) lead tungstate crystals. Approximately 94% of the energy from a single particle is contained in 3×3 crystals.

Usually, the ECAL information is complemented with other CMS subdetectors to increase the identification efficiency, at the expense of delaying detection time. Therefore, an accurate identification of electrons and photons based on ECAL information at crystal level would be extremely important for many analysis workflows. This study aims the identification of electrons and photons by observing, at crystral level, the signature of these particles in the barrel section of the CMS ECAL. Charged pions are also taken into account as they frequently arise in LHC collisions.

We use a computer vision approach to deal with the analysis of the energy distributions. Specifically, we solve a supervised classification problem considering three target classes: electrons, photons and pions. The classification model is based on artificial neural networks with convolutional layers. The model was trained on a dataset simulated by a particle gun with truth energy of 50 GeV. On top of the reconstructed energy, we apply different thresholds from 0 to 30 GeV in steps of 10 GeV. Regardless of the threshold, we ensure 20K examples for training and 20K examples for validation. The optimization routine was run in batches of 128 images during 10K steps, for a total of 64 epochs. As a result, we achieved a classification accuracy of 93% in the best scenario.