

js-juice

Repo scope: framework + packages

One-page repo summary based on repo-wide evidence

WHAT IT IS

Modular JavaScript framework/library monorepo built around a shared Juice core. The repo groups runtime primitives, data/validation, web-component forms, UI components, animation tooling, brand assets, and a smaller Electron extraction tool.

WHO IT'S FOR

Primary user: JavaScript application developers working with the Juice ecosystem and building custom UI, forms, animation, or data-driven features.

WHAT IT DOES

- Provides a shared core runtime with config, event handling, storage, queues, mixins, and dynamic file loading.
- Ships a data layer with ORM models, SQLite support, migrations, validation rules, and formatting utilities.
- Includes a web-component forms system with custom inputs, inline validation, and form runtime wiring.
- Offers a standalone UI package plus reusable component demos and smoke tests.
- Supplies a centralized animation package with a single ticker loop, timelines, easing, particles, and canvas helpers.
- Includes brand assets and SCSS build scripts for project styling and templates.
- Contains squeeze/, a smaller Electron tool for extracting Juice modules and dependencies into exportable bundles.

HOW IT WORKS

- Root entry: juice.js exposes a global Juice instance, loads shared config from config/juice-config.mjs, and initializes storage, queues, and an event registry.
- Shared config: config/juice-config.mjs is the single source of truth for core/ui/forms/data settings and emits config-change events.
- Core package: core/ contains runtime primitives, DOM/virtual DOM, templates, styles, graphics, proxy/watch, workers, and utilities used across the repo.
- Feature packages: data/, forms/, ui/, and animation/ sit alongside core/ and either depend on shared config or integrate with sibling packages such as data validation and animation timelines.
- Examples and tools: forms/, ui/, and animation/ include demo/example files; root scripts generate manifests, standardize docs, build SCSS, and run UI tests.

HOW TO RUN

- Install repo dependencies: npm install
- Run available root checks/scripts as needed: npm test, npm run scss:build, or other manifest/docs scripts in package.json
- Single repo-wide app start command: Not found in repo
- Runnable demos/tools are package-specific; examples include forms/index.html and squeeze/ (npm install && npm start inside squeeze/)