






ESTIMATED MAX CURRENT DRAW

| RAIL  | CURRENT | POWER  | NOTES                                      |
|-------|---------|--------|--------------------------------------------|
| +12 V | 0.52 A  | 6.24 W | OCXO PLUS ALL POSITIVE-RAIL LOADS          |
| -12 V | 0.52 A  | 6.24 W | RETURN CURRENT OF THE FLOATING 24 V SUPPLY |
| +9 V  | 0.31 A  | 2.79 W | +5 V REG PLUS +9 V LOADS                   |
| -9 V  | 0.24 A  | 2.16 W | -5 V REG PLUS -9 V LOADS                   |
| +5 V  | 0.21 A  | 1.05 W | 8x LMH6609S PLUS SIX GROUNDED OUTPUTS      |
| -5 V  | 0.20 A  | 1.00 W | 8x LMH6609S PLUS SIX GROUNDED OUTPUTS      |

ASSUMPTIONS:

- SC-10L STABLE AT 25 °C
- ALL SIX OUTPUTS SHORTED TO GROUND


NOTE: OCXO WARMUP RESULTS IN ~1.3 A DRAWN FROM 24 V.




Outputs



Phase Noise



Front Panel



Stanford Research Systems, Inc.  
1290-D Reamwood Avenue, Sunnyvale CA 94089

Assembly  
Part number

File: fs.kicad\_sch

Disciplined OCXO Reference Distributor

Size: B


Date: July 2026

Designed by JK

Rev: A

KiCad E.D.A. 10.0.3

Sheet 1



/Phase Noise/







Stanford Research Systems, Inc.  
1290-D Reamwood Avenue, Sunnyvale CA 94089



Assembly  
Part number File: pn.kicad\_sch

**Disciplined OCXO Reference Distributor**

|                     |                 |                |         |
|---------------------|-----------------|----------------|---------|
| Size: B             | Date: July 2026 | Designed by JK | Rev: A  |
| KiCad E.D.A. 10.0.3 |                 |                | Sheet 2 |



## /Outputs/


Stanford Research Systems, Inc.  
1290-D Reamwood Avenue, Sunnyvale CA 94089



Assembly  
Part number File: out.kicad\_sch

**Disciplined OCXO Reference Distributor**

|                     |                 |                |         |
|---------------------|-----------------|----------------|---------|
| Size: B             | Date: July 2026 | Designed by JK | Rev: A  |
| KiCad E.D.A. 10.0.3 |                 |                | Sheet 3 |



7-???? REV A

STATUS

POWER

EXT REF

LOCKED

FAULT

REF INPUT

10 MHz 1–3 Vpp

FREQ ADJ

PHASE DET

10 V/rad (Hi-Z)

50 Ω SOURCE

10 MHz OUT

1

2

3

4

5

6

OUTPUT LEVEL +13 dBm / 1 Vrms / 2.82 Vpp INTO 50 Ω

Stanford Research Systems

FS720 — Disciplined OCXO Reference Distributor

/Front Panel/



Stanford Research Systems, Inc.  
1290–D Reamwood Avenue, Sunnyvale CA 94089

Assembly  
Part number  
File: fp.kicad\_sch

**Disciplined OCXO Reference Distributor**

|                     |                 |                |         |
|---------------------|-----------------|----------------|---------|
| Size: B             | Date: July 2026 | Designed by JK | Rev: A  |
| KiCad E.D.A. 10.0.3 |                 |                | Sheet 4 |